

COMPUTER CUT MEDIA GUIDE



CATALINA
GRAPHIC FILMS
INCORPORATED



FACE
 3.0 mil High Gloss Intermediate Calendered Vinyl

ADHESIVE
 Permanent Acrylic

LINER
 78# (White) Bleached Kraft

DURABILITY
 Up to 6 Years; Shelf Life 1 Year



ADHESIVE
 Clear Solvent, Permanent Acrylic

LINER
 78# Bleached Kraft

DURABILITY
 Up to 8 Years; Shelf life 1 Year

114 Clear	43 Bright Red	196 Apple Green	10 White	65 Cobalt Blue
10 White	53 Cardinal Red	38 Kelly Green	12 Black	49 King Blue
20 Matte White	312 Burgundy	28 Medium Green	20 Golden Yellow	56 Medium Blue
92 Copper	44 Purple	18 Hunter Green	21 Yellow	57 Traffic Blue
Brown	47 Olympic Blue	63 Dark Teal	11 Sun Yellow	61 Green
15 Bright Yellow	57 Medium Blue	90 Silver	31 Red	63 Lime Green
25 Sunflower	98 Bright Blue	31 Medium Gray	27 Tomato Red	80 Brown
91 Gold	67 Blue	73 Dark Gray	28 Cardinal Red	73 Dark Gray
36 Orange	37 Sapphire Blue	12 Black	34 Orange	74 Medium Gray
33 Soft Pink	62 Deep Blue	22 Matte Black		
13 Tomato Red				

These PVC Films are HIGH GLOSS with excellent stability. They are soft in nature and will conform to curved or flat surfaces, which makes them superior for die cutting. These films have a very high tack adhesive specifically formulated for banner graphics and lettering. They are Thermal print compatible. Applications with water only. Not to be used with solvent-based application fluids.

Series 700 cast films are premium quality, flexible, opaque solid color, high gloss vinyl films. They feature outstanding durability, superior conformability to irregular substrates, and are dimensionally stable. The construction provides for excellent cutting, weeding and transferring for a wide range of outdoor advertising. Additionally, this series provides excellent UV, temperature, humidity and slat-spray resistance. These films are especially engineered for electronically cut graphics*, emblems, commercial vehicle graphics and many other interior/exterior graphic signage. *Thermal print compatible.





FACE
7.0 mil Engineer Grade Reflective

ADHESIVE
Permanent Solvent

LINER
78# (White) Bleached Kraft

DURABILITY
Up to 7 Years



ADHESIVE
Permanent Acrylic

LINER
78# (White) Bleached Kraft


DURABILITY
Up to 5 Years



ADHESIVE
Permanent Acrylic

LINER
78# (White) Bleached Kraft

DURABILITY
Up to 6 Months



White



Yellow



Gold



Brown




Orange



Red



Blue



Green




Black




Silver



Taupe



Antique Gold




Pacific Green



Red



Burgundy



Blue Mist



Royal Blue



Red



Yellow



Pink



Orange



Blue



Green

Recommended Application Key

- Fleet with Rivets - Corrugation
- Fleet without Rivets - Corrugation
- R/V — Simple Curves
- Auto — Simple Curves
- Marine Graphics
- Highway Signage
- Flags & Banners
- Architectural & Backlits



FOR ALL YOUR PRESSURE SENSITIVE MATERIAL NEEDS, CONTACT THE OFFICE NEAREST YOU OR CALL **800.333.3136** OR FAX **818.880.1144**.
WWW.CATALINAGRAPHICFILMS.COM


Series 8100 conforms to all ASTM D requirements. Ideal for permanent traffic signs and temporary traffic control devices. Removable with heat up to 3 years.

Metallics are a premium quality, brilliant metallic, flexible opaque, vinyl film designed primarily for use in a variety of non-printed decorative decals, die-cut letters, numbers, product identification and accent stripping applications.

These pigmented cast polyvinyl chloride films are designed for safety and high visibility applications. They have a very high tack adhesives specifically formulated for banner graphics and lettering.

The white adhesive makes these fluorescent films suitable for first surface application ONLY on a transparent synthetic release liner.





FACE
2.0 mil Metallized Polyester

ADHESIVE
Permanent

LINER
90# Layflat

DURABILITY
Not Recommended for Outdoor Use

Metallized Polyester films will conform to curved or flat surfaces, making them superior for die cutting.

SERIES CM200



Bright Silver



Brushed Silver




Bright Gold



Clear-Ad®



Sign-Ad®



Clear Hi-Stat**



White Hi-Stat

* Clear Hi-Stat also available on a clear film liner.

CLEAR-AD®

FACE
4.0 mil CLEAR Flexible Vinyl

ADHESIVE
Low-Tack, Acrylic, Removable, Pressure-Sensitive

LINER
90# Layflat

DURABILITY
Up to 2 Years

SIGN-AD®

FACE
4.0 mil WHITE Flexible Vinyl

ADHESIVE
Low-Tack, Acrylic, Removable, Pressure-Sensitive

LINER
90# Layflat

DURABILITY
Up to 2 Years



FACE
2.0 mil Metallized Rigid Vinyl

ADHESIVE
Permanent Acrylic

LINER
90# Layflat


DURABILITY
Not Recommended for Outdoor Use

This revolutionary new holographic imaged vinyl film is BRIGHTER than any traditional type product presently available. For best results, they should be applied to smooth, flat surfaces. It can be used for POP displays, specialty stickers, and many other uses.

SERIES DF200




Axicon



Streamers

Frosted colors by design resemble "sand-blasted" or "acid-etched" glass.



Dusted Crystal



Frosted Crystal

HI-STAT®

FACE
7.5 mil Flexible Static Cling Vinyl

ADHESIVE
No adhesive coating

LINER
10 pt. board

DURABILITY
Up to 2 Years Interior

FROSTED/DUSTED CRYSTAL

FACE
3.0 mil Frosted Crystal Vinyl

ADHESIVE
Clear Permanent

LINER
Transparent Synthetic Release Liner

DURABILITY
Up to 3 Years



FACE
4.0 mil Calendered Vinyl

ADHESIVE
Removable

LINER
78# Kraft

DURABILITY
Up to 2 Years

Film designed for masking surfaces to be painted and for die-cut / hand-cut spray mask stencils.

PAINT MASK



Yellow

A high performance cast vinyl especially suited for tempered glass or glass doors.



Glass Etch

GLASS ETCH

FACE
2.0 mil Premium, Matte, Frosted Cast Vinyl

ADHESIVE
Permanent, Clear, Acrylic Pressure-Sensitive

LINER
78# Bleached Kraft

DURABILITY
Up to 5 Years





MOJAVE DIGITAL MEDIA

The Mojave Digital Media brand of pressure-sensitive materials offer accelerated graphic films technology by combining consistent product quality with state-of-the-art "green" water-based adhesives. They are specialized media for applications such as vehicle wrap graphics, window graphics, Wall Graphics®, Walk-On Graphics® and other conventional vinyls and overlaminates.

Ideally suited for the most demanding signage applications, Mojave Digital Media is enhanced for use with eco-solvent, solvent and UV-based inkjet printers.



COMPUTER CUT GRAPHICS PRODUCT SUMMARY

120, 200 AND 300 MIL

LEAD FREE

This matte white, magnetic sheeting is specially coated to prevent damage to paint. It is wrapped with protective paper to prevent scratches and improve adhesion.

Ideal for advertising specialties, direct mail, labels, promotional products, sales promotions, sport schedules ... and many more!

Excellent for use with vinyl, paint and screen-printing. Suitable for indoor and outdoor applications.

SQUEEGEES

The extra long double bladed squeegee allows easier application of pressure sensitive material.

APPLICATION TAPE : AP4600

A premium grade application and pre-space tape offers superior performance in wet applications. The unique adhesive characteristic allows for a smooth release in wet or dry applications with no adhesive residue. The lay flat feature eliminates curling or tunneling of material, and unwinds easily reducing tape waste.

RECOMMENDED APPLICATIONS

Fleet with Rivets - Corrugation	Fleet without Rivets - Corrugation	RV - Simple Curves	Auto - Simple Curves	Marine Graphics	Highway Signage	Flags & Banners	Architectural & Backkits
---------------------------------	------------------------------------	--------------------	----------------------	-----------------	-----------------	-----------------	--------------------------

Name	Face Film	Adhesive	Liner	Durability	Fleet with Rivets - Corrugation	Fleet without Rivets - Corrugation	RV - Simple Curves	Auto - Simple Curves	Marine Graphics	Highway Signage	Flags & Banners	Architectural & Backkits
CALENDERED OPAQUE FILMS												
SERIES CV300	3.0 mil High Gloss Intermediate Calendered Vinyl	Permanent Acrylic	78# (White) Bleached Kraft	Up to 6 Years		●	●	●	●		●	
HIGH PERFORMANCE OPAQUE CAST FILMS												
SERIES 700	2.0 mil Premium Cast Opaque Vinyl	Clear Solvent, Permanent Acrylic Pressure-Sensitive	78# Release Liner	Up to 8 Years	●	●	●	●			●	●
REFLECTIVE FILMS												
SERIES 8100	7.0 mil Engineer Grade Reflective	Permanent Solvent	78# (White) Bleached Kraft	Up to 7 Years	●	●	●	●	●	●		
METALLIC FILMS												
METALLICS	2.0 mil Opaque Cast Vinyl	Permanent Acrylic	78# (White) Bleached Kraft	Up to 5 Years	●	●	●	●			●	●
FLUORESCENT FILMS												
SERIES FL220	2.2 mil Cast Fluorescent Vinyl	Permanent Acrylic	78# (White) Bleached Kraft	Up to 6 Months							●	
METALLIZED POLYESTERS												
SERIES CM200	2.0 mil Metallized Polyester	Permanent Acrylic	90# Layflat	Not for Outdoor Use							●	
HOLOGRAPHICS												
SERIES DF200	2.0 mil Metallized Rigid Vinyl	Permanent Acrylic	90# Layflat	Not for Outdoor Use							●	●
WINDOW GRAPHICS FILMS												
CLEAR-AD	4.0 mil CLEAR Flexible Vinyl	Low-Tack, Acrylic, Removable, Pressure-Sensitive	90# Layflat	Up to 2 Years								●
SIGN-AD	4.0 mil WHITE Flexible Vinyl	Low-Tack, Acrylic, Removable, Pressure-Sensitive	90# Layflat	Up to 2 Years								●
HI-STAT	7.5 mil Flexible Static Cling Vinyl	No adhesive coating	10 pt. board	Up to 2 Years Interior								●
FROSTED/DUSTED CRYSTAL	3.0 mil Frosted Crystal Vinyl	Clear Permanent	Transparent Synthetic Release Liner	Up to 3 Years								●
GLASS ETCH	2.0 mil Premium, Matte Frosted Cast Vinyl	Permanent, Clear, Acrylic Pressure-Sensitive	78# Bleached Kraft	Up to 5 Years								●
MAGNETIC VINYL												
MAGNETIC VINYL	12.0 mil Magnetic Vinyl	N/A	N/A	Up to 6 Months		●	●	●				
	20.0 mil Magnetic Vinyl	N/A	N/A	Up to 6 Months		●	●	●				
	30.0 mil Magnetic Vinyl	N/A	N/A	Up to 6 Months		●	●	●				
MASKS												
PAINT MASK	4.0 mil Calendered Vnyl	Removable	78# Kraft	Up to 2 Years	●	●	●	●	●	●	●	●





Celebrating over 45 years in the graphic arts and sign industry, Catalina Graphic Films continues to be the innovative graphic solutions leader.

As your industry partner, Catalina is dedicated to keeping pace with technological advances.

Catalina offers media solutions that accommodate every aspect of your computer-aided sign making and graphic arts business.

A master converter of cast, calendered and specialty films used for these industries, Catalina continues to value relationships with only the highest quality suppliers to meet increased company and customer requirements.

HEADQUARTERS

27001 Agoura Road
Suite 100
Calabasas Hills, CA 91301
Toll-Free: (800) 333-3136
Tel: (818) 880-8060
Fax: (818) 880-1144

MANUFACTURING

LAS VEGAS
4855-D W. Harmon Avenue
Las Vegas, NV 89103

CHICAGO

870 Greenleaf Avenue
Elk Grove Village, IL 60007
Toll-Free: (800) 766-4939
Tel: (847) 806-1340
Fax: (847) 806-0296

ATLANTA

2865 N. Berkeley Lake
Road, Suite 4
Duluth, GA 30096
Toll-Free: (800) 922-5880
Tel: (770) 232-1878
Fax: (770) 232-7133



THE #1 SOURCE FOR PRESSURE-SENSITIVE MATERIALS



CATALINA
GRAPHIC FILMS
I N C O R P O R A T E D

PRODUCT GUIDE



Catalina Graphic Films manufactures an extensive line of pressure-sensitive products which promote workflow productivity and ensures your business has all the necessary media choices to meet market demands.

Essential Media

Especially enhanced for many types of printing technologies, Catalina's substrates are ideal for both newer printing methods such as Eco-Solvent, Solvent, UV Based and Latex Inkjet Printing, and traditional presses such as Offset, Screen Printing and Thermal Transfer. Regardless of your preferred printing method, you can be assured of Catalina's quality and commitment to outstanding visual performance in each and every product we produce.

Product Enhancements

Catalina also offers films designed to enhance any graphic essential product. Whether you need to boost an artwork's longevity by incorporating an overlamine or maintain workflow efficiency by using Barrier Film's ink-saving benefit, Catalina's assortment of complimentary enhancements allow the final output to go above and beyond your customers expectations.

Capabilities

Catalina has the capability for custom toll coating, laminating and custom sheeting to meet any of your special requirements.



IMAGING CATALINA GRAPHIC FILMS	2
VINYLS	3
Intermediate Vinyl	3
Premium Vinyl	4
Paint Mask	4
Trans-Ad® Transit Vinyl	5
Opaque Films	5
WALL GRAPHICS®	6
Wall Graphics®	6
Wall-TeX™	6
WINDOW GRAPHICS	7
Clear-Ad®	7
Sign-Ad®	7
Air-Egress Technology Films	7
Perforated One-Way Vision Film	7
Hi-Stat® Static Cling Vinyl	8-9
Barrier Film	10
Catapaque™ - Push/Pull System	10
WALK-ON GRAPHICS® & CARPET GRAPHICS	11
Walk-On Graphics Base Film	11
Carpet Graphics Base Film	11
Walk-On Graphics/Carpet Graphics Overlamine Film	11
LAMINATING FILMS	12
Calendered Overlaminates	12
Polyester Overlaminates	12
MOUNTING FILMS	13
Permanent / Permanent Adhesives	13
Permanent / Removable Adhesives	13
POLYESTERS	14
Printable Polyester	14
Metallized Polyester	14
CERTIFIED HP INDIGO SUBSTRATES	15
Window Graphics Vinyl for HP Indigo	15
Wall Graphics Vinyl for HP Indigo	15
Premium Calendered Vinyl for HP Indigo	15
REFERENCES	16
Adhesive Properties and Applications Table	16
Release Liners	16
TERMS AND CONDITIONS	17







CORPORATE HEADQUARTERS
CALABASAS HILLS, CA

MANUFACTURING
LAS VEGAS, NV

ADDITIONAL SALES OFFICES
CHICAGO, IL
ATLANTA, GA
PHOENIX, AZ
PHILADELPHIA, PA



CATALINA
GRAPHIC FILMS
INCORPORATED

Founded in 1968 as Catalina Plastic Suppliers, Inc., Catalina started business as a distributor of non-pressure sensitive plastic sheets and films. In 1972, the Company purchased its first pressure-sensitive adhesive coating line and became Catalina Plastics and Coating. The core business became the distribution of pressure sensitive coated plastics and films printed by offset and screen processes.

After 30 years in business, the Company has built its reputation upon high quality products and service. Today, its products are used in a wide variety of niche applications printed by almost all disciplines including digital, screen, offset, flexo and gravure.

After more than 30 years in business, Catalina changed its name to Catalina Graphic Films to more accurately reflect the Company's current focus and direction.

History and success have evolved our mission as well. Today and in looking to the future in the new millennium, we operate by the following Mission:

"Catalina Graphic Films is dedicated to being the premier custom coater of Pressure Sensitive materials for the Digital, Offset, Screen, Industrial and Specialty markets.

The Company will maintain a positive work environment to train and retain the highest caliber employees to meet increased internal and customer requirements. Our goal is to be THE source for application knowledge for our customers.

Catalina will continue to value relationships with only the highest quality suppliers to meet increased company and customer requirements. We continue to invest in equipment, technology and processes to provide our customers with high value application solutions for an ever changing market."



Intermediate flexible vinyls are intended for use in high quality interior/exterior markings or decal applications, such as bumper stickers, fleet markings and signs, requiring durability, flexibility, and low cost.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSF	WIDTH
CV400FW/P	3.5 MIL MATTE WHITE FLEXIBLE VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P22	90#	Matte	.50#	54" 60"
CV400FW/R	3.5 MIL MATTE WHITE FLEXIBLE VINYL WITH A REMOVABLE ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	R32	90#	Matte	.50#	54" 60"
CV400FW/HT	3.5 MIL MATTE WHITE FLEXIBLE VINYL WITH A HI-TACK PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Matte	.50#	54" 60"
CV400FW/PR	3.5 MIL MATTE WHITE FLEXIBLE VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# PRINTABLE STAYFLAT LINER	P22	90# Printable	Matte	.50#	54"
CV400FWP/TC	3.5 MIL TOP COATED MATTE WHITE FLEXIBLE VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P22	90#	Matte	.50#	54" 60"
CV400FWR/TC	3.5 MIL TOP COATED MATTE WHITE FLEXIBLE VINYL WITH A REMOVABLE ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	R32	90#	Matte	.50#	54" 60"
CV400FWP/TC/PR	3.5 MIL TOP COATED MATTE WHITE FLEXIBLE VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# PRINTABLE STAYFLAT LINER	P22	90# Printable	Matte	.50#	54"
CV400FWP/GR	3.5 MIL MATTE WHITE FLEXIBLE VINYL WITH A GRAY PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P86	90#	Matte	.50#	54" 60"
CV400FWR/GR	3.5 MIL MATTE WHITE FLEXIBLE VINYL WITH A GRAY REMOVABLE ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	R36	90#	Matte	.50#	54" 60"
CV400FWP/TC/GR	3.5 MIL TOP COATED MATTE WHITE FLEXIBLE VINYL WITH A PERMANENT GRAY ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P86	90#	Matte	.50#	54" 60"
CV400FWR/TC/GR	3.5 MIL TOP COATED MATTE WHITE FLEXIBLE VINYL WITH A REMOVABLE GRAY ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	R36	90#	Matte	.50#	54" 60"
CV400C/P	4.0 MIL CLEAR FLEXIBLE VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Gloss Clear	.50#	54" 60"
CV400C/R	4.0 MIL CLEAR FLEXIBLE VINYL WITH A REMOVABLE ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	R32	90#	Gloss Clear	.50#	54" 60"
CV400CP/TC	4.0 MIL TOP COATED CLEAR FLEXIBLE VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Gloss Clear	.50#	54" 60"
CV400CR/TC	4.0 MIL TOP COATED CLEAR FLEXIBLE VINYL WITH A REMOVABLE ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	R32	90#	Gloss Clear	.50#	54" 60"
CV400MC	3.5 MIL MATTE CLEAR FLEXIBLE VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Matte Clear	.50#	54"
CV400FB	3.5 MIL MATTE BLACK FLEXIBLE VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P22	90#	Matte	.50#	54"
CV600FW	6.0 MIL MATTE WHITE FLEXIBLE VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Matte	.62#	54" 60"
CV800FW	8.0 MIL MATTE WHITE FLEXIBLE VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Matte	.70#	54"
CV1000FW	10.0 MIL MATTE WHITE FLEXIBLE VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Matte	.83#	54"

Standard roll lengths: **100, 250 & 500 YARDS**

Standard sheet sizes: **20" x 27"**
27" x 38"

▶ Can be custom converted to meet your requirements.



Premium vinyls—offered in clear and white—are intended for use in high quality interior/exterior markings or decal applications, such as bumper stickers, fleet markings and signs, requiring a 5-year durability.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
PV300GWF	3.0 MIL HIGH GLOSS WHITE FLEXIBLE VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P22	90#	Gloss	.44#	54" 60"
PV400FW/P	3.5 MIL MATTE WHITE PREMIUM FLEXIBLE VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P22	90#	Matte	.50#	54" 60"
PV400FW/R	3.5 MIL MATTE WHITE PREMIUM FLEXIBLE VINYL WITH A REMOVABLE ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	R32	90#	Matte	.50#	54" 60"
PV400C	3.5 MIL CLEAR PREMIUM FLEXIBLE VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Gloss Clear	.50#	54" 60"
CV1000MW	10.0 MIL MATTE WHITE RIGID VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Matte	.83#	51"

Standard roll lengths: **100, 250 & 500 YARDS** Standard sheet sizes: **20" x 27"** ▼ Can be custom converted to meet your requirements.
27" x 38"

PAINT MASK

These products are used for masking surfaces to be painted and for die-cut/hand-cut spray mask stencils. They are excellent for car striping and aircraft markings. Paint Mask can be used outdoors.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
CV400YPM	3.5 MIL MATTE LIGHT YELLOW FLEXIBLE VINYL WITH A REMOVABLE ACRYLIC ADHESIVE AND A 78# LINER	R32	78#	Matte	.40#	60"
CV400WPM	3.5 MIL MATTE WHITE FLEXIBLE VINYL WITH A REMOVABLE ACRYLIC ADHESIVE AND A 78# LINER	R32	78#	Matte	.40#	60"
CV400WPMB	3.5 MIL MATTE WHITE FLEXIBLE VINYL WITH A REMOVABLE ACRYLIC ADHESIVE AND A 78# BLUE LINER	R32	78#	Matte	.40#	60"

Catalina's Paint Mask is an excellent choice for use with aircraft markings.



Trans-Ad is designed for high quality exterior graphics or decals. It is ideal for temporary fleet graphic applications on smooth, flat surfaces such as bus signs ("kings & queens"), automobiles, rail platform posters and transportation signs.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
TRANS-AD	4.0 MIL MATTE WHITE OPAQUE FLEXIBLE VINYL WITH A HIGH PERFORMANCE REMOVABLE ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	R45	90#	Matte	.50#	62"
TRANS-AD/TC	4.0 MIL TOP COATED MATTE WHITE OPAQUE FLEXIBLE VINYL WITH A HIGH PERFORMANCE REMOVABLE ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	R45	90#	Matte	.50#	62"

Standard roll lengths: **100, 250 & 500 YARDS**

Trans-Ad is Titan Worldwide approved for transit applications.



OPAQUE FILMS

Intended for use in high quality interior/exterior marking or decal applications which require block out or opacity. i.e. bumper stickers, point of purchase decals, fleet markings and decals.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
CV400FWP/GR	3.5 MIL MATTE WHITE FLEXIBLE VINYL WITH A GRAY PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P86	90#	Matte	.50#	54" 60"
CV400FWP/TC/GR	3.5 MIL MATTE WHITE TOP COATED FLEXIBLE VINYL WITH A GRAY PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P86	90#	Matte	.50#	54" 60"
CP200WBF	2.3 MIL TOP COATED WHITE POLYPROPYLENE METALLIZED BACK WITH A WHITE PERMANENT ACRYLIC ADHESIVE AND A 40# LINER	P84	40#	Gloss	.44#	54"

Standard roll lengths: **100, 250 & 500 YARDS** Standard sheet sizes: **27" x 38"** **▶** Can be custom converted to meet your requirements.



Wall Graphics vinyls have an ultra removable and reusable adhesive ideal for decal applications requiring easy removability from such surfaces as painted walls, most types of wall papers and wood paneling.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
WG400MC	4.0 MIL MATTE CLEAR FLEXIBLE VINYL WITH AN ULTRA REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	W79	90#	Matte	.50#	54"
WG400W	4.0 MIL MATTE WHITE FLEXIBLE VINYL WITH AN ULTRA REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	W79	90#	Matte	.50#	54" 60"
WG400MC/TC	4.0 MIL TOP COATED MATTE CLEAR FLEXIBLE VINYL WITH AN ULTRA REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	W79	90#	Matte	.50#	54"
WG400W/TC	4.0 MIL TOP COATED MATTE WHITE FLEXIBLE VINYL WITH AN ULTRA REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	W79	90#	Matte	.50#	54" 60"
WG600W	6.0 MIL MATTE WHITE FLEXIBLE VINYL WITH AN ULTRA REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	W79	90#	Matte	.62#	54" 60"
WG800W	8.0 MIL MATTE WHITE FLEXIBLE VINYL WITH AN ULTRA REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	W79	90#	Matte	.70#	54" 60"
WG1000W	10.0 MIL MATTE WHITE FLEXIBLE VINYL WITH AN ULTRA REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	W79	90#	Matte	.83#	54" 60"


Standard roll lengths: **100, 250 & 500 YARDS**

▶ Can be custom converted to meet your requirements.

WALL-TEX™

Wall-Tex is the newest addition to Catalina's line of wall graphics products.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
WALL-TEX	7.0 MIL POLYESTER FABRIC WITH A LOW-TACK REMOVABLE ADHESIVE AND A 90# LAYFLAT LINER	W79	90#	Matte	.57#	54"



Widely used at most fast food restaurant chains throughout the country, Clear-Ad is a clear, flexible vinyl with a specially formulated low-tack removable adhesive used for interior and exterior applications requiring good clarity and easy removal with no adhesive residue.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
CLEAR-AD	4.0 MIL CLEAR FLEXIBLE VINYL WITH A LOW TACK REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	R67	90#	Gloss	.50#	54" 60"
CLEAR-AD/TC	4.0 MIL TOP COATED CLEAR FLEXIBLE VINYL WITH A LOW TACK REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	R67	90#	Gloss	.50#	54" 60"

Standard roll lengths: **100, 250 & 500 YARDS** Standard sheet sizes: **27" x 38"** Can be custom converted to meet your requirements.

SIGN-AD®

Sign-Ad is a matte white, flexible vinyl with a specialty formulated low-tack removable adhesive used for interior and exterior applications requiring easy removal with no adhesive residue. Instead of flood coating clear film with white ink to make colors pop out, Sign-Ad is the ideal alternative when printing signage.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
SIGN-AD	4.0 MIL MATTE WHITE FLEXIBLE VINYL WITH A LOW TACK REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	R67	90#	Matte	.50#	54" 60"
SIGN-AD/TC	4.0 MIL TOP COATED MATTE WHITE FLEXIBLE VINYL WITH A LOW TACK REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	R67	90#	Matte	.50#	54" 60"

Standard roll lengths: **100, 250 & 500 YARDS** Standard sheet sizes: **27" x 38"** Can be custom converted to meet your requirements.

AIR-EGRESS TECHNOLOGY FILMS

The Air-Egress liner is a bubble-free solution which allows trapped air to escape almost instantly for time-saving application.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
SIGN-AD-AE	4.0 MIL MATTE WHITE FLEXIBLE VINYL WITH A LOW TACK REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER WITH AIR EGRESS TECHNOLOGY	R67	90# Layflat Air-Egress	Gloss Matte	.50#	54" 60"
CV400FWR/GR-AE	4.0 MIL MATTE WHITE FLEXIBLE VINYL WITH A REMOVABLE GRAY ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER WITH AIR EGRESS TECHNOLOGY	R32	90# Layflat Air-Egress	Matte	.50#	54" 60"
PV300GWP/GR-AE	3.0 MIL HIGH GLOSS WHITE FLEXIBLE VINYL WITH A PERMANENT GRAY ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER WITH AIR EGRESS TECHNOLOGY	P86	90# Layflat Air-Egress	Gloss	.44#	54" 60"
PV300GWR/GR-AE	3.0 MIL HIGH GLOSS WHITE FLEXIBLE VINYL WITH A REMOVABLE GRAY ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER WITH AIR EGRESS TECHNOLOGY	R36	90# Layflat Air-Egress	Gloss	.44#	54" 60"

Standard roll lengths: **100, 250 & 500 YARDS** Can be custom converted to meet your requirements.

PERFORATED ONE-WAY VISION FILM

Ideal for fleet graphics, windows and many other applications requiring graphics on one side and a clear, unobstructed view through the other.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
ONE-WAY EPWE	ECONOMY GRADE PERFORATED ONE WAY VISION FILM FOR EXTERIOR USE IN BLACK/WHITE WITH A 1.6 MM DIAMETER	Removable	7.0 mil Paper	Gloss	.462#	54"
ONE-WAY CPWE	EXTERIOR CLASSIC VIEW FOR EXTERIOR USE IN BLACK/WHITE WITH A 1.5 MM DIAMETER	Removable	Clear Film	Gloss	.462#	54"

Standard roll lengths: **100 FT.**
1000 FT. Can be custom converted to meet your requirements.



Hi-Stat static cling vinyl is a very soft, flexible vinyl which adheres to most clean, high polished smooth surfaces without adhesive. It is available in several gauges and different board stocks.

Non-Top Coated - Clear

CODE	DESCRIPTION	LINER	FINISH	WEIGHT PER MSI	WIDTH
CV690C	6.0 MIL CLEAR HI-STAT LAMINATED TO A 90# LINER	90#	High Gloss	.48#	54"
CV608C	6.0 MIL CLEAR HI-STAT LAMINATED TO AN 8 PT. BOARD	8 PT.	High Gloss	.55#	54"
CV610C	6.0 MIL CLEAR HI-STAT LAMINATED TO A 10 PT. BOARD	10 PT.	High Gloss	.60#	54"
CV890C	8.0 MIL CLEAR HI-STAT LAMINATED TO A 90# LINER	90#	High Gloss	.62#	54"
CV808C	8.0 MIL CLEAR HI-STAT LAMINATED TO AN 8 PT. BOARD	8 PT.	High Gloss	.62#	54"
CV810C	8.0 MIL CLEAR HI-STAT LAMINATED TO A 10 PT. BOARD	10 PT.	High Gloss	.67#	40" 50" 54" 60"
Opti-Cling™	8.0 MIL CLEAR HI-STAT LAMINATED TO A MATTE CLEAR FILM LINER	Film	High Gloss	.85#	54" 60"

Non-Top Coated - White

CODE	DESCRIPTION	LINER	FINISH	WEIGHT PER MSI	WIDTH
CV690W	6.0 MIL WHITE HI-STAT LAMINATED TO A 90# LINER	90#	High Gloss	.48#	54"
CV608W	6.0 MIL WHITE HI-STAT LAMINATED TO AN 8 PT. BOARD	8 PT.	High Gloss	.55#	54"
CV610W	6.0 MIL WHITE HI-STAT LAMINATED TO AN 10 PT. BOARD	10 PT.	High Gloss	.60#	54"
CV890W	8.0 MIL WHITE HI-STAT LAMINATED TO A 90# LINER	90#	High Gloss	.62#	54"
CV808W	8.0 MIL WHITE HI-STAT LAMINATED TO AN 8 PT. BOARD	8 PT.	High Gloss	.62#	54"
CV810W	8.0 MIL WHITE HI-STAT LAMINATED TO A 10 PT. BOARD	10 PT.	High Gloss	.67#	40" 50" 54" 60"

Standard roll lengths: **100, 250 & 500 YARDS**

Standard sheet sizes: **25" x 36"**
27" x 38"

▶ Can be custom converted to meet your requirements.



Some of the many uses include window advertising, point of purchase decals, seasonal decals, oil change labels, price stickers and vehicle advertising.

Top Coated - Clear

CODE	DESCRIPTION	LINER	FINISH	WEIGHT PER MSI	WIDTH
CV660C/TC	6.0 MIL TOP COATED CLEAR HI-STAT LAMINATED TO A 60# LINER	60#	High Gloss	.48#	54"
CV690C/TC	6.0 MIL TOP COATED CLEAR HI-STAT LAMINATED TO A 90# LINER	90#	High Gloss	.48#	54"
CV608C/TC	6.0 MIL TOP COATED CLEAR HI-STAT LAMINATED TO AN 8 PT. BOARD	8 PT.	High Gloss	.55#	54"
CV610C/TC	6.0 MIL TOP COATED CLEAR HI-STAT LAMINATED TO A 10 PT. BOARD	10 PT.	High Gloss	.60#	54"
CV890C/TC	8.0 MIL TOP COATED CLEAR HI-STAT LAMINATED TO A 90# LINER	90#	High Gloss	.62#	54"
CV808C/TC	8.0 MIL TOP COATED CLEAR HI-STAT LAMINATED TO AN 8 PT. BOARD	8 PT.	High Gloss	.62#	54"
CV810C/TC	8.0 MIL TOP COATED CLEAR HI-STAT LAMINATED TO A 10 PT. BOARD	10 PT.	High Gloss	.67#	40" 50" 54" 60"
Opti-Cling™/TC	8.0 MIL TOP COATED CLEAR HI-STAT LAMINATED TO A MATTE CLEAR FILM LINER	Film	High Gloss	.85#	54" 60"

Top Coated - White

CODE	DESCRIPTION	LINER	FINISH	WEIGHT PER MSI	WIDTH
CV660W/TC	6.0 MIL TOP COATED WHITE HI-STAT LAMINATED TO A 60# LINER	60#	High Gloss	.48#	54"
CV690W/TC	6.0 MIL TOP COATED WHITE HI-STAT LAMINATED TO A 90# LINER	90#	High Gloss	.48#	54"
CV608W/TC	6.0 MIL TOP COATED WHITE HI-STAT LAMINATED TO AN 8 PT. BOARD	8 PT.	High Gloss	.55#	54"
CV610W/TC	6.0 MIL TOP COATED WHITE HI-STAT LAMINATED TO A 10 PT. BOARD	10 PT.	High Gloss	.60#	54"
CV890W/TC	8.0 MIL TOP COATED WHITE HI-STAT LAMINATED TO A 90# LINER	90#	High Gloss	.62#	54"
CV808W/TC	8.0 MIL TOP COATED WHITE HI-STAT LAMINATED TO AN 8 PT. BOARD	8 PT.	High Gloss	.62#	54"
CV810W/TC	8.0 MIL TOP COATED WHITE HI-STAT LAMINATED TO A 10 PT. BOARD	10 PT.	High Gloss	.67#	40" 50" 54" 60"

Standard roll lengths: **100, 250 & 500 YARDS**

Standard sheet sizes: **25" x 36"**
27" x 38"

▶ Can be custom converted to meet your requirements.

Catalina's window graphic materials are the most widely used films offered today and can be seen throughout the P.O.P. advertising industry.



Applied to Clear-Ad or Hi-Stat, the complete opacity of our barrier film allows the printing of two-way decals for interior and exterior viewing. Using a barrier film avoids having to print many layers of ink on one film, which can cause the material to become extremely brittle if printing with UV inks.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
CP200WBF	2.3 MIL TOP COATED WHITE POLYPROPYLENE METALLIZED BACK WITH A WHITE PERMANENT ADHESIVE AND A 40# LINER	P84	40#	Gloss	.44#	54"

Standard roll lengths: **100, 250 & 500 YARDS**

Can be custom converted to meet your requirements.

CATAPAQUE™ – PUSH / PULL SYSTEM


Catapaque is an .008 blockout printable two sided polypropylene film for two way advertising. The mounting film used with Catapaque is a .001 polyester film with a permanent adhesive one side, and a low-tack removable on the other side.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
CATAPAQUE	8.0 MIL BRIGHT WHITE OPAQUE POLYPROPYLENE FILM	None	None	Semi-Gloss	.289#	56"

RECOMMENDED MOUNTING FILM

CMTT100PR-OC	1.0 MIL CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE/CLEAR FILM LINER ON ONE SIDE AND A REMOVABLE ACRYLIC ADHESIVE/CLEAR PRINTED FILM LINER ON THE OTHER SIDE	R32/P82	2.0 mil Clear Film & 2.0 mil Clear Printed Film	NA	.51#	54"
---------------------	--	----------------	--	-----------	-------------	------------

Standard roll lengths: **100 & 250 YARDS**



Walk-On Graphics floor decals is a two component, UL approved system consisting of a base film and a slip resistant overlamine.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
WOGFW	4.0 MIL NON TOP COATED MATTE WHITE FLEXIBLE VINYL WITH A HIGH PERFORMANCE REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	R32	90#	Matte	.50#	54"
WOGFW/TC	4.0 MIL TOP COATED MATTE WHITE FLEXIBLE VINYL WITH A HIGH PERFORMANCE REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	R32	90#	Matte	.50#	54"
WOGFC	4.0 MIL NON TOP COATED CLEAR FLEXIBLE VINYL WITH A HIGH PERFORMANCE REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	R32	90#	Gloss	.50#	54"
WOGFC/TC	4.0 MIL TOP COATED CLEAR FLEXIBLE VINYL WITH A HIGH PERFORMANCE REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	R32	90#	Gloss	.50#	54"

▼ Base film can be custom sheeted.

CARPET GRAPHICS BASE FILM

Carpet Graphics floor decals is a two component, UL approved system consisting of a base film and a slip resistant overlamine.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
CGFW	4.0 MIL NON TOP COATED MATTE WHITE FLEXIBLE VINYL WITH A HIGH PERFORMANCE REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	HP	90#	Matte	.50#	54"
CGFW/TC	4.0 MIL TOP COATED MATTE WHITE FLEXIBLE VINYL WITH A HIGH PERFORMANCE REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	HP	90#	Matte	.50#	54"
CGFC	4.0 MIL NON TOP COATED CLEAR FLEXIBLE VINYL WITH A HIGH PERFORMANCE REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	HP	90#	Gloss	.50#	54"
CGFC/TC	4.0 MIL TOP COATED CLEAR FLEXIBLE VINYL WITH A HIGH PERFORMANCE REMOVABLE ADHESIVE AND A 90# STAYFLAT LINER	HP	90#	Gloss	.50#	54"

▼ Base film can be custom sheeted.

WALK-ON GRAPHICS® / CARPET GRAPHICS OVERLAMINATE FILM

Slip resistant overlamine to be used in conjunction with base film.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
SRV6000L	6.0 MIL CLEAR EMBOSSED RIGID VINYL WITH A PERMANENT ADHESIVE AND A 2.0 MIL CLEAR FILM LINER	P82	Film	Textured	.44#	54"
LM4CL	4.0 MIL CLEAR HIGH POLISHED FLEXIBLE VINYL WITH A PERMANENT ADHESIVE AND A 2.0 MIL CLEAR FILM LINER	P82	Film	Gloss	.30#	54"

Walk-On Graphics are suitable for advertising in supermarkets, toy stores, restaurants, theaters, or other high-traffic areas where point of purchase displays are optimal. They are available for various types of printing requirements including screen, offset, inkjet and electrostatic printing.



Overlaminates enhance overall graphic depth and gloss while protecting printed materials from UV radiation, environmental elements and general abuse.

Calendered Overlaminates


CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
LM3LL	3.0 MIL LUSTER CALENDERED VINYL With UV Protection WITH A PERMANENT ACRYLIC ADHESIVE AND A 53 # PAPER LINER	P22	53#	Luster	.28#	54" 60"
LM3MCL	3.0 MIL MATTE CLEAR CALENDERED VINYL With UV Protection WITH A PERMANENT ACRYLIC ADHESIVE AND A 53 # PAPER LINER	P22	53#	Matte	.28#	54" 60"
LM3CL	3.0 MIL GLOSS CLEAR CALENDERED VINYL With UV Protection WITH A PERMANENT ACRYLIC ADHESIVE AND A 53# PAPER LINER	P22	53#	Gloss	.28#	54" 60"
LM4CL	4.0 MIL GLOSS CLEAR CALENDERED VINYL With UV Protection WITH A PERMANENT ACRYLIC ADHESIVE AND A CLEAR FILM LINER	P82	Film	Gloss	.30#	54" 60"
LM6CE	6.0 MIL CLEAR EMBOSSED RIGID VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A CLEAR FILM LINER <i>* ONLY AVAILABLE IN 54"</i>	P82	Film	Textured	.44#	54"

Standard roll lengths: **250 YARDS**

Polyester Overlaminates

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
LM1CL	1.0 MIL CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A CLEAR FILM LINER	P82	Film	Gloss	.25#	54"
LM1MC	1.0 MIL MATTE CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A CLEAR FILM LINER	P82	Film	Gloss	.25#	54"
LM2CL	2.0 MIL CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A CLEAR FILM LINER	P82	Film	Gloss	.30#	54"

Standard roll lengths: **250 YARDS**



Converting non-pressure sensitive films—such as membrane switches, posters, mouse-pads, decals and medical applications—into pressure sensitive materials is easy with Catalina Graphic Films' Mounting Films. Available in a wide selection of various gauges with numerous types of adhesives, including permanent two sides, or permanent one side and removable one side.

Permanent / Permanent Adhesives

CODE	DESCRIPTION	ADHESIVE	LINER	WEIGHT PER MSI	WIDTH
CMTT50SL	0.5 MIL CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE ON BOTH SIDES AND A 40# C2S RELEASE LINER	P82	40#	.51#	54"
CMTT50C	0.5 MIL CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE ON BOTH SIDES AND 90#/40# RELEASE LINERS	P82	90#/40#	.55#	54"
CMTT100C	1.0 MIL CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE ON BOTH SIDES AND 90#/40# RELEASE LINERS	P82	90#/40#	.60#	54"
CMTT200WSL	2.0 MIL WHITE POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE ON BOTH SIDES AND A 40# C2S RELEASE LINER	P84	40#	.64#	54"

Standard roll lengths: **100 & 250 YARDS**

Permanent / Removable Adhesives

CODE	DESCRIPTION	ADHESIVE	LINER	WEIGHT PER MSI	WIDTH
CMTT50SLPR	0.5 MIL CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE ON ONE SIDE AND REMOVABLE ACRYLIC ADHESIVE ON THE OTHER, AND A 40# C2S RELEASE LINER	R32/P82	40#	.51#	54"
CMTT50SLPRWG	0.5 MIL CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE ON ONE SIDE AND AN ULTRA REMOVABLE ACRYLIC ADHESIVE ON THE OTHER, AND A 40# C2S RELEASE LINER. SUITABLE FOR WALL GRAPHIC APPLICATIONS	W79/P82	40#	.51#	54"
CMTT100PR-OC	1.0 MIL CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE/CLEAR FILM LINER ON ONE SIDE AND A REMOVABLE ACRYLIC ADHESIVE/CLEAR PRINTED FILM LINER ON THE OTHER SIDE	R32/P82	2.0 mil Clear Film & 2.0 mil Clear Printed Film	.51#	54"
CMTT100SLPR	1.0 MIL CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE ON ONE SIDE AND REMOVABLE ACRYLIC ADHESIVE ON THE OTHER, AND A 40# C2S RELEASE LINER	R32/P82	40#	.55#	54"

Standard roll lengths: **100 & 250 YARDS**



Printable Polyester films are intended for use as high quality markings in applications requiring clarity, durability, high temperature resistance and dimensional stability.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
CM100C	1.0 MIL PRINT TREATED CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Gloss	.35#	54"
CM150C	1.5 MIL PRINT TREATED CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Gloss	.40#	54"
CM200C	2.0 MIL PRINT TREATED CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Gloss	.44#	54"
CM200C/R	2.0 MIL PRINT TREATED CLEAR POLYESTER WITH A REMOVABLE ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	R32	90#	Gloss	.44#	54"
CM500C	5.0 MIL PRINT TREATED CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Gloss	.66#	54"
CM1000C	10.0 MIL PRINT TREATED CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Gloss	.83#	54"
CM200MC	2.0 MIL TOP COATED MATTE CLEAR POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Matte	.44#	54"
CM200MC/R	2.0 MIL TOP COATED MATTE CLEAR POLYESTER WITH A REMOVABLE ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	R32	90#	Matte	.44#	54"
CM200WO	2.0 MIL PRINT TREATED WHITE POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Gloss	.44#	54"

Standard roll lengths: **100 & 250 YARDS**

Standard sheet sizes: **20" x 27"**
27" x 38"

Can be custom converted to meet your requirements.

METALLIZED POLYESTER

Metallized polyester films—in bright and brushed finishes—are appropriate for applications where metallic luster, durability and dimensional stability are critical.

CODE	DESCRIPTION	ADHESIVE	LINER	FINISH	WEIGHT PER MSI	WIDTH
CM100S	1.0 MIL PRINT TREATED BRIGHT SILVER POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Bright	.35#	54"
CM200S	2.0 MIL PRINT TREATED BRIGHT SILVER POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Bright	.44#	54"
CM200BS	2.0 MIL PRINT TREATED BRUSHED SILVER POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Brushed	.44#	54"
CM200G	2.0 MIL PRINT TREATED BRIGHT GOLD POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Bright	.44#	54"
CM200BG	2.0 MIL PRINT TREATED BRUSHED GOLD POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Brushed	.44#	54"
CM500S	5.0 MIL PRINT TREATED BRIGHT SILVER POLYESTER WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER	P82	90#	Bright	.66#	54"

Standard roll lengths: **100 & 250 YARDS**

Standard sheet sizes: **20" x 27"**
27" x 38"

Can be custom converted to meet your requirements.



866.971.1008

**CERTIFIED IMAGING
HP INDIGO
SUBSTRATES**

Our certified HP INDIGO substrates supports a broad range of outdoor and indoor application usage. Additionally, Catalina's Window Graphics vinyl complements HP INDIGO printing as an eco-friendly alternative by utilizing renewable, state-of-the-art "green" water-based adhesives that provide superior pressure-sensitive control while minimizing environmental impact.

HP INDIGO



CERTIFIED
SUBSTRATE

Window Graphics Vinyl for HP Indigo

CODE	DESCRIPTION
SPMSAIN	SIGN-AD® 4.0 MIL. MATTE WHITE CALENDERED VINYL WITH A LOW TACK REMOVABLE ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER ▶ 400 sheets per box
SPMCAIN	CLEAR-AD® 4.0 MIL. CLEAR CALENDERED VINYL WITH A LOW TACK REMOVABLE ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER ▶ 400 sheets per box
SPMHSWIN	HI-STAT® 8.0 MIL. WHITE STATIC CLING WITH AN 8 PT. BOARD ▶ 300 sheets per box
SPMHSCIN	HI-STAT® 8.0 MIL. CLEAR STATIC CLING WITH AN 8 PT. BOARD ▶ 300 sheets per box

Standard sheet size: **12" x 18"**
13" x 19"

Wall Graphics Vinyl for HP Indigo

CODE	DESCRIPTION
SPMWG6IN	WALL GRAPHICS® 6.0 MIL MATTE WHITE CALENDERED VINYL WITH AN ULTRA REMOVABLE ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER

Standard sheet size: **12" x 18"** ▶ 300 sheets per box
13" x 19"

Premium Calendered Vinyl for HP Indigo

CODE	DESCRIPTION
SPM400FWPIN	4.0 MIL MATTE WHITE CALENDERED VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER
SPM400FWRIN	4.0 MIL MATTE WHITE CALENDERED VINYL WITH A REMOVABLE ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER
SPM400FWGRIN	4.0 MIL MATTE WHITE CALENDERED VINYL WITH A PERMANENT GRAY ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER
SPM400CIN	4.0 MIL CLEAR CALENDERED VINYL WITH A PERMANENT ACRYLIC ADHESIVE AND A 90# STAYFLAT LINER

Standard sheet size: **12" x 18"** ▶ 400 sheets per box
13" x 19"



Permanent Adhesives

ADHESIVES	GENERAL CHARACTERISTICS AND APPLICATIONS
K31	Permanent, clear adhesive used for flexible Vinyls in skin-contact applications
P22	Permanent, general purpose, clear adhesive used for flexible Vinyls, Polyesters, and other films (used as the default standard for flexible Vinyls)
P24	Permanent, general purpose, white adhesive for flexible Vinyls
P26	Permanent, general purpose, gray adhesive for flexible Vinyls
P72	Permanent, moderate-tack, clear, fleet-marking adhesive used for flexible Vinyls, Polyesters, and Metallized film
P82	Permanent, high-tack, high-peel, clear adhesive used for Vinyls and low-energy surfaces, such as Polyolefins and Rubbers
P84	Permanent, high-tack, high-peel, white pigmented adhesive used for Vinyls and low-energy surfaces, such as Polyolefins and Rubbers
P86	Permanent, high-tack, high-peel, gray adhesive used for Vinyls and low-energy surfaces, such as Polyolefins and Rubbers

Removable Adhesives

ADHESIVES	GENERAL CHARACTERISTICS AND APPLICATIONS
R32	Removable, moderate-tack, clear adhesive used for Clear and Matte Polyesters and select flexible Vinyls
R36	Removable, moderate-tack, gray adhesive used for select flexible Vinyls
R38	Removable, moderate-tack, black adhesive used for select flexible Vinyls
R45	Clear, removable, high-peel adhesive used for select flexible vinyls and removable fleet markings
R46	Removable, high-peel, gray adhesive used for select flexible Vinyls
R67	"Ultra-Removable", low-tack, clear adhesive used for Clear-Ad, Sign-Ad, and select flexible Vinyls

Wall Graphics Adhesives

ADHESIVES	GENERAL CHARACTERISTICS AND APPLICATIONS
W53	Wall Graphics adhesive for polyolefin and paper face stocks
W79	High-peel Wall Graphics adhesive for 4, 6, 8, and 10 mil flexible Vinyls

RELEASE LINERS

Silicone Release Liners

Description	
40#	Bleached Super Calendered Kraft
40#C2S	Coated Two Sides (C2S) Bleached Kraft
50#	Bleached Super Calendered Kraft
78#	Clay Coated One Side
90#	Polycoated Two Sides Stayflat
90#/PR	Printable Backside, Polycoated Two Sides Stayflat
8 PT.	Printable Backside, Polycoated One Side
1.5 MIL	Clear Polyester
2.0 MIL	Clear BOPP

Hi-Stat — Static Cling Liners

Liner
60# Liner
90# Liner
8 PT. Board
10 PT. Board
10.0 MIL Matte/Clear Film Liner



PRICE IMAGING unless stated otherwise are F.O.B. Las Vegas, Nevada. All prices are subject to change without prior notice. All orders will be billed at prices in effect on the shipping date. Minimum order \$250.00.

TERMS Net 30 days. The net amount of invoice is payable within 30 days following the date of invoice. Invoices not paid within 30 days of due date shall thereafter bear monthly service charges at the rate of two (2) percent per month on the unpaid balance until paid. If in CATALINA GRAPHIC FILMS' ("THE COMPANY'S") opinion Customer's financial condition does not justify continuance of production or shipment on the terms of payment specified, THE COMPANY may require payments in advance.

ACCEPTANCE These Standard Terms and Conditions of Sale, together with information contained in THE COMPANY'S written product order acknowledgment and/or invoice and any additions or revisions mutually agreed to in writing by THE COMPANY and Customer shall constitute the entire agreement and understanding of THE COMPANY and Customer with respect to the purchase and sale of THE COMPANY'S products, superseding all prior oral or written understandings relating thereto. If Customer's order contains provisions inconsistent with the provisions hereof, these terms and conditions shall prevail. Customer's acceptance of delivery of or payment for any products provided hereunder shall constitute Customer's acceptance of all terms and conditions herein.

STOCK ASSORTING PRIVILEGE Orders for stock size products listed in our price list, to be shipped at one time to one destination, may be assorted to obtain best quantity price. Orders for custom materials and/or custom sized sheets or rolls are not assortable and require special quotation.

QUANTITIES Unless otherwise indicated on THE COMPANY'S acknowledgement and/or invoice, in accordance with industry practice. THE COMPANY reserves the right to ship and invoice plus or minus ten percent ($\pm 10\%$) of the total quantity of each product ordered by Customer hereunder on standard materials.

CUSTOM ORDERS We can provide special constructions which involve facestocks, adhesives and liners. Custom orders, rolls or sheets will be filled within $\pm 20\%$, full mill trim will be charged to the purchase.

CANCELLATIONS Orders cannot be cancelled except upon terms that will fully compensate THE COMPANY against loss.

SHIPMENTS We reserve the right to specify routing of shipments.

DELIVERY THE COMPANY shall make every reasonable effort to effect shipment on or before the scheduled shipping date(s) reflected on THE COMPANY'S acknowledgement and/or invoice, but such schedule may vary due to, among other things conditions beyond reasonable control, including, but not limited to receipt of all materials and information to be supplied by Customer. If no shipping date is specified, shipment will be made on date(s) selected by THE COMPANY. In no event shall THE COMPANY be liable for any damages or penalties for delay in delivery or for failure to give notice of delay. Delivery may be made in advance of any scheduled delivery date upon reasonable prior notice to Customer.

PACKING AND SHIPPING Unless preferred packing method is noted on THE COMPANY'S acknowledgement and/or invoice, all items will be packed for shipment in accordance with THE COMPANY'S standard practices. Unless otherwise specified on acknowledgment, THE COMPANY will ship by the most appropriate method, but by doing so does not assume any liability in connections with the shipment. Any and all claims by Customer for damage or loss of products in transit shall be made by Customer against the carrier. If requested by Customer, transportation charges and insurance will be prepaid and will be added to invoice as a separate item.

INSPECTIONS Customer shall carefully inspect all deliveries of products as they are received by Customer and report to THE COMPANY promptly (within 30 days from receipt of shipment) any alleged error, shortage, defect or nonconformity of such products. Any failure by Customer so to inspect and report shall constitute a waiver by Customer of any claim or right of Customer against THE COMPANY arising with respect to any such error, shortage, defect or nonconformity which was reasonably discoverable by such an inspection.

RETURNS All products sold by THE COMPANY are returnable only in accordance with the warranty provisions hereof. Before returning any product, Customer must obtain THE COMPANY'S RETURN MATERIAL AUTHORIZATION (RMA). Credit will not be issued on unauthorized returns. Returns are subject to a \$75.00 or 25% restocking charge, whichever is greater.

TAXES The amount of any present or future federal, state, local or other taxes applicable to the sale of products listed herein shall be added to the price and paid by the Customer unless Customer provides THE COMPANY with a valid exemption certificate acceptable to THE COMPANY and the appropriate taxing authority.

FORCE MAJEURE THE COMPANY shall not be liable for any loss, damage, delay, changes in shipment schedules or failure to deliver caused by accident, fires, strikes, riots, civil commotion, insurrection, war, the elements, embargoes, failure of carriers, inability to obtain transportation facilities, government requirements, acts of God or public enemy, prior orders from Customers' production or marketing activity or any other causes or contingencies beyond THE COMPANY'S control. We shall in no event be liable for any consequential damages.

CHOICE OF LAW The contract shall be governed by and construed in accordance with the laws of the State of California.

WARRANTY All statements, technical information and recommendations about our supplied products are based upon tests believed to be reliable but do not constitute a guarantee or warranty. All products are sold with the understanding that the Customer has independently determined the suitability of such products for its purpose.

We shall honor the manufacturer's technical evaluation of suspected material and at no time will we be responsible for claims beyond the replacement value of the defective product or in any way be liable or responsible for consequential or incidental damages. THE COMPANY will issue credit to the Customer when we have received the credit from our supplier.

No salesman, representative or agent of THE COMPANY is authorized to give any guarantee, warranty or make any representation contrary to the above.

 **CATALINA**
GRAPHIC FILMS
I N C O R P O R A T E D

HEADQUARTERS

27001 Agoura Road, Suite 100
Calabasas Hills, CA 91301
Toll-Free: (800) 333-3136
Tel: (818) 880-8060
Fax: (818) 880-1144

CHICAGO

870 Greenleaf Avenue
Elk Grove Village, IL 60007
Toll-Free: (800) 766-4939
Tel: (847) 806-1340
Fax: (847) 806-0296

ATLANTA


2865 N. Berkeley Lake
Road, Suite 4
Duluth, GA 30096
Toll-Free: (800) 922-5880
Tel: (770) 232-1878
Fax: (770) 232-7133

MANUFACTURING - LAS VEGAS

4855-D W. Harmon Avenue
Las Vegas, NV 89103



WWW.CATALINAGRAPHICFILMS.COM



CATALINA
GRAPHIC FILMS
INCORPORATED

PRODUCT GUIDE

Accelerated Graphic Films Technology

**Blending
Technology
&
Tradition**

Catalina Graphic Films manufactures an extensive line of pressure-sensitive products which promote workflow productivity and ensures your business has all the necessary media choices to meet market demands.

Celebrating over 45 years in the graphic arts and print industry, Catalina Graphic Films has been your one source for innovative materials for your most demanding visual arts applications.

Catalina Graphic Films has a long tradition of consistent product quality and extreme flexibility of product service.

We offer a gamut of products that run from conventional gloss & matte vinyls, mounting films, and overlaminates, to more specialized films for applications such as window graphics, Wall Graphics®, Walk-On Graphics®, vehicle graphics, and P.O.P. displays.

With our state-of-the-art manufacturing facility, we produce all product in standard length rolls, standard flat-bed sheet sizes and all can be customized for any application.

Especially enhanced for many types of printing technologies, Catalina's substrates are ideal for printing methods such as Eco-Solvent, Solvent, UV Based, Latex Inkjet Printing, and traditional presses such as Offset, Screen Printing and Thermal Transfer.

Catalina continues to lead the way in innovation and technology. Our goal is to be "The Application Data Base" for both you and your customers in this ever changing marketplace.

Mojave Digital Media
Innovation + Technology = VALUE!





Designed
for use with
Eco-Solvent,
Solvent,
UV-Based,
and Latex
inkjet printers.

TABLE OF CONTENTS

pages 2-4	RECOMMENDED APPLICATIONS
pages 5-8	P.O.P. DISPLAYS, EXHIBITS & DECALS
pages 9-12	AIR-EGRESS TECHNOLOGY FILMS
pages 13-14	AUTO & FLEET WRAP VINYLs
pages 15-18	WINDOW GRAPHICS
pages 19-20	WALL GRAPHICS
pages 21-24	HP INDIGO CERTIFIED SUBSTRATES
pages 25-26	FLOOR GRAPHICS
pages 27-28	BACKLIT FILMS TRANSLUCENT FILMS REFLECTIVE FILMS
pages 29-30	MAGNETICS PHOTO PAPER
pages 31-32	MOUNTING FILMS
pages 33-36	OVERLAMINATES

RECOMMENDED APPLICATIONS

RECOMMENDED APPLICATIONS

			RECOMMENDED APPLICATIONS									
			Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
PAGE P.O.P. DISPLAYS, EXHIBITS & DECALS												
6	SPM341	3.0 mil. Gloss White Economy Calendered Vinyl	●	●	●						●	●
6	SPM341G	3.0 mil. Gloss White Economy Calendered Vinyl	●	●	●						●	●
6	SPM300GWF	3.0 mil. Gloss White Premium Calendered Vinyl	●	●	●						●	●
6	SPM300GWR/GR	3.0 mil. Gloss White Premium Calendered Vinyl	●	●	●						●	●
6	SPE300GWR/GR	3.0 mil. Gloss White Calendered Vinyl	●	●	●				●		●	●
6	SPM300GW/GR	3.0 mil. Gloss White Premium Calendered Vinyl	●	●	●						●	●
6	SPM300GW/HT	3.0 mil. Gloss White Calendered Vinyl	●	●	●						●	●
7	SPE300GW/GR	3.0 mil. Gloss White Calendered Vinyl	●	●	●				●		●	●
7	SPM441	4.0 mil. Matte White Economy Calendered Vinyl	●	●	●						●	●
7	SPM441G	4.0 mil. Matte White Economy Calendered Vinyl	●	●	●						●	●
7	SPM400FW/P	4.0 mil. Matte White Premium Calendered Vinyl	●	●	●						●	●
7	SPM400FWR/GR	4.0 mil. Matte White Premium Calendered Vinyl	●	●	●						●	●
7	SPE400FWR/GR	4.0 mil. Matte White Calendered Vinyl	●	●	●				●		●	●
8	SPM400FW/GR	4.0 mil. Matte White Premium Calendered Vinyl	●	●	●						●	●
8	SPM400FW/HT	4.0 mil. Matte White Calendered Vinyl	●	●	●						●	●
8	SPM400FW/R	4.0 mil. Matte White Premium Calendered Vinyl	●	●	●						●	●
8	SPM400C	4.0 mil. Clear Premium Calendered Vinyl	●	●	●						●	●
8	SPM600	6.0 mil. Matte White Premium Calendered Vinyl	●	●	●						●	●
AIR-EGRESS TECHNOLOGY FILMS												
PAGE FOR P.O.P. GRAPHICS APPLICATION												
10	SPE300GWR/GR	3.0 mil. Gloss White Calendered Vinyl	●	●	●						●	●
10	SPE300GW/GR	3.0 mil. Gloss White Calendered Vinyl	●	●	●						●	●
10	SPE400FWR/GR	4.0 mil. Matte White Calendered Vinyl	●	●	●						●	●
FOR AUTO GRAPHICS APPLICATION												
11	SPEVW3R	3.0 mil. Gloss White Calendered Vinyl Vehicle Wrap	●	●	●						●	●
11	SPMVW2	2.0 mil. Gloss White High Performance Cast Vinyl Vehicle Wrap	●	●	●	●					●	●
FOR WINDOW GRAPHICS APPLICATION												
12	SPESA	4.0 mil. SIGN-AD® White Calendered Vinyl with Air-Egress					●				●	●
PAGE AUTO & FLEET WRAP VINYLs												
14	SPEVW3R	3.0 mil. Gloss White Calendered Vinyl Vehicle Wrap	●	●	●						●	●
14	SPMVW2	2.0 mil. Gloss White High Performance Cast Vinyl Vehicle Wrap	●	●	●	●					●	●
14	SPMTAMW	4.0 mil. Trans-Ad® Matte White Transit Vinyl	●	●	●						●	●
PAGE WINDOW GRAPHICS												
16	SPMCAD	4.0 mil. CLEAR-AD® Clear Calendered Vinyl					●				●	●
16	SPMSA	4.0 mil. SIGN-AD® White Calendered Vinyl					●				●	●
16	SPESA	4.0 mil. SIGN-AD® White Calendered Vinyl with Air-Egress					●				●	●
17	SPMHSC	8.0 mil. HI-STAT® Clear Static Cling Vinyl					●				●	●
17	SPMHSCC	8.0 mil. HI-STAT® Clear Static Cling Vinyl with Clear Film Liner					●				●	●
17	SPMHSW	8.0 mil. HI-STAT® White Static Cling Vinyl					●				●	●
17	SPMBF	2.3 mil. Barrier Film					●				●	●
18	SPMCP	8.0 mil. CATAPAQUE™ Bright White Opaque Propylene Film									●	●
18	SPMPWE	8.0 mil. Perforated One-Way Vision Film					●				●	●
18	SPMEPWE	6.0 mil. Economy Grade Perforated One-Way Vision Film					●				●	●

RECOMMENDED APPLICATIONS

				RECOMMENDED APPLICATIONS									
				Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
PAGE WALL GRAPHICS													
20	SPMWGW	4.0 mil. Wall Graphics Vinyl		●								●	
20	SPMWG6	6.0 mil. Wall Graphics Vinyl		●								●	
20	SPMWG8	8.0 mil. Wall Graphics Vinyl		●								●	
20	SPMWGC	4.0 mil. Matte Clear Wall Graphics Vinyl		●								●	
20	SPMWT	7.5 mil. Wall-Text™ Polyester Fabric		●								●	
HP INDIGO CERTIFIED SUBSTRATES													
PAGE MOJAVE WINDOW GRAPHICS VINYL FOR HP INDIGO													
22	SPMSAIN	Sign-Ad® IN	4.0 mil. Matte White Calendered Vinyl	●			●					●	●
22	SPMCAIN	Clear-Ad® IN	4.0 mil. Clear Calendered Vinyl	●			●					●	●
22	SPMHSWIN	Hi-Stat® IN	8.0 mil. White Static Cling	●			●					●	●
22	SPMHSCIN	Hi-Stat® IN	8.0 mil. Clear Static Cling	●			●					●	●
MOJAVE WALL GRAPHICS VINYL FOR HP INDIGO													
23	SPMWG6IN	Wall Graphics® IN	6.0 mil. White Calendered Vinyl	●								●	
MOJAVE PREMIUM CALENDERED VINYL FOR HP INDIGO													
24	SPM400FWPIN	4.0 mil. Matte White Calendered Vinyl		●								●	●
24	SPM400FWRIN	4.0 mil. Matte White Calendered Vinyl		●								●	●
24	SPM400CIN	4.0 mil. Clear Calendered Vinyl		●								●	●
24	SPM400FWGRIN	4.0 mil. Matte White Calendered Vinyl		●								●	●
FLOOR GRAPHICS													
PAGE WALK-ON GRAPHICS* - SOLD IN KITS ONLY													
26	SPMWOG	4.0 mil. White or Clear Flexible Vinyl <small>Base Film</small> 6.0 mil. Clear Embossed Rigid Vinyl <small>Overlaminates</small>							●			●	
26	SPMWOGDP	4.0 mil. Matte White or Clear Flexible Vinyl <small>Base Film</small> 4.0 mil. "Double Polished" Clear Flexible Vinyl <small>Overlaminates</small>							●			●	
CARPET GRAPHICS - SOLD IN KITS ONLY													
26	SPMCGF	4.0 mil. White or Clear Flexible Vinyl <small>Base Film</small> 6.0 mil. Clear Embossed Rigid Vinyl <small>Overlaminates</small>							●			●	
26	SPMCGDP	4.0 mil. White or Clear Flexible Vinyl <small>Base Film</small> 4.0 mil. "Double Polished" Clear Flexible Vinyl <small>Overlaminates</small>							●			●	
BACKLIT FILMS													
28	SPMBL	7.5 mil. Semi-Matte Polyester Front Print Backlit								●		●	●
TRANSLUCENT FILMS													
28	SPMTUR	4.0 mil. White Semi-Gloss Translucent Calendered Vinyl		●	●	●	●	●	●	●	●	●	●
REFLECTIVE FILMS													
28	SPMRF	7.0 mil. White Reflective Vinyl		●	●	●	●	●	●	●	●	●	●

RECOMMENDED APPLICATIONS

RECOMMENDED APPLICATIONS									
Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor

PAGE	MAGNETICS		Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
30	SPMMAG	12.0 mil. Matte White		●	●						●	●
30	SPMMAG	20.0 mil. Matte White		●	●						●	●
30	SPMMAG	30.0 mil. Matte White		●	●						●	●

PHOTO PAPER												
30	SPMPBP	7.0 mil. Photo Gloss Paper		●							●	●

MOUNTING FILMS												
PAGE	PERMANENT / PERMANENT ADHESIVE		Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
32	CMTT50SL	0.5 mil. Clear Polyester		●							●	●
32	CMTT50C	0.5 mil. Clear Polyester		●							●	●
32	CMTT100C	1.0 mil. Clear Polyester		●							●	●
32	CMTT200WSL	2.0 mil. White Polyester		●							●	●

PERMANENT / REMOVABLE ADHESIVE												
PAGE	PERMANENT / REMOVABLE ADHESIVE		Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
32	CMTT50SLPR	0.5 mil. Clear Polyester		●							●	●
32	CMTT50SLPRWG	0.5 mil. Clear Polyester		●							●	●
32	CMTT100PR-OC	1.0 mil. Clear Polyester		●							●	●
32	CMTT100SLPR	1.0 mil. Clear Polyester		●							●	●

OVERLAMINATES												
PAGE	CALENDERED OVERLAMINATES		Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
34	LM3LL	3.0 mil. Luster Flexible Vinyl	●	●	●						●	●
34	LM3MCL	3.0 mil. Matte Clear Flexible Vinyl	●	●	●						●	●
34	LM3CL	3.0 mil. Gloss Clear Flexible Vinyl	●	●	●						●	●
34	LM4CL	4.0 mil. Gloss Clear Flexible Vinyl	●	●	●						●	●
34	LM6CE	6.0 mil. Clear Embossed Scratch Resistant Vinyl	●	●	●		●				●	●

CAST OVERLAMINATES												
PAGE	CAST OVERLAMINATES		Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
35	LM1GL	1.5 mil. Gloss Clear Cast Vinyl	●	●	●	●					●	●
35	LM1MC	1.5 mil. Matte Clear Cast Vinyl	●	●	●	●					●	●
35	LM2GL	2.0 mil. Gloss Clear Cast Vinyl	●	●	●	●					●	●
35	LM2LL	2.0 mil. Luster Cast Vinyl	●	●	●	●					●	●
35	LM2MC	2.0 mil. Matte Clear Cast Vinyl	●	●	●	●					●	●

POLYESTER OVERLAMINATES												
PAGE	POLYESTER OVERLAMINATES		Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
36	LM1CL	1.0 mil. Clear Polyester	●	●							●	●
36	LM2CL	2.0 mil. Clear Polyester	●	●							●	●

RECOMMENDED APPLICATIONS

Mojave P.O.P & Outdoor vinyls for P.O.P. Displays, Exhibits and Decals are highly suitable for use in high quality interior/exterior marking or decal applications requiring block out or opacity such as bumper stickers, point of purchase decals, and fleet markings.

Ideal for use with Eco-Solvent, Solvent, UV-Based, and Latex inkjet printers. These films are also available for Screen Printing, and can be top-coated for improved ink adhesion for printing methods such as Offset, Litho, Flexographic and UV printing.



		RECOMMENDED APPLICATIONS									
		Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
SPM341	3.0 mil. Gloss White Economy Calendered Vinyl Permanent Adhesive	•	•	•						•	•
SPM341G	3.0 mil. Gloss White Economy Calendered Vinyl Gray Permanent Adhesive	•	•	•						•	•
SPM300GWF	3.0 mil. Gloss White Premium Calendered Vinyl Permanent Adhesive	•	•	•						•	•
SPM300GWR/GR	3.0 mil. Gloss White Premium Calendered Vinyl Gray Removable Adhesive	•	•	•						•	•
SPE300GWR/GR	3.0 mil. Gloss White Calendered Vinyl Gray Removable Adhesive with Air-Egress Liner	•	•	•				•		•	•
SPM300GWF/GR	3.0 mil. Gloss White Premium Calendered Vinyl Gray Permanent Adhesive	•	•	•						•	•
SPM300GWF/HT	3.0 mil. Gloss White Calendered Vinyl High-Tack Permanent Adhesive	•	•	•						•	•
SPE300GWF/GR	3.0 mil. Gloss White Calendered Vinyl Gray Permanent Adhesive with Air-Egress Liner	•	•	•				•		•	•
SPM441	4.0 mil. Matte White Economy Calendered Vinyl Permanent Adhesive	•	•	•						•	•
SPM441G	4.0 mil. Matte White Economy Calendered Vinyl Gray Permanent Adhesive	•	•	•						•	•
SPM400FW/P	4.0 mil. Matte White Premium Calendered Vinyl Permanent Adhesive	•	•	•						•	•
SPM400FWR/GR	4.0 mil. Matte White Premium Calendered Vinyl Gray Removable Adhesive	•	•	•						•	•
SPE400FWR/GR	4.0 mil. White Matte Calendered Vinyl Gray Removable Adhesive with Air-Egress Liner	•	•	•				•		•	•
SPM400FWP/GR	4.0 mil. Matte White Premium Calendered Vinyl Gray Permanent Adhesive	•	•	•						•	•
SPM400FWP/HT	4.0 mil. Matte White Calendered Vinyl High-Tack Permanent Adhesive	•	•	•						•	•
SPM400FW/R	4.0 mil. Matte White Premium Calendered Vinyl Removable Adhesive	•	•	•						•	•
SPM400C	4.0 mil. Clear Premium Calendered Vinyl Permanent Adhesive	•	•	•						•	•
SPM600	6.0 mil. Matte White Premium Calendered Vinyl Permanent Adhesive	•	•	•						•	•

▶ All SPM media for solvent inkjet printers are on 3" cores with print side wound OUT (standard wound).

3.0 mil. Gloss White Economy Calendered Vinyl

Flat and simple curved surfaces without rivets.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Clear Permanent Acrylic	78#	Good	High	Up to 3 Years

PRODUCT CODE	SIZE
SPMS3413010N	30" X 10 FT
SPM3413050N	30" X 50 YDS
SPM3415450N	54" X 50 YDS
SPM3416050N	60" X 50 YDS

**SPM341G
3.0 mil. Gloss White Economy Calendered Vinyl**

Flat and simple curved surfaces without rivets.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Permanent Acrylic	78#	Excellent	High	Up to 3 Years

PRODUCT CODE	SIZE
SPM341G5450N	54" X 50 YDS
SPM341G6050N	60" X 50 YDS

**SPM300GF
3.0 mil. Gloss White Premium Calendered Vinyl**

Flat and simple curved surfaces without rivets.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Clear Permanent Acrylic	90# Layflat	Good	High	Up to 5 Years

PRODUCT CODE	SIZE
SPMS300GWF3010	30" X 10 FT
SPM300GWF3050	30" X 50 YDS
SPM300GWF5425	54" X 25 YDS
SPM300GWF5450	54" X 50 YDS
SPM300GWF6025	60" X 25 YDS
SPM300GWF6050	60" X 50 YDS

**SPM300GWR/GR
3.0 mil. Gloss White Premium Calendered Vinyl**

Flat and simple curved surfaces without rivets.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Removable Acrylic	90# Layflat	Excellent	High	Up to 5 Years

PRODUCT CODE	SIZE
SPMS300GWR/GR3010	30" X 10 FT
SPM300GWR/GR3050	30" X 50 YDS
SPM300GWR/GR5425	54" X 25 YDS
SPM300GWR/GR5450	54" X 50 YDS
SPM300GWR/GR6025	60" X 25 YDS
SPM300GWR/GR6050	60" X 50 YDS

**SPE300GWR/GR
3.0 mil. Gloss White Calendered Vinyl**

Uses Air-Egress Technology liner.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Removable Acrylic	90# Layflat Air-Egress	Excellent	High	Up to 5 Years

PRODUCT CODE	SIZE
SPES300GWR/GR3010	30" X 10 FT
SPE300GWR/GR3050	30" X 50 YDS
SPE300GWR/GR5425	54" X 25 YDS
SPE300GWR/GR5450	54" X 50 YDS
SPE300GWR/GR6025	60" X 25 YDS
SPE300GWR/GR6050	60" X 50 YDS

**SPM300GWF/GR
3.0 mil. Gloss White Premium Calendered Vinyl**

Flat and simple curved surfaces without rivets.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Permanent Acrylic	90# Layflat	Excellent	High	Up to 5 Years

PRODUCT CODE	SIZE
SPMS300GWF/GR3010	30" X 10 FT
SPM300GWF/GR3050	30" X 50 YDS
SPM300GWF/GR5425	54" X 25 YDS
SPM300GWF/GR5450	54" X 50 YDS
SPM300GWF/GR6025	60" X 25 YDS
SPM300GWF/GR6050	60" X 50 YDS

**SPM300GWF/HT
3.0 mil. Gloss White Calendered Vinyl**

Flat and simple curved surfaces without rivets.

Used for low energy surfaces, such as polyolefins and rubbers.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Clear High-Tack Permanent Acrylic	90# Layflat	Good	High	Up to 5 Years

PRODUCT CODE	SIZE
SPM300GWF/HT5450	54" X 50 YDS

P.O.P. DISPLAYS, EXHIBITS & DE



PRODUCT CODE	SIZE
SPES300GWF/GR3010	30" X 10 FT
SPE300GWF/GR3050	30" X 50 YDS
SPE300GWF/GR5425	54" X 25 YDS
SPE300GWF/GR5450	54" X 50 YDS
SPE300GWF/GR6025	60" X 25 YDS
SPE300GWF/GR6050	60" X 50 YDS

SPM441
4.0 mil. Matte White Economy Calendered Vinyl
 Flat and simple curved surfaces without rivets.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Permanent Acrylic	90# Layflat Air-Egress	Excellent	High	Up to 5 Years

PRODUCT CODE	SIZE
SPMS4413010N	30" X 10 FT
SPM4413050N	30" X 50 YDS
SPM4415450N	54" X 50 YDS
SPM4416050N	60" X 50 YDS

SPM441G
4.0 mil. Matte White Economy Calendered Vinyl
 Flat and simple curved surfaces without rivets.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Permanent Acrylic	78#	Good	Matte	Up to 3 Years

PRODUCT CODE	SIZE
SPM441G5450N	54" X 50 YDS
SPM441G6050N	60" X 50 YDS

SPM400FW/P
4.0 mil. Matte White Calendered Vinyl
 Flat and simple curved surfaces without rivets.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Clear Permanent Acrylic	90# Layflat	Good	Matte	Up to 5 Years

PRODUCT CODE	SIZE
SPMS400FW/P3010	30" X 10 FT
SPM400FW/P3050	30" X 50 YDS
SPM400FW/P5425	54" X 25 YDS
SPM400FW/P5450	54" X 50 YDS
SPM400FW/P6025	60" X 25 YDS
SPM400FW/P6050	60" X 50 YDS

SPM400FWR/GR
4.0 mil. Matte White Premium Calendered Vinyl
 Flat and simple curved surfaces without rivets.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Removable Acrylic	90# Layflat	Excellent	Matte	Up to 5 Years

PRODUCT CODE	SIZE
SPMS400FWR/GR3010	30" X 10 FT
SPM400FWR/GR3050	30" X 50 YDS
SPM400FWR/GR5425	54" X 25 YDS
SPM400FWR/GR5450	54" X 50 YDS
SPM400FWR/GR6025	60" X 25 YDS
SPM400FWR/GR6050	60" X 50 YDS

SPE400FWR/GR
4.0 mil. Matte White Calendered Vinyl
 Uses Air-Egress Technology liner.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Removable Acrylic	90# Layflat Air-Egress	Excellent	Matte	Up to 5 Years

PRODUCT CODE	SIZE
SPES400FWR/GR3010	30" X 10 FT
SPE400FWR/GR3050	30" X 50 YDS
SPE400FWR/GR5425	54" X 25 YDS
SPE400FWR/GR5450	54" X 50 YDS
SPE400FWR/GR6025	60" X 25 YDS
SPE400FWR/GR6050	60" X 50 YDS

► The products on pages 6 and 7 are also available in larger length rolls.

► All SPM media for solvent inkjet printers are on 3" cores with print side wound OUT (standard wound).

4.0 mil. Matte White Premium Calendered Vinyl

Flat and simple curved surfaces without rivets.

ADHESIVE
Gray Permanent
Acrylic

LINER
90#
Layflat

OPACITY
Excellent

**GLOSS
LEVEL**
Matte

**OUTDOOR
DURABILITY**
Up to 5 Years

PRODUCT CODE	SIZE
SPMS400FWP/GR3010	30" X 10 FT
SPM400FWP/GR3050	30" X 50 YDS
SPM400FWP/GR5425	54" X 25 YDS
SPM400FWP/GR5450	54" X 50 YDS
SPM400FWP/GR6025	60" X 25 YDS
SPM400FWP/GR6050	60" X 50 YDS

SPM400FWP/HT

4.0 mil. Matte White Premium Calendered Vinyl

Flat and simple curved surfaces without rivets.

Used for low energy surfaces, such as polyolefins and rubbers.

ADHESIVE
Clear High-Tack
Permanent Acrylic

LINER
90#
Layflat

OPACITY
Good

**GLOSS
LEVEL**
High

**OUTDOOR
DURABILITY**
Up to 5 Years

PRODUCT CODE	SIZE
SPM400FWP/HT5450	54" X 50 YDS

SPM400FW/R

4.0 mil. Matte White Premium Calendered Vinyl

Flat and simple curved surfaces without rivets.

ADHESIVE
Clear Removable
Acrylic

LINER
90#
Layflat

OPACITY
Good

**GLOSS
LEVEL**
Matte

**OUTDOOR
DURABILITY**
Up to 5 Years

PRODUCT CODE	SIZE
SPMS400FW/R3010	30" X 10 FT
SPM400FW/R3025	30" X 25 YDS
SPM400FW/R3050	30" X 50 YDS
SPM400FW/R5425	54" X 25 YDS
SPM400FW/R5450	54" X 50 YDS
SPM400FW/R6025	60" X 25 YDS
SPM400FW/R6050	60" X 50 YDS

SPM400C

4.0 mil. Clear Premium Calendered Vinyl

Flat and simple curved surfaces without rivets.

ADHESIVE
Clear Permanent
Acrylic

LINER
90#
Layflat

OPACITY
Clear

**GLOSS
LEVEL**
Clear Gloss

**OUTDOOR
DURABILITY**
Up to 5 Years

PRODUCT CODE	SIZE
SPMS400C3010	30" X 10 FT
SPM400C3050	30" X 50 YDS
SPM400C5450	54" X 50 YDS
SPM400C6050	60" X 50 YDS

SPM600

6.0 mil. Matte White Premium Calendered Vinyl

Flat and simple curved surfaces without rivets.

ADHESIVE
Permanent
Acrylic

LINER
90#
Layflat

OPACITY
Good

**GLOSS
LEVEL**
Matte

**OUTDOOR
DURABILITY**
Up to 5 Years

PRODUCT CODE	SIZE
SPM6005425N	54" X 25 YDS
SPM6005450N	54" X 50 YDS
SPM6006050N	60" X 50 YDS

▶ The products above are also available in larger length rolls.





AIR-EGRESS TECHNOLOGY FILMS

Mojave calendered indoor/outdoor vinyl with Air-Egress Technology is the newest addition to the Mojave Digital Media Family.

The Air-Egress technology found in the liner is a bubble-free solution which allows trapped air to escape almost instantly for time-saving application.

Ideal for use with Eco-Solvent, Solvent, UV-Based, and Latex inkjet printers. These films are also available for Screen Printing, and can be top-coated for improved ink adhesion for printing methods such as Offset, Litho, Flexographic and UV printing.



		RECOMMENDED APPLICATIONS									
		Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
FOR P.O.P. GRAPHICS APPLICATION											
SPE300GWR/GR	3.0 mil. Gloss White Calendered Vinyl Gray Removable Adhesive	●	●	●					●	●	●
SPE300GWF/GR	3.0 mil. Gloss White Calendered Vinyl Gray Permanent Adhesive	●	●	●					●	●	●
SPE400FWR/GR	4.0 mil. Matte White Calendered Vinyl Gray Removable Adhesive	●	●	●					●	●	●
FOR AUTO GRAPHICS APPLICATION											
SPEVW3R	3.0 mil. Gloss White Calendered Vinyl Vehicle Wrap Gray Removable Adhesive	●	●	●						●	●
SPMVW2	2.0 mil. Gloss White High Performance Cast Vinyl Vehicle Wrap Gray Permanent Adhesive	●	●	●						●	●
FOR WINDOW GRAPHICS APPLICATION											
SPESA	4.0 mil. SIGN-AD® White Calendered Vinyl with Air-Egress Clear Low-Tack Removable Adhesive					●				●	●

3.0 mil. Gloss White Calendered Vinyl
 Uses Air-Egress Technology liner.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Removable Acrylic	90# Layflat Air-Egress	Excellent	High	Up to 5 Years

PRODUCT CODE	SIZE
SPE300GWRGR3010	30" X 10 FT
SPE300GWRGR3050	30" X 50 YDS
SPE300GWRGR5425	54" x 25 YDS
SPE300GWRGR5450	54" x 50 YDS
SPE300GWRGR6025	60" x 25 YDS
SPE300GWRGR6050	60" X 50 YDS

SPE300GWF/GR
3.0 mil. Gloss White Calendered Vinyl
 Uses Air-Egress Technology liner.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Permanent Acrylic	90# Layflat Air-Egress	Excellent	High	Up to 5 Years

PRODUCT CODE	SIZE
SPE300GWFGR3010	30" X 10 FT
SPE300GWFGR3050	30" X 50 YDS
SPE300GWFGR5425	54" x 25 YDS
SPE300GWFGR5450	54" x 50 YDS
SPE300GWFGR6025	60" x 25 YDS
SPE300GWFGR6050	60" X 50 YDS

SPE400FWR/GR
4.0 mil. Matte White Calendered Vinyl
 Uses Air-Egress Technology liner.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Removable Acrylic	90# Layflat Air-Egress	Excellent	Matte	Up to 5 Years

PRODUCT CODE	SIZE
SPE400FWRGR3010	30" X 10 FT
SPE400FWRGR3050	30" X 50 YDS
SPE400FWRGR5425	54" x 25 YDS
SPE400FWRGR5450	54" x 50 YDS
SPE400FWRGR6025	60" x 25 YDS
SPE400FWRGR6050	60" X 50 YDS



▶ The products above are also available in larger length rolls.



3.0 mil. Gloss White Calendered Vinyl
 Uses Air-Egress Technology liner.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Removable Acrylic	90# Layflat Air-Egress	Excellent	High	Up to 5 Years

PRODUCT CODE	SIZE
SPEVW3R3010	30" X 10 FT
SPEVW3R3025	30" X 25 YDS
SPEVW3R3050	30" X 50 YDS
SPEVW3R5425	54" x 25 YDS
SPEVW3R5450	54" x 50 YDS
SPEVW3R6025	60" x 25 YDS
SPEVW3R6050	60" X 50 YDS

SPMVW2

2.0 mil. Gloss White Cast Vinyl Vehicle Wrap

For large fleet and vehicle graphics. Removable up to two years with heat. Excellent for application to irregular surface and marine applications. The textured line construction allows for air to escape during application.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Permanent	90# Layflat	Excellent	High	Up to 7 Years Unprinted

PRODUCT CODE	SIZE
SPMSVW23010N	30" X 10 FT
SPMVW23025N	30" X 25 YDS
SPMVW23050N	30" X 50 YDS
SPMVW25425N	54" x 25 YDS
SPMVW25450N	54" x 50 YDS
SPMVW26025N	60" x 25 YDS
SPMVW26050N	60" X 50 YDS

Recommended Overlamines

- LM1GL
- LM1MC
- LM2GL
- LM2MC
- LM2LL



Air-Egress liners allows trapped air to escape almost instantly for time-saving application.

- ▶ The products above are also available in larger length rolls.
- ▶ All SPM media for solvent inkjet printers are on 3" cores with print side wound OUT (standard wound).

4.0 mil. Sign-Ad® White Calendered Vinyl with Air-Egress

A matte white, flexible vinyl with a specially formulated low-tack adhesive used for interior and exterior applications. Use as alternative to flood coating clear film with white ink.

PRODUCT CODE	SIZE
SPESA3050	30" x 50 YDS
SPESA5410	54" x 10 FT
SPESA5450	54" x 50 YDS
SPESA6050	60" x 50 YDS

ADHESIVE

Clear
 Low-Tack
 Removable
 Acrylic

LINER

90# Layflat
 Air-Egress

OPACITY

Good

GLOSS LEVEL

Matte
 White

OUTDOOR DURABILITY

Up to
 3 Years



▶ The products above are also available in larger length rolls.



For all your pressure sensitive material needs, contact the office nearest you or call **800.333.3136** or visit **CATALINAGRAPHICFILMS.COM**



AUTO & FLEET WRAP VINYL



Mojave Digital Media for Vehicle & Fleet Graphics are ideal for use on recreational vehicles, fleet, marine, automotive graphics and other indoor/outdoor sign applications.

Enhanced for use with Eco-Solvent, Solvent, UV-Based and Latex inkjet printers.

SPEVW3R	3.0 mil. Gloss White Calendered Vinyl Vehicle Wrap Gray Removable Adhesive
SPMVW2	2.0 mil. Gloss White High Performance Cast Vinyl Vehicle Wrap Gray Permanent Adhesive
SPMTAMW	4.0 mil. Trans-Ad® Matte White Transit Vinyl Clear Removable Adhesive

RECOMMENDED APPLICATIONS		Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
		●	●							●	●
		●	●	●						●	●
		●	●							●	●

▶ All SPM media for solvent inkjet printers are on 3" cores with print side wound OUT (standard wound).

Uses Air-Egress Technology liner.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Removable Acrylic	90# Layflat Air-Egress	Excellent	High	Up to 5 Years

PRODUCT CODE	SIZE
SPEVW3R3010	30" X 10 FT
SPEVW3R3025	30" X 25 YDS
SPEVW3R3050	30" X 50 YDS
SPEVW3R5425	54" x 25 YDS
SPEVW3R5450	54" x 50 YDS
SPEVW3R6025	60" x 25 YDS
SPEVW3R6050	60" X 50 YDS

SPMVW2
2.0 mil. Gloss White High Performance Cast Vinyl Vehicle Wrap

Gray Permanent Adhesive

For large fleet and vehicle graphics. Removable up to two years with heat. Excellent for application to irregular surface and marine applications. The textured line construction allows for air to escape during application.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Gray Permanent	90# Layflat	Excellent	High	Up to 7 Years Unprinted

PRODUCT CODE	SIZE
SPMSVW23010N	30" X 10 FT
SPMVW23025N	30" X 25 YDS
SPMVW23050N	30" X 50 YDS
SPMVW25425N	54" x 25 YDS
SPMVW25450N	54" x 50 YDS
SPMVW26025N	60" x 25 YDS
SPMVW26050N	60" X 50 YDS

Recommended Overlaminates

- LM1GL
- LM1MC
- LM2GL
- LM2MC
- LM2LL



SPMTAMW
4.0 mil. Trans-Ad® Matte White Vinyl

"TRANSIT" Vinyl Clear Removable Adhesive


For high quality exterior graphics or decals for temporary fleet graphic applications, bus signs, automobiles and transportation signs that are flat surfaces. This product is Titan Worldwide approved for transit applications.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	OUTDOOR DURABILITY
Clear Removable	90# Layflat	Excellent	Matte	Up to 1 Year

PRODUCT CODE	SIZE
SPMTAMW3050N	30" X 50 YDS
SPMTAMW5450N	54" x 50 YDS
SPMTAMW6050N	60" X 50 YDS
SPMTAMW6250N	62" x 25 YDS
SPMTAMW62100N	62" x 100 YDS
SPMTAMW62250N	62" X 250 YDS

► The products above are also available in larger length rolls.





Mojave Digital Media for Window Graphics are the most widely used films offered today and can be seen throughout the P.O.P. advertising industry.

Ideal for use with Eco-Solvent, Solvent, UV-Based, and Latex inkjet printers. These films are also available for Screen Printing, and can be top-coated for improved ink adhesion for printing methods such as Offset, Litho, Flexographic and UV printing.

WINDOW GRAPHICS

SPMCAD	4.0 mil. CLEAR-AD® Clear Calendered Vinyl
SPMSA	4.0 mil. SIGN-AD® White Calendered Vinyl
SPESA	4.0 mil. SIGN-AD® White Calendered Vinyl with Air-Egress
SPMHSC	8.0 mil. HI-STAT® Clear Static Cling Vinyl
SPMHSCC	8.0 mil. HI-STAT® Clear Static Cling Vinyl on a Clear Film Liner
SPMHSW	8.0 mil. HI-STAT® White Static Cling Vinyl
SPMBF	2.3 mil. Barrier Film UV Printable Only
SPMCP	8.0 mil. CATAPAQUE™ Bright White Opaque Propylene Film For Interior Use
SPMPWE	8.0 mil. Perforated One-Way Vision Film For Exterior Use
SPMEPWE	6.0 mil. Economy Grade Perforated One-Way Vision Film For Exterior Use

RECOMMENDED APPLICATIONS									
Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
				●				●	●
				●				●	●
				●				●	●
				●				●	●
				●				●	●
				●				●	●
				●				●	●
				●				●	●
				●				●	●

▶ All SPM media for solvent inkjet printers are on 3" cores with print side wound OUT (standard wound).



B.C.I.

www.bciimage.com

SPMCAD 866 971-1008

4.0 mil. IMAGING Clear Calendered Vinyl

A clear, flexible vinyl with a specially formulated, low-tack removable adhesive for easy application and removability which leaves no residue.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR/OUTDOOR DURABILITY
Low-Tack Removable Acrylic	90# Layflat	Clear	Gloss Clear	Up to 2 Years

PRODUCT CODE	SIZE
SPMCAD3050N	30" x 50 YDS
SPMSCAD5410N	54" x 10 FT
SPMCAD5450N	54" x 50 YDS
SPMCAD6050N	60" x 50 YDS

SPMSA

4.0 mil. Sign-Ad® White Calendered Vinyl

A matte white, flexible vinyl with a specially formulated low-tack adhesive used for interior and exterior applications. Use as alternative to flood coating clear film with white ink.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR/OUTDOOR DURABILITY
Low-Tack Removable Acrylic	90# Layflat	Good	Matte White	Up to 3 Years

PRODUCT CODE	SIZE
SPMSA3050N	30" x 50 YDS
SPMSSA5410N	54" x 10 FT
SPMSA5450N	54" x 50 YDS
SPMSA6050N	60" x 50 YDS

SPESA

4.0 mil. Sign-Ad® White Calendered Vinyl with Air-Egress

A matte white, flexible vinyl with a specially formulated low-tack adhesive used for interior and exterior applications. Use as alternative to flood coating clear film with white ink.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR/OUTDOOR DURABILITY
Clear Low-Tack Removable Acrylic	90# Layflat Air-Egress	Good	Matte White	Up to 3 Years

PRODUCT CODE	SIZE
SPESA3050	30" x 50 YDS
SPESSA5410	54" x 10 FT
SPESA5450	54" x 50 YDS
SPESA6050	60" x 50 YDS

► The products above are also available in larger length rolls.



For all your pressure sensitive material needs, contact the office nearest you or call 800.333.3136 or visit CATALINAGRAPHICFILMS.COM

A clear, flexible static cling vinyl which adheres to most clean, highly polished smooth surfaces without adhesive. Ideal for window displays, point of purchase decals, seasonal decals, oil change labels, price stickers and vehicle advertising.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR/OUTDOOR DURABILITY
None	10 pt. Board	Clear	Gloss Clear	Up to 2 Years

PRODUCT CODE	SIZE
SPMHSC3010N	30" x 10 FT
SPMHSC3050N	30" x 50 YDS
SPMHSC5450N	54" x 50 YDS
SPMHSC54100N	54" x 100 YDS
SPMHSC6050N	60" x 50 YDS
SPMHSC60100N	60" x 100 YDS

SPMHSCC

8.0 mil. Hi-Stat® Clear Static Cling Vinyl with Clear Film Liner

A clear, flexible static cling vinyl which adheres to most clean, highly polished smooth surfaces without adhesive. Ideal for window displays, point of purchase decals, seasonal decals, oil change labels, price stickers and vehicle advertising.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR/OUTDOOR DURABILITY
None	Matte Clear Film Liner	Clear	Gloss Clear	Up to 2 Years

PRODUCT CODE	SIZE
SPMHSCC5450N	54" x 50 YDS
SPMHSCC54100N	54" x 100 YDS
SPMHSCC6050N	60" x 50 YDS
SPMHSCC60100N	60" x 100 YDS

SPMHSW

8.0 mil. Hi-Stat® White Static Cling Vinyl

A white, flexible static cling vinyl which adheres to most clean, highly polished smooth surfaces without adhesive. Ideal for window displays, point of purchase decals, seasonal decals, oil change labels, price stickers and vehicle advertising.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR/OUTDOOR DURABILITY
None	10 pt. Board	Good	Gloss White	Up to 2 Years

PRODUCT CODE	SIZE
SPMHSW3010N	30" x 10 FT
SPMHSW3050N	30" x 50 YDS
SPMHSW5450N	54" x 50 YDS
SPMHSW54100N	54" x 100 YDS
SPMHSW6050N	60" x 50 YDS
SPMHSW60100N	60" x 100 YDS

SPMBF

2.3 mil. Barrier Film

Applied to Clear-Ad® or Hi-Stat®, the complete opacity of our barrier film allows the printing of two-way decals for interior and exterior viewing. This avoids having to print many layers of ink on one film, which can cause the material to become extremely brittle if printing with UV inks. UV PRINTABLE ONLY.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR DURABILITY
Permanent White	40#	Excellent	High	Up to 12 Months

PRODUCT CODE	SIZE
SPMSBF5410N	54" x 10 FT
SPMBF5425N	54" x 25 YDS
SPMBF5450N	54" x 50 YDS
SPMBF54100N	54" x 100 YDS

- ▶ The products above are also available in larger length rolls.
- ▶ All SPM media for solvent inkjet printers are on 3" cores with print side wound OUT (standard wound).

SPMCP 8.0 mil. **IMAGING™** Bright White Opaque Polypropylene Film 866.971.1008

For Interior Use

Excellent opacity for two-sided printing. Curl Resistant for Pop Up displays, sheets easy. Excellent for UV printing, screen, offset and Flexography printing. Superior dimensional stability. Not for use with Eco-Solvent, Solvent or Latex inkjet printers.

ADHESIVE

None

LINER

None

OPACITY

Excellent

GLOSS LEVEL

Semi-Gloss

INDOOR DURABILITY

Up to 1 Year

PRODUCT CODE	SIZE
SPMCP5425N	54" x 25 FT
SPMCP5450N	54" x 50 FT
SPMCP54100N	54" x 100 FT

SPMPWE

8.0 mil. Perforated One-Way Vision Film

For Exterior Use

For exterior use in black/white with a 1.5 mm diameter. Ideal for window graphics requiring graphics on one side and a clear, unobstructed view through the other. Not for use with Latex inks.

ADHESIVE

Removable Acrylic

LINER

Film Liner

OPEN AREA

50/50

GLOSS LEVEL

Matte

OUTDOOR DURABILITY

Up to 3 Years

PRODUCT CODE	SIZE
SPMPWEABW3650N	36" x 50 FT
SPMPWEABW5450N	54" x 50 FT
SPMPWEABW54100N	54" x 100 FT

SPMEPWE

6.0 mil. Economy Grade Perforated One-Way Vision Film

For Exterior Use

For exterior use in black/white on a film liner. Open area 40% approximated perforation size 1.6 mm. Ideal for fleet graphics, glass windows and many other applications requiring graphics on one side and a clear, unobstructed view through the other. Not for use with Latex inks.

ADHESIVE

Removable Acrylic

LINER

Film Liner

OPEN AREA

60/40

GLOSS LEVEL

Matte

OUTDOOR DURABILITY

Up to 1 Year

PRODUCT CODE	SIZE
SPMEPWE5425N	54" x 25 FT
SPMEPWE5450N	54" x 50 FT
SPMEPWE54100N	54" x 100 FT
SPMEPWE6025N	60" x 25 FT
SPMEPWE6050N	60" x 50 FT

► The products above are also available in larger length rolls.



For all your pressure sensitive material needs, contact the office nearest you or call **800.333.3136** or visit **CATALINAGRAPHICFILMS.COM**



Wall Graphics®—with an ultra removable and reusable adhesive—are used for highly effective advertisements and promotions.

They are recommended for smooth, dry, cleaned and flat surfaces, and are intended for use as a high quality interior marking in decal applications requiring easy removal from walls with smooth surfaces.

Ideal for use with Eco-Solvent, Solvent, UV-Based, and Latex inkjet printers. These films are also available for Screen Printing, and can be top-coated for improved ink adhesion for printing methods such as Offset, Litho, Flexographic and UV printing.

WALL GRAPHICS

SPMWGW	4.0 mil. Wall Graphics Vinyl
SPMWG6	6.0 mil. Wall Graphics Vinyl
SPMWG8	8.0 mil. Wall Graphics Vinyl
SPMWGC	4.0 mil. Matte Clear Wall Graphics Vinyl
SPMWT	7.5 mil. Wall-Tex™ Polyester Fabric

RECOMMENDED APPLICATIONS										
Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor	
	●							●		
	●							●		
	●							●		
	●							●		
	●							●		

► All SPM media for solvent inkjet printers are on 3" cores with print side wound OUT (standard wound).

This 4.0 mil matte white vinyl is intended for use as high quality interior marking in decal applications requiring easy removability from surfaces such as painted walls, most types of wall papers and wood paneling.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR DURABILITY
Ultra Removable	90#	Good	Matte	2 Years

PRODUCT CODE	SIZE
SPMSWGW5410N	54" X 10 FT
SPMWGW5425N	54" X 25 YDS
SPMWGW5450N	54" X 50 YDS
SPMWGW6025N	60" X 25 YDS
SPMWGW6050N	60" X 50 YDS

SPMW66
6.0 mil. Wall Graphics Vinyl

This 6.0 mil matte white vinyl is intended for use as high quality interior marking in decal applications requiring easy removability from surfaces such as painted walls, most types of wall papers and wood paneling.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR DURABILITY
Ultra Removable	90#	Good	Matte	2 Years

PRODUCT CODE	SIZE
SPMWG63025N	30" X 25 YDS
SPMWG63050N	30" X 50 YDS
SPMSWG65410N	54" X 10 FT
SPMWG65425N	54" X 25 YDS
SPMWG65450N	54" X 50 YDS
SPMWG66025N	60" X 25 YDS
SPMWG66050N	60" X 50 YDS

SPMW88
8.0 mil. Wall Graphics Vinyl

This 8.0 mil matte white vinyl is intended for use as high quality interior marking in decal applications requiring easy removability from surfaces such as painted walls, most types of wall papers and wood paneling.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR DURABILITY
Ultra Removable	90#	Good	Matte	2 Years

PRODUCT CODE	SIZE
SPMSWG85410N	54" X 10 FT
SPMWG85425N	54" X 25 YDS
SPMWG85450N	54" X 50 YDS
SPMWG86050N	60" X 50 YDS

SPMWGC
4.0 mil. Matte Clear Wall Graphics Vinyl

This 4.0 mil matte clear vinyl is intended for use as high quality interior marking in decal applications requiring easy removability from surfaces such as painted walls, most types of wall papers and wood paneling.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR DURABILITY
Ultra Removable	90#	Clear	Matte	2 Years

PRODUCT CODE	SIZE
SPMWGC5450N	54" X 50 YDS

SPMWT
7.5 mil. Wall-Tex™ Polyester Fabric

Compatible with Eco-Solvent, Latex, Solvent and UV-Curable printing. Ideal for use as high-quality interior marking in decal applications requiring easy removability on surfaces such as painted walls, most types of wall papers, and wood paneling.

ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR DURABILITY
Low-Tack Removable	90# Layflat	Good	Matte	Up to 2 Years

PRODUCT CODE	SIZE
SPMWT54100N	54" X 100 FT
SPMWT60100N	60" X 100 FT

► The products above are also available in larger length rolls.



For all your pressure sensitive material needs, contact the office nearest you or call **800.333.3136** or visit **CATALINAGRAPHICFILMS.COM**



The Mojave Digital Media family of HP INDIGO® print substrates offers the perfect compatible solution for this revolutionary digital printing technology.

These compatible HP INDIGO media supports a broad range of outdoor and indoor application usage. These eco-friendly alternatives utilize renewable, state-of-the-art “green” water-based adhesives that provide superior pressure-sensitive control while minimizing environmental impact.

		RECOMMENDED APPLICATIONS									
		Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
MOJAVE WINDOW GRAPHICS VINYL FOR HP INDIGO											
SPMSAIN	Sign-Ad® IN 4.0 mil. Matte White Calendered Vinyl <i>Low-Tack Removable</i>		●			●				●	●
SPMCAIN	Clear-Ad® IN 4.0 mil. Clear Calendered Vinyl <i>Low-Tack Removable</i>		●			●				●	●
SPMHSWIN	Hi-Stat® IN 8.0 mil. White Static Cling		●			●				●	●
SPMHSCIN	Hi-Stat® IN 8.0 mil. Clear Static Cling		●			●				●	●
MOJAVE WALL GRAPHICS VINYL FOR HP INDIGO											
SPMWG6IN	Wall Graphics® IN 6.0 mil. White Calendered Vinyl <i>Ultra Removable</i>		●							●	
MOJAVE PREMIUM CALENDERED VINYL FOR HP INDIGO											
SPM400FWPIN	4.0 mil. Matte White Calendered Vinyl Permanent		●							●	●
SPM400FWRIN	4.0 mil. Matte White Calendered Vinyl Removable		●							●	●
SPM400CIN	4.0 mil. Clear Calendered Vinyl Permanent		●							●	●
SPM400FWGRIN	4.0 mil. Matte White Calendered Vinyl Gray Permanent		●							●	●

This Clear, flexible vinyl has a specially formulated, low-tack removable adhesive for easy application and removability which leaves no residue.

ADHESIVE
 Low-Tack
 Removable Acrylic

LINER
 90# Stayflat

OPACITY
 Clear

GLOSS LEVEL
 Gloss Clear

INDOOR/ OUTDOOR DURABILITY
 Up to 2 Years

PRODUCT CODE	SIZE	BOX QUANTITY
SPMCAIN1218	12" x 18" Sheets	400 Sheets
SPMCAIN1319	13" x 19" Sheets	400 Sheets

SPMSAIN
4.0 mil. Sign-Ad® Matte White Calendered Vinyl for HP Indigo

This white, flexible vinyl has a specially formulated, low-tack removable adhesive for easy application and removability which leaves no residue.

ADHESIVE
 Low-Tack
 Removable Acrylic

LINER
 90# Stayflat

OPACITY
 Good

GLOSS LEVEL
 Matte

INDOOR/ OUTDOOR DURABILITY
 Up to 2 Years

PRODUCT CODE	SIZE	BOX QUANTITY
SPMSAIN1218	12" x 18" Sheets	400 Sheets
SPMSAIN1319	13" x 19" Sheets	400 Sheets

SPMHSCIN
8.0 mil. Hi-Stat® Clear Static Cling for HP Indigo

This self-clinging film requires no adhesive, applies quickly to most smooth polished surfaces without adhesive, and is easily removed.

ADHESIVE
 None

LINER
 8 pt. Board

OPACITY
 Clear

GLOSS LEVEL
 Gloss Clear

INDOOR/ OUTDOOR DURABILITY
 Up to 2 Years

PRODUCT CODE	SIZE	BOX QUANTITY
SPMHSCIN1218	12" x 18" Sheets	300 Sheets
SPMHSCIN1319	13" x 19" Sheets	300 Sheets

SPMHSWIN
8.0 mil. Hi-Stat® White Static Cling for HP Indigo

This white, flexible static cling vinyl adheres to most clean, highly polished smooth surfaces without adhesive, and is easily removed.

ADHESIVE
 None

LINER
 8 pt. Board

OPACITY
 Good

GLOSS LEVEL
 Gloss White

INDOOR/ OUTDOOR DURABILITY
 Up to 2 Years

PRODUCT CODE	SIZE	BOX QUANTITY
SPMHSWIN1218	12" x 18" Sheets	300 Sheets
SPMHSWIN1319	13" x 19" Sheets	300 Sheets

▶ HP Indigo films are also available in rolls. Back splitting available on all HP Indigo films.



6.0 mil. Matte White Wall Graphics Vinyl for HP Indigo intended for use as a high quality interior marking in decal applications requiring easy removability from such surfaces as painted walls, most types of wall papers and wood paneling.

ADHESIVE: Ultra Removable | LINER: 90# Stayflat | OPACITY: Good | GLOSS LEVEL: Matte White | INDOOR DURABILITY: Up to 2 Years

PRODUCT CODE	SIZE	BOX QUANTITY
SPMWG6IN1218	12" x 18" Sheets	300 Sheets
SPMWG6IN1319	13" x 19" Sheets	300 Sheets

▶ HP Indigo films are also available in rolls. Back splitting available on all HP Indigo films.



Call **Catalina Customer Service** at **800-333-3136** to order our specially printed HP Indigo Mojave Digital Media samples.

SPM400FWPIN
 4.0 mil. Matte White Calendered Vinyl for HP Indigo

Specially coated for printing with the HP Indigo line of digital printers, this matte white vinyl has a permanent acrylic adhesive.

ADHESIVE Permanent Acrylic	LINER 90# Stayflat	OPACITY Good	GLOSS LEVEL Matte White	OUTDOOR DURABILITY Up to 2 Years
--------------------------------------	------------------------------	------------------------	-----------------------------------	--

PRODUCT CODE	SIZE	BOX QUANTITY
SPM400FWPIN1218	12" x 18" Sheets	400 Sheets
SPM400FWPIN1319	13" x 19" Sheets	400 Sheets

SPM400FWRIN
 4.0 mil. Matte White Calendered Vinyl for HP Indigo

Specially coated for printing with the HP Indigo line of digital printers, this matte white vinyl has a removable acrylic adhesive.

ADHESIVE Removable Acrylic	LINER 90# Stayflat	OPACITY Good	GLOSS LEVEL Matte White	OUTDOOR DURABILITY Up to 2 Years
--------------------------------------	------------------------------	------------------------	-----------------------------------	--

PRODUCT CODE	SIZE	BOX QUANTITY
SPM400FWRIN1218	12" x 18" Sheets	400 Sheets
SPM400FWRIN1319	13" x 19" Sheets	400 Sheets

SPM400CIN
 4.0 mil. Clear Calendered Vinyl for HP Indigo

Specially coated for printing with the HP Indigo line of digital printers, this matte white vinyl has a removable acrylic adhesive.

ADHESIVE Permanent Acrylic	LINER 90# Stayflat	OPACITY Clear	GLOSS LEVEL Clear	OUTDOOR DURABILITY Up to 2 Years
--------------------------------------	------------------------------	-------------------------	-----------------------------	--

PRODUCT CODE	SIZE	BOX QUANTITY
SPM400CIN1218	12" x 18" Sheets	400 Sheets
SPM400CIN1319	13" x 19" Sheets	400 Sheets

SPM400FWGRIN
 4.0 mil. Matte White Calendered Vinyl for HP Indigo

Specially coated for printing with the HP Indigo line of digital printers, this matte white vinyl has a gray permanent acrylic adhesive.

ADHESIVE Gray Permanent Acrylic	LINER 90# Stayflat	OPACITY Excellent	GLOSS LEVEL Matte White	OUTDOOR DURABILITY Up to 2 Years
---	------------------------------	-----------------------------	-----------------------------------	--

PRODUCT CODE	SIZE	BOX QUANTITY
SPM400FWGRIN1218	12" x 18" Sheets	400 Sheets
SPM400FWGRIN1319	13" x 19" Sheets	400 Sheets

► HP Indigo films are also available in rolls. Back splitting available on all HP Indigo films.





Mojave floor graphics are excellent for advertising in supermarkets, toy stores, restaurants, theaters, and other high-traffic areas where p.o.p. floor displays are optimal.

Walk-On Graphics is ideal for Interior floor graphics when applied to smooth flooring only. And, Carpet Graphics provides an exceptional bond to many indoor low pile carpet surfaces.

Both product kits consist of a two component, UL-approved system with a base film and a slip-resistant or double polished clear overlamine.

Ideal for use with Eco-Solvent, Solvent, UV-Based, and Latex inkjet printers. These films are also available for Screen Printing, and can be top-coated for improved ink adhesion for printing methods such as Offset, Litho, Flexographic and UV printing.



RECOMMENDED APPLICATIONS									
Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
					•			•	
					•			•	
					•			•	
					•			•	

WALK-ON GRAPHICS* - SOLD IN KITS ONLY

SPMWOG 4.0 mil. White or Clear Flexible Vinyl Base Film
6.0 mil. Clear Embossed Rigid Vinyl Overlamine

SPMWOGDP 4.0 mil. Matte White or Clear Flexible Vinyl Base Film
4.0 mil. "Double Polished" Clear Flexible Vinyl Overlamine

CARPET GRAPHICS - SOLD IN KITS ONLY

SPMCGF 4.0 mil. White or Clear Flexible Vinyl Base Film
6.0 mil. Clear Embossed Rigid Vinyl Overlamine

SPMCGDP 4.0 mil. White or Clear Flexible Vinyl Base Film
4.0 mil. "Double Polished" Clear Flexible Vinyl Overlamine

▶ All SPM media for solvent inkjet printers are on 3" cores with print side wound OUT (standard wound).

Sold in kits of base film and overlaminate film. Base film available in clear or white.

BASE FILM				
ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR DURABILITY
Removable Acrylic	90# Layflat	Matte White	Matte White	Up to 6 Months
		Good	Matte	
		Clear	Clear	
		Clear	Gloss	

OVERLAMINATE				
ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR DURABILITY
Permanent Acrylic	Clear Film	Embossed	Matte	Up to 6 Months

PRODUCT CODE	SIZE
SPMWOGFW5425N-Wht	54" x 25 YDS
SPMWOGFW5450N-Wht	54" x 50 YDS
SPMWOGFW54100-Wht	54" x 100 YDS
SPMWOGFC5425N-Clr	54" x 25 YDS
SPMWOGFC5450N-Clr	54" x 50 YDS
SPMWOGFC54100-Clr	54" x 100 YDS

SPMWOGDP

4.0 mil. **Matte White or Clear Flexible Vinyl** Base Film
 4.0 mil. **"Double Polished" Clear Flexible Vinyl** Overlaminate

Sold in kits of base film and overlaminate film. Base film available in clear or white.

BASE FILM				
ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR DURABILITY
Removable Acrylic	90# Layflat	Matte White	Matte White	Up to 6 Months
		Good	Matte	
		Clear	Clear	
		Clear	Gloss	

OVERLAMINATE				
ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR DURABILITY
Permanent Acrylic	Clear Film	Clear Gloss	High	Up to 6 Months

PRODUCT CODE	SIZE
SPMWOGDP5425N-Wht	54" x 25 YDS
SPMWOGDP5450N-Wht	54" x 50 YDS
SPMWOGDP54100-Wht	54" x 100 YDS
SPMWOGDPC5425N-Clr	54" x 25 YDS
SPMWOGDPC5450N-Clr	54" x 50 YDS
SPMWOGDPC54100-Clr	54" x 100 YDS

CARPET GRAPHICS

SPMCG

4.0 mil. **White or Clear Flexible Vinyl** Base Film
 6.0 mil. **Clear Embossed Rigid Vinyl** Overlaminate

Sold in kits of base film and overlaminate film. Base film available in clear or white.

BASE FILM				
ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR DURABILITY
Removable Acrylic	90# Layflat	Matte White	Matte White	Up to 6 Months
		Good	Matte	
		Clear	Clear	
		Clear	Gloss	

OVERLAMINATE				
ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR DURABILITY
Permanent Acrylic	Clear Film	Embossed	Matte	Up to 6 Months

PRODUCT CODE	SIZE
SPMCGFW5425N-Wht	54" x 25 YDS
SPMCGFW5450N-Wht	54" x 50 YDS
SPMCGFW54100-Wht	54" x 100 YDS
SPMCGFC5425N-Clr	54" x 25 YDS
SPMCGFC5450N-Clr	54" x 50 YDS
SPMCGFC54100-Clr	54" x 100 YDS

SPMCGDP

4.0 mil. **White or Clear Flexible Vinyl** Base Film
 4.0 mil. **"Double Polished" Clear Flexible Vinyl** Overlaminate

Sold in kits of base film and overlaminate film. Base film available in clear or white.

BASE FILM				
ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR DURABILITY
Removable Acrylic	90# Layflat	Matte White	Matte White	Up to 6 Months
		Good	Matte	
		Clear	Clear	
		Clear	Gloss	

OVERLAMINATE				
ADHESIVE	LINER	OPACITY	GLOSS LEVEL	INDOOR DURABILITY
Permanent Acrylic	Clear Film	Embossed	Matte	Up to 6 Months

PRODUCT CODE	SIZE
SPMCGFWDP5425N-Wht	54" x 25 YDS
SPMCGFWDP5450N-Wht	54" x 50 YDS
SPMCGFWDP54100-Wht	54" x 100 YDS
SPMCGFCDP5425N-Clr	54" x 25 YDS
SPMCGFCDP5450N-Clr	54" x 50 YDS
SPMCGFCDP54100-Clr	54" x 100 YDS

► The products above are also available in larger length rolls.



For all your pressure sensitive material needs, contact the office nearest you or call 800.333.3136 or visit CATALINAGRAPHICFILMS.COM



Mojave Backlit Media is the ideal solution for both photographic and high quality signage applications where vivid color saturation and extreme image resolution is required.

Mojave Translucent Films help create high visibility, eye-catching graphics that really stand out in day or night applications. They are for internally illuminated sign faces, or for thermoforming with rigid plastic surfaces under well-controlled conditions.

These materials are enhanced for use with Eco-Solvent, Solvent, UV and Latex-Based inkjet printers.

		RECOMMENDED APPLICATIONS									
		Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
BACKLIT FILMS											
SPMBL	7.5 mil. Semi-Matte Polyester Front Print Backlit							●		●	●
TRANSLUCENT FILMS											
SPMTUR	4.0 mil. White Semi-Gloss Translucent Calendered Vinyl	●	●	●	●	●	●	●	●	●	●
REFLECTIVE FILMS											
SPMRF	7.0 mil. White Reflective Vinyl Removable up to 3 Years with Heat	●	●	●	●	●	●	●	●	●	●

▶ All SPM media for solvent inkjet printers are on 3" cores with print side wound OUT (standard wound).

SPMBL
7.5 mil. Semi-Gloss Polyester Front Print Backlit

This substrate is a high-quality non-adhesive backed film, ideal for both photographic and high quality signage applications such as light boxes, bus stops, vending machines, window & glass displays, trade shows, P.O.P. displays and posters. Ideally suited for mild solvent and solvent inks.

ADHESIVE None	LINER No Liner	OPACITY Translucent	GLOSS LEVEL Semi-Matte	OUTDOOR DURABILITY Up to 6 Months with Overlaminate	INDOOR DURABILITY Up to 5 Years
-------------------------	--------------------------	-------------------------------	----------------------------------	--	---

PRODUCT CODE	SIZE
SPMSBL3010N	30" x 10 FT
SPMBL3025N	30" X 25 YDS
SPMBL3050N	30" X 50 YDS
SPMBL3625N	36" X 25 YDS
SPMBL3650N	36" X 50 YDS
SPMBL5025N	50" X 25 YDS
SPMBL5050N	50" X 50 YDS
SPMBL5425N	54" X 25" YDS
SPMBL5450N	54" X 50 YDS
SPMBL6025N	60" X 25 YDS
SPMBL6050N	60" X 50 YDS

TRANSLUCENT FILMS

SPMTUR
4.0 mil. White Semi-Gloss Translucent Calendered Vinyl

Excellent for backlit and internally-illuminated signage & taxi-top applications. Ideal uses include gas station canopies, awnings, blinds, light boxes, shop fascias and other internally illuminated signage or creative and colorful window graphics. Ideally suited for mild solvent and solvent inks.

ADHESIVE Removable Acrylic	LINER 90#	OPACITY Translucent	GLOSS LEVEL Matte	OUTDOOR DURABILITY Up to 5 Years	INDOOR DURABILITY Up to 7 Years
---	---------------------	-------------------------------	-----------------------------	--	---

PRODUCT CODE	SIZE
SPMTUR3050N	30" X 50 YDS
SPMTUR5450N	54" X 50 YDS
SPMTUR6050N	60" X 50 YDS

REFLECTIVE FILMS

SPMRF
7.0 mil. White Reflective Vinyl

Removable up to 3 Years with Heat

Conforms to all ASTM D 4956 requirements. Ideal for permanent traffic signage, emblems and temporary traffic control devices.

ADHESIVE Gray Permanent	LINER 78# Layflat	OPACITY Excellent	GLOSS LEVEL High	OUTDOOR DURABILITY Up to 5 Years
-----------------------------------	-----------------------------	-----------------------------	----------------------------	--

PRODUCT CODE	SIZE
SPMRF3010N	30" X 10 YDS
SPMRF3025N	30" X 50 YDS
SPMRF3050N	30" X 50 YDS
SPMRF4810N	48" X 10 YDS
SPMRF4825N	48" X 25 YDS
SPMRF4850N	48" X 50 YDS

► The products above are also available in larger length rolls.





MAGNETICS & PHOTO PAPER

Mojave Magnetics are lead-free bonded iron ferrite with multi-pole magnetization resulting in superior holding power on most metallic surfaces.

Ideal uses include car signs, business cards, promotional products, message boards and other promotional point-of-purchase displays and advertising specialties.

Enhanced for use with Eco-Solvent, Solvent and UV-Based inkjet printers, Magnetic materials can be printed using silk screen, foil hot stamping, label, offset and digital printing processes.

Mojave Photo Paper is a premium quality resin-coated photobase paper with a high gloss finish designed for non-adhesive applications such as photo reproductions, signage, posters, and POP displays. It features superior pigment color gamut, instant dry times, and ease of handling during printing and lamination.

		RECOMMENDED APPLICATIONS											
		Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor		
MAGNETICS													
SPMMAG	12.0 mil. Matte White	•	•							•	•		
SPMMAG	20.0 mil. Matte White	•	•							•	•		
SPMMAG	30.0 mil. Matte White	•	•							•	•		
PHOTO PAPER													
SPMPBP	7.0 mil. Photo Gloss Paper	•							•	•			

▶ All SPM media for solvent inkjet printers are on 3" cores with print side wound OUT (standard wound).

SPMMAG
12.0 mil. **IMAGING**
Lead-free flexible magnetic vinyl. 866 971-1008

ADHESIVE: None | LINER: None | OPACITY: Excellent | GLOSS LEVEL: Gloss | OUTDOOR DURABILITY: Up to 1 Year | INDOOR DURABILITY: Up to 3 Years

PRODUCT CODE	SIZE
SPMMAG0122410N	24" X 10 FT
SPMMAG0122425N	24" X 25 FT
SPMMAG0122450N	24" X 50 FT

SPMMAG
20.0 mil. **Matte White**
Lead-free flexible magnetic vinyl.

ADHESIVE: None | LINER: None | OPACITY: Excellent | GLOSS LEVEL: Gloss | OUTDOOR DURABILITY: Up to 1 Year | INDOOR DURABILITY: Up to 3 Years

PRODUCT CODE	SIZE
SPMMAG0202410N	24" X 10 FT
SPMMAG0202425N	24" X 25 FT
SPMMAG0202450N	24" X 50 FT

SPMMAG
30.0 mil. **Matte White**
Lead-free flexible magnetic vinyl.

ADHESIVE: None | LINER: None | OPACITY: Excellent | GLOSS LEVEL: Gloss | OUTDOOR DURABILITY: Up to 1 Year | INDOOR DURABILITY: Up to 3 Years

PRODUCT CODE	SIZE
SPMMAG0302410N	24" X 10 FT
SPMMAG0302425N	24" X 25 FT
SPMMAG0302450N	24" X 50 FT

PHOTO PAPER

SPMPBP
7.0 mil. **Photo Gloss Paper**
Non-Adhesive Backed
A premium quality resin-coated photobase paper with a high gloss finish.

ADHESIVE: Non-Adhesive Backed | LINER: None | OPACITY: Excellent | GLOSS LEVEL: High-Gloss | OUTDOOR DURABILITY: Indoor Only

PRODUCT CODE	SIZE
SPMSPBP3010N	30" X 10 FT
SPMPBP30100N	30" X 100 FT
SPMPBP36100N	36" X 100 FT
SPMPBP50100N	50" X 100 FT
SPMPBP54100N	54" X 100 FT
SPMPBP60100N	60" X 100 FT

► Magnetics are also available in larger length rolls.



Converting non-pressure sensitive films—such as membrane switches, posters, mouse-pads, decals and medical applications—into pressure sensitive materials is easy with Catalina's mounting films. We offer various gauges with numerous types of adhesives, including permanent two sides, removable two sides, or permanent one side and removable one side.

MOUNTING FILMS

		RECOMMENDED APPLICATIONS									
		Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
PERMANENT / PERMANENT ADHESIVE											
CMTT50SL	0.5 mil. Clear Polyester		●							●	●
CMTT50C	0.5 mil. Clear Polyester		●							●	●
CMTT100C	1.0 mil. Clear Polyester		●							●	●
CMTT200WSL	2.0 mil. White Polyester		●							●	●
PERMANENT / REMOVABLE ADHESIVE											
CMTT50SLPR	0.5 mil. Clear Polyester		●							●	●
CMTT50SLPRWG	0.5 mil. Clear Polyester		●							●	●
CMTT100PR-OC	1.0 mil. Clear Polyester Optically Clear		●							●	●
CMTT100SLPR	1.0 mil. Clear Polyester		●							●	●

▶ All SPM media for solvent inkjet printers are on 3" cores with print side wound OUT (standard wound).

PERMANENT ADHESIVE			
PRODUCT CODE	SIZE	ADHESIVE	INDOOR DURABILITY
CMTT50SL	38" x 50 YDS	Permanent / Permanent Acrylic	Up to 3 Years
CMTT50SL3850	38" x 50 YDS		
CMTT50SL5150	51" X 50 YDS		
CMTT50SL5450	54" X 50 YDS		

PERMANENT ADHESIVE			
PRODUCT CODE	SIZE	ADHESIVE	INDOOR DURABILITY
CMTT50C	38" x 50 YDS	Permanent / Permanent Acrylic	Up to 3 Years
CMTT50C3850	38" x 50 YDS		
CMTT50C5150	51" X 50 YDS		
CMTT50C5450	54" X 50 YDS		

PERMANENT ADHESIVE			
PRODUCT CODE	SIZE	ADHESIVE	INDOOR DURABILITY
CMTT100C	38" x 50 YDS	Permanent / Permanent Acrylic	Up to 3 Years
CMTT100C3850	38" x 50 YDS		
CMTT100C5150	51" X 50 YDS		
CMTT100C5450	54" X 50 YDS		

PERMANENT ADHESIVE			
PRODUCT CODE	SIZE	ADHESIVE	INDOOR DURABILITY
CMTT200WSL	38" x 50 YDS	Permanent / Permanent Acrylic	Up to 3 Years
CMTT200WSL3850	38" x 50 YDS		
CMTT200WSL5150	51" X 50 YDS		
CMTT200WSL5450	54" X 50 YDS		

PERMANENT / REMOVABLE ADHESIVE

PERMANENT / REMOVABLE ADHESIVE			
PRODUCT CODE	SIZE	ADHESIVE	INDOOR DURABILITY
CMTT50SLPR	38" x 50 YDS	Permanent / Removable Acrylic	Up to 3 Years
CMTT50SLPR3850	38" x 50 YDS		
CMTT50SLPR5150	51" X 50 YDS		
CMTT50SLPR5450	54" X 50 YDS		

PERMANENT / REMOVABLE ADHESIVE			
PRODUCT CODE	SIZE	ADHESIVE	INDOOR DURABILITY
CMTT50SLPRWG	38" x 50 YDS	Permanent / Ultra Removable Acrylic	Up to 3 Years
CMTT50SLPRWG3850	38" x 50 YDS		
CMTT50SLPRWG5150	51" X 50 YDS		
CMTT50SLPRWG5450	54" X 50 YDS		

PERMANENT / REMOVABLE ADHESIVE			
PRODUCT CODE	SIZE	ADHESIVE	INDOOR DURABILITY
CMTT100PR-OC	38" x 50 YDS	Permanent / Removable Acrylic	Up to 3 Years
CMTT100PROC3850	38" x 50 YDS		
CMTT100PROC5150	51" X 50 YDS		
CMTT100PROC5450	54" X 50 YDS		

PERMANENT / REMOVABLE ADHESIVE			
PRODUCT CODE	SIZE	ADHESIVE	INDOOR DURABILITY
CMTT100SLPR	38" x 50 YDS	Permanent / Removable Acrylic	Up to 3 Years
CMTT100SLPR3850	38" x 50 YDS		
CMTT100SLPR5150	51" X 50 YDS		
CMTT100SLPR5450	54" X 50 YDS		



Mojave Overlamines enhance overall graphic depth and gloss while protecting printed materials from UV radiation, environmental elements and general abuse.

		RECOMMENDED APPLICATIONS									
		Simple Curves	Decals	Fleet w/o Rivets	Fleet w/ Rivets	Window	Floor	Backlit	Banner	Indoor	Outdoor
CALENDERED OVERLAMINATES											
LM3LL	3.0 mil. Luster Flexible Vinyl with UV Protection	●	●	●						●	●
LM3MCL	3.0 mil. Matte Clear Flexible Vinyl with UV Protection	●	●	●						●	●
LM3CL	3.0 mil. Gloss Clear Flexible Vinyl with UV Protection	●	●	●						●	●
LM4CL	4.0 mil. Gloss Clear Flexible Vinyl with UV Protection	●	●	●						●	●
LM6CE	6.0 mil. Clear Embossed Scratch Resistant Vinyl	●	●	●			●			●	●
CAST OVERLAMINATES											
LM1GL	1.5 mil. Gloss Clear Cast Vinyl with UV Protection	●	●	●	●					●	●
LM1MC	1.5 mil. Matte Clear Cast Vinyl with UV Protection	●	●	●	●					●	●
LM2GL	2.0 mil. Gloss Clear Cast Vinyl with UV Protection	●	●	●	●					●	●
LM2LL	2.0 mil. Luster Cast Vinyl with UV Protection	●	●	●	●					●	●
LM2MC	2.0 mil. Matte Clear Cast Vinyl with UV Protection	●	●	●	●					●	●
POLYESTER OVERLAMINATES											
LM1CL	1.0 mil. Clear Polyester	●	●							●	
LM2CL	2.0 mil. Clear Polyester	●	●							●	

▶ All SPM media for solvent inkjet printers are on 3" cores with print side wound OUT (standard wound).

ADHESIVE Permanent Acrylic
LINER 53# Paper
OPACITY Clear
GLOSS LEVEL Luster
OUTDOOR DURABILITY Up to 4 Years

PRODUCT CODE	BOX QUANTITY
LM3LL3050A	30" X 50 YDS
LM3LL5450A	54" X 50 YDS
LM3LL6050A	60" X 50 YDS

LM3MCL
3.0 mil. Matte Clear Flexible Vinyl
 with UV Protection

ADHESIVE Permanent Acrylic
LINER 53# Paper
OPACITY Clear
GLOSS LEVEL Matte Clear
OUTDOOR DURABILITY Up to 4 Years

PRODUCT CODE	BOX QUANTITY
LM3MCL3050A	30" X 50 YDS
LM3MCL5425A	54" X 25 YDS
LM3MCL5450A	54" X 50 YDS
LM3MCL6050A	60" X 50 YDS

LM3CL
3.0 mil. Gloss Clear Flexible Vinyl
 with UV Protection

ADHESIVE Permanent Acrylic
LINER 53# Paper
OPACITY Clear
GLOSS LEVEL Gloss
OUTDOOR DURABILITY Up to 4 Years

PRODUCT CODE	BOX QUANTITY
LM3CL3050A	30" X 50 YDS
LM3CL5450A	54" X 50 YDS
LM3CL6050A	60" X 50 YDS

LM4CL
4.0 mil. Gloss Clear Flexible Vinyl
 with UV Protection

ADHESIVE Permanent Acrylic
LINER Clear Film
OPACITY Clear
GLOSS LEVEL Gloss
OUTDOOR DURABILITY Up to 4 Years

PRODUCT CODE	BOX QUANTITY
LM4CL5450A	54" X 50 YDS
LM4CL6050A	60" X 50 YDS

LM6CE
6.0 mil. Clear Embossed Scratch Resistant Vinyl

ADHESIVE Permanent Acrylic
LINER Clear Film
OPACITY 50%
GLOSS LEVEL Matte
OUTDOOR DURABILITY 2 Years
INDOOR DURABILITY 1 Years

PRODUCT CODE	BOX QUANTITY
LM6CE5425A	54" X 25 YDS
LM6CE5450A	54" X 50 YDS



ADHESIVE Permanent Acrylic **LINER** 50# Glassine Liner **OPACITY** Clear **GLOSS LEVEL** Gloss **OUTDOOR DURABILITY** Up to 5 Years

Recommended use with SPMVW2 and SPMRF materials.

PRODUCT CODE	BOX QUANTITY
LM1GL3025N	30" X 25 YDS
LM1GL3050N	30" X 50 YDS
LM1GL5425N	54" X 25 YDS
LM1GL5450N	54" X 50 YDS
LM1GL6025N	60" X 25 YDS
LM1GL6050N	60" X 50 YDS

LM1MC
1.5 mil. Matte Clear Cast Vinyl with UV Protection
 Excellent conformability.

ADHESIVE Permanent Acrylic **LINER** 50# Glassine Liner **OPACITY** Clear **GLOSS LEVEL** Matte **OUTDOOR DURABILITY** Up to 5 Years

Recommended use with SPMVW2 and SPMRF materials.

PRODUCT CODE	BOX QUANTITY
LM1MC3025N	30" X 25 YDS
LM1MC3050N	30" X 50 YDS
LM1MC5425N	54" X 25 YDS
LM1MC5450N	54" X 50 YDS
LM1MC6025N	60" X 25 YDS
LM1MC6050N	60" X 50 YDS

LM2GL
2.0 mil. Gloss Clear Cast Vinyl with UV Protection

ADHESIVE Permanent Acrylic **LINER** 50# Kraft with UV Protection **OPACITY** Clear **GLOSS LEVEL** Gloss **OUTDOOR DURABILITY** Up to 5 Years

Recommended use with SPMVW2 and SPMRF materials.

PRODUCT CODE	BOX QUANTITY
LM2GL3025	30" X 25 YDS
LM2GL3050	30" X 50 YDS
LM2GL5425	54" X 25 YDS
LM2GL5450	54" X 50 YDS
LM2GL6025	60" X 25 YDS
LM2GL6050	60" X 50 YDS

LM2LL
2.0 mil. Luster Cast Vinyl with UV Protection

ADHESIVE Permanent Acrylic **LINER** 50# Kraft with UV Protection **OPACITY** Clear **GLOSS LEVEL** Luster **OUTDOOR DURABILITY** Up to 5 Years

Recommended use with SPMVW2 and SPMRF materials.

PRODUCT CODE	BOX QUANTITY
LM2LL3025	30" X 25 YDS
LM2LL3050	30" X 50 YDS
LM2LL5425	54" X 25 YDS
LM2LL5450	54" X 50 YDS
LM2LL6025	60" X 25 YDS
LM2LL6050	60" X 50 YDS

LM2MC
2.0 mil. Matte Clear Cast Vinyl with UV Protection

ADHESIVE Permanent Acrylic **LINER** 50# Kraft with UV Protection **OPACITY** Clear **GLOSS LEVEL** Matte **OUTDOOR DURABILITY** Up to 5 Years

Recommended use with SPMVW2 and SPMRF materials.

PRODUCT CODE	BOX QUANTITY
LM2MC3025A	30" X 25 YDS
LM2MC3050A	30" X 50 YDS
LM2MC5425A	54" X 25 YDS
LM2MC5450A	54" X 50 YDS
LM2MC6025A	60" X 25 YDS
LM2MC6050A	60" X 50 YDS

LM1CL
1.0 mil. Clear Polyester

866 971-1008

PRODUCT CODE	BOX QUANTITY
LM1CL5450A	54" X 50 YDS

ADHESIVE
Permanent Acrylic

LINER
Clear Film

OPACITY
Clear

GLOSS LEVEL
Gloss

OUTDOOR DURABILITY
Indoor Only

LM2CL
2.0 mil. Clear Polyester

PRODUCT CODE	BOX QUANTITY
LM2CL5450A	54" X 50 YDS

ADHESIVE
Permanent Acrylic

LINER
Clear Film

OPACITY
Clear

GLOSS LEVEL
Gloss

OUTDOOR DURABILITY
Indoor Only



► The products above are also available in larger length rolls.





Experience exceptional quality & true color output ...

Just call *Catalina Customer Service* at **800-333-3136** to order our specially printed Mojave Digital Media samples.

Custom Solutions

Catalina's technical staff is prepared to offer custom solutions for almost any industrial adhesive application requiring custom components and engineering. Additionally, a wide variety of adhesives and liner combinations ensures top performance with either a customer supplied face material or one we secure for you.

Sustainability Practices

At Catalina, we are constantly looking for ways to decrease the environmental footprint our processes and our customers' processes leave on the environment. As such, we are a true solvent-free adhesive coater using only renewable water-based technologies.

Printed Samples

For your convenience, Catalina provides printed samples of our most popular brand name products including Clear-Ad, Sign-Ad, Hi-Stat, Walk-On Graphics, Wall Graphics, Catapaque & Double-Sided Decal. We also offer printed samples of Mojave Certified HP Indigo substrates. Call *Customer Service* at **800-333-3136** for samples.



VISIT US AT
www.catalinagraphicfilms.com
www.mojavedigitalmedia.com



HEADQUARTERS

27001 Agoura Road, Suite 100
Calabasas Hills, CA 91301
Toll-Free: (800) 333-3136
Tel: (818) 880-8060
Fax: (818) 880-1144

CHICAGO

870 Greenleaf Avenue
Elk Grove Village, IL 60007
Toll-Free: (800) 766-4939
Tel: (847) 806-1340
Fax: (847) 806-0296

ATLANTA

2865 N. Berkeley Lake
Road, Suite 4
Duluth, GA 30096
Toll-Free: (800) 922-5880
Tel: (770) 232-1878
Fax: (770) 232-7133

MANUFACTURING - LAS VEGAS

4855-D W. Harmon Avenue
Las Vegas, NV 89103