

Presto™ SG Canvas - 17 mil

■ semi-gloss - 3134



PRODUCT DESCRIPTION

3134 Presto™ SG Canvas is a premium, bright white, ink-jet coated canvas designed to produce solid blacks, vivid colors and smooth gradients. The 17 mil, poly / cotton blend provides a flexible base for easy stretching without cracking. Presto™ canvas is compatible with solvent, latex and UVC printers.

Physical Properties

Caliper	17 mil
Basis Weight	380 g/m ²
Gloss (60°) / (85°)	7.8 / 10
Opacity	96%
Whiteness (We)	>95
Brightness	92

*All values listed are target values

Advantages

- Uniform Surface Structure
- Waterfast
- No Edge Cracking
- 65 / 35 Polyester Cotton Blend
- 1:1 Weave Structure
- Fast Drytime

List of Printers

Printer	Ink
Epson® GS 6000	Eco-Solvent
Epson® SureColor	Eco-Solvent
Hewlett Packard® DJ 8000s, 9000s, 10000s	Low-Solvent
Hewlett Packard® L25550, L65500, L28550	Latex
Mimaki® JV3, JV33, JV5, CJV30	ES, SS2, SS2-1, HS
Mimaki® JV400-160	Latex
Mutoh® ValueJet	Eco-Solvent
Roland® VP, SP, XC, XJ, SJ / AJ	ECO-SOL MAX / Eco-Xtreme

*For further information please refer to our website www.sihlusa.com

How to Buy

For additional Sihl Digital Imaging product information, please call 1-800-366-7393 or visit our website www.sihlusa.com where you can also find an authorized Sihl reseller near you.

Bravo II Canvas

■ matte 3137



PRODUCT DESCRIPTION

3137 Bravo II is a high quality true artist canvas for fine art & fine art quality graphics. Especially designed for Latex & UV print platforms, Bravo II also works well with solvent printers. The durable 2:1 construction with a Poly/Cotton blend ensures a reliable & consistent print surface. Bravo II is designed for multiple finishing applications including the traditional stretched canvas for framing. For excellent print results on a trouble free printable canvas you will say Bravo II.

Advantages

- Enhanced reliability with Poly / cotton blend
- Strengthened 2:1 structure weave
- No surface or edge cracking
- Fine art suitable for oils and acrylics
- Archival quality

Physical Properties

Caliper	18 mil
Basis Weight	365 g/m ²
Gloss (60°)	3
Opacity	> 97%
*All values listed are target values	

List of printers

Printer	Ink
Hewlett Packard® L25500, L26500, 300 Series	Latex
Hewlett Packard® DJ 8000s, 9000s, 10000s	Low-Solvent
Hewlett Packard H35000, H45000	788 UV pigment inks
Epson® GS 6000, S-Series	Eco-Solvent I
Mimaki® JV3, JV33, JV 5	ES, SS2, SS2-1, HS
Mimaki® UVJ / UJV 160	UV Curable
Mutoh® ValueJet	Eco-Solvent
Roland® VP, SP, XC, XJ, SJ / AJ	ECO-SOL MAX / Eco-Xtreme
Océ Arizona 250 GT, 200GT	UV Inks
FujiFilm Acuity HD 2504	UV Inks
Vutek PV, QS, DS Series	UV Ink

Glamour™ S Photo Board - 12 mil

■ satin 3145



PRODUCT DESCRIPTION

3145 Glamour™ S is a 12 mil, semi-rigid photo board that delivers premium photo quality on solvent inkjet printers. Glamour™ expands the capabilities of solvent printers, truly bridging the gap between UV flatbed and solvent roll-to-roll printing. With an instant dry photo coating, Glamour™ provides outstanding image quality and dot gain control on a board that is stiff enough to stand or hang, yet flexible enough to roll. Glamour™ is perfect for applications ranging from high end photo finishing to hanging signs, easel signs and point of sale displays.

Physical Properties

Caliper	12 mil
Weight	280 g/m ²
Gloss (60°)	15
Opacity	98%
Brightness	97
Whiteness (We)	110

*All values listed are target values

Advantages

- Premium Photo Finish
- Semi-Rigid Board
- Bright White
- Instant Dry
- Water Resistant
- High Density and Color Gamut

List of Printers

Printer	Ink
Epson® GS 6000	Eco-Solvent
Epson® SureColor	Eco-Solvent
Hewlett Packard® DJ 8000s, 9000s, 10000s	Low-Solvent
Hewlett Packard® L25550, L65500, L28550	Latex
Mimaki® JV3, JV33, JV5, CJV30	ES, SS2, SS2-1, HS
Mimaki® JV400-160	Latex
Mutoh® ValueJet	Eco-Solvent
Roland® VP, SP, XC, XJ, SJ / AJ	ECO-SOL MAX / Eco-Xtreme
Seiko Colorpainter Series	Mild Solvent

*For a complete list of compatible printers, visit www.sihlusa.com

How to Buy

For additional Sihl Digital Imaging product information, please call 1-800-366-7393 or visit our website www.sihlusa.com where you can also find an authorized Sihl reseller near you.

Presto™ S Canvas - 17 mil

■ **satin- 3146**



PRODUCT DESCRIPTION

3146 Presto™ S Canvas is a premium, bright white, ink-jet coated canvas designed to produce solid blacks, vivid colors and smooth gradients. The 17 mil, poly / cotton blend provides a flexible base for easy stretching without cracking. Presto™ canvas is compatible with solvent, latex and UVC printers.

Physical Properties

Caliper	17 mil
Basis Weight	380 g/m ²
Gloss (60°) / (85°)	4.6 / 5
Opacity	96%
Whiteness (We)	>95
Brightness	92

*All values listed are target values

Advantages

- Uniform Surface Structure
- Waterfast
- No Edge Cracking
- 65 / 35 Polyester Cotton Blend
- 1:1 Weave Structure
- Fast Drytime

List of Printers

Printer	Ink
Epson® GS 6000	Eco-Solvent
Epson® SureColor	Eco-Solvent
Hewlett Packard® DJ 8000s, 9000s, 10000s	Low-Solvent
Hewlett Packard® L25550, L65500, L28550	Latex
Mimaki® JV3, JV33, JV5, CJV30	ES, SS2, SS2-1, HS
Mimaki® JV400-160	Latex
Mutoh® ValueJet	Eco-Solvent
Roland® VP, SP, XC, XJ, SJ / AJ	ECO-SOL MAX / Eco-Xtreme

*For further information please refer to our website www.sihlusa.com

How to Buy

For additional Sihl Digital Imaging product information, please call 1-800-366-7393 or visit our website www.sihlusa.com where you can also find an authorized Sihl reseller near you.

Pacifica™ Photo Paper 210

■ matte 3157

PRODUCT DESCRIPTION

3157 Pacifica™ is a bright white, super smooth, high performance matte photo paper designed for premium performance on solvent printers. Pacifica™ features a proprietary barrier coating that seals the base paper, prevents show through and cockle, and maximizes print density, color gamut and shadow detail at the surface.

Advantages

- Bright White
- No Cockling from Heavy Inkload
- High Density and Color Gamut
- Super Smooth Print Surface
- Scratch Resistant
- Water Resistant

Physical Properties

Caliper	8 mil
Weight	210 g/m ²
Gloss (60°)	matte
Opacity	> 97%
Whiteness (We)	104

*All values listed are target values

List of Printers

Printer	Ink
Epson® GS 6000	Eco-Solvent
Epson® SureColor	Eco-Solvent
Hewlett Packard® DJ 8000s, 9000s, 10000s	Low-Solvent
Hewlett Packard® L25550, L65500, L28550	Latex
Mimaki® JV3, JV33, JV5, CJV30	ES, SS2, SS2-1, HS
Mimaki® JV400-160	Latex
Mutoh® ValueJet	Eco-Solvent
Roland® VP, SP, XC, XJ, SJ / AJ	ECO-SOL MAX / Eco-Xtreme

*For further information please refer to our website www.sihlusa.com

Backlit Film - 5 mil

■ gloss 3194



UV Flexible Films

Stunning Lights-Off *and* Lights-On!

PRODUCT DESCRIPTION

3194 - Fusion™ Flexible Backlit is a 5 mil dimensionally stable premium polyester film for use with UV Curable printers. The front side of 3194 is treated with a specially designed clear coating to promote ink adhesion and the back is coated with an opacifying layer to ensure uniform light dispersion when backlit.

Physical Properties

Caliper	5 mil
Gloss (60°)	110
Opacity	60%

*All values listed are target values

Advantages

- Dimensionally Stable Film
- Superb Ink Adhesion
- Bright White Glossy Surface
- Flexible Film
- Roll to Roll Productivity

List of printers

Printer	Ink
Hewlett Packard H35000, H45000	788 UV pigment inks
Océ Arizona 250 GT, 200GT	UV Inks
Mimaki UJV 160	UV Flexible Inks
FujiFilm Acuity HD 2504	UV Inks
Vutek PV, QS, DS Series	UV Ink

*For further information please refer to our website www.sihlusa.com

SIHL
DIGITAL IMAGING

Ho
Fo
OU



B.C.I.
IMAGING

www.bciimage.com
866 971-1008

QuickSTICK™ Adhesive Backed Fabric

■ matte 3208

PRODUCT DESCRIPTION

3208 QuickSTICK™

matte is a repositionable and removable adhesive textile product made of woven recyclable polyester. It is coated to achieve maximum graphic definition & allow for excellent ink load while also being scratch resistant. 3208 QuickSTICK™ has been enhanced for the Latex printer platforms while still maintaining superb imaging quality on eco solvent / light solvent platforms and of course prints extremely well on full solvent & UV printer platforms. 3208 is especially designed for indoor repositionable & removable applications leaving no residue behind. Short term outdoor applications also benefit from the durability and flexibility of QuickSTICK.™

Advantages

- Recyclable Polyester & PVC Free
- Repositionable & Removable
- Tear Resistant
- No Residue, Clean Removal
- Contour Cut compatible

Physical Properties

Caliper	6 mil / 12 mil with liner
Bs Weight	160 gsm / 295 gsm with liner
Whiteness	95
Brightness	92

List of Printers

Printer	Ink
Epson® GS 6000	Eco-Solvent
Epson® SureColor	Eco-Solvent
HP® DJ 8000s, 9000s, 10000s	Latex
HP® L25500, L26500, L28500, 300 Series	Latex
Mimaki® JV3, JV33, JV5, CJV30	ES, SS2, SS2-1, HS
Mimaki® JV400-160	Latex
Mutoh® ValueJet	Eco-Solvent
Roland® VP, SP, XC, XJ, SJ / AJ	ECO-SOL MAX / Eco-Xtreme
Seiko Colorpainter Series	Mild Solvent





TexBanner Xtrem white 145

■ matte 3275

PRODUCT DESCRIPTION

Developed as an alternative to Tyvek, TexBanner Xtrem White 145 is a bright, white, 100% sythetic non-woven universal outdoor banner. The high quality water-fast inkjet coating and excellent opacity radiate the quality that Sihl is known for.

Physical Properties

Caliper	12.5 mil
Basis Weight	145 gsm
Whiteness	>110
Opacity	>90%

Advantages

- Layflat Flexible Banner
- PVC-Free and Recyclable
- High Tensile Strength and Tear Resistance
- High Water-Resistance (Pigmented Inks)
- Can Be Stapled, Sewn, or used with Grommets

List of Printers

Printer	Ink
HP DJ 5000 (PS) / 5500 (PS)	Inkjet with Dye
HP DJ 2000/2500/2800, 3000/3500/3800 CP	Inkjet with Dye
HP DJ 4000 (PS) 4500, T1100, T1200	Inkjet with Dye and K pigment
HP DJ 130, 1050C / 1055CM	Inkjet with Dye
HP DJ Z 3100, 6100, 6200, 6600, 6800	Vivera Pigment
HP DJ L25500, 26500, 28500, 260, 280	Inkjet with IR/Latex Ink
Epson Pro 7000, 9000, 7500, 9500	ColorFast Ink
Epson Pro 7600, 9600, 4000-C8	UltraChrome Ink
Epson Stylus Pro 7800, 9800	UltraChrome K3
Canon iPF 5000,6300,6350,8000,8300,9000	Lucia Pigment





DuraSOL™ Heavy Display Film - 17 mil

■ satin 3508

PRODUCT DESCRIPTION

3508 DuraSOL™ Heavy is a 17 mil semi-rigid PVC display film with a “low glare” satin finish and an instant dry, scratch resistant coating. The durable construction features tear resistant PVC intended to be used unlaminated to create a durable tradeshow panel engineered to withstand repeated rolling in portable display units without cupping, warping or scratching. DuraSOL™ 3508 and 3608 are compatible with solvent and UVC printers.

Advantages

- Tear Resistant PVC Base
- Semi-Rigid PVC Base
- Waterfast
- Scratch Resistant
- “Low Glare” Satin Finish
- Durable Without Lamination

Physical Properties

Caliper	17 mil
Basis Weight	630 g/m ²
Gloss (60°)	10
Opacity	> 99%

*All values listed are target values

List of printers

Printer	Ink
Epson® GS 6000	Eco-Solvent I
Hewlett Packard® DJ 8000s, 9000s, 10000s	Low-Solvent
Hewlett Packard H35000, H45000	788 UV pigment inks
Mimaki® JV3, JV33, JV 5	ES, SS2, SS2-1, HS
Mimaki® UVJ / UJV 160	UV Curable
Mutoh® ValueJet	Eco-Solvent
Roland® VP, SP, XC, XJ, SJ / AJ	ECO-SOL MAX / Eco-Xtreme
Océ Arizona 250 GT, 200GT	UV Inks
FujiFilm Acuity HD 2504	UV Inks
Vutek PV, QS, DS Series	UV Ink

*For further information please refer to our website www.sihlusa.com

SIHL
DIGITAL IMAGING

 **B.C.I.** www.bciimage.com
IMAGING 866 971-1008



TriSolv™ PrimeArt Paper

■ gloss 3686

PRODUCT DESCRIPTION

3686 TriSolv™ Paper is a premium weight, bright white, wet strength paper that features outdoor durability and excellent scratch resistance. The entire TriSolv™ family of products are compatible with solvent, UVC and Latex printers.

Physical Properties

Caliper	8 mil
Weight	200 g/m ²
Gloss (60°)	45
Opacity	> 95%

*All values listed are target values

Advantages

- Bright White
- Scratch Resistant
- Water Resistant
- Can Fold Without Cracking
- Wet Strength for Posting
- FSC Certified

List of printers

Printer	Ink
Epson® GS 6000	Eco-Solvent I
Hewlett Packard® DJ 8000s, 9000s, 10000s	Low-Solvent
Hewlett Packard® L25500, L65500	Latex
Hewlett Packard H35000, H45000	788 UV pigment inks
Mimaki® JV3, JV33, JV 5	ES, SS2, SS2-1, HS
Mimaki® UVJ / UJV 160	UV Curable
Mutoh® ValueJet	Eco-Solvent
Roland® VP, SP, XC, XJ, SJ / AJ	ECO-SOL MAX / Eco-Xtreme
Océ Arizona 250 GT, 200GT	UV Inks
FujiFilm Acuity HD 2504	UV Inks
Vutek PV, QS, DS Series	UV Ink

*For further information please refer to our website www.sihlusa.com



Certified for
HP Latex Inks