
{PROBLEM} " I want to offer my clients an alternative to traditional signage materials, but I've heard that printable PVC was unreliable and difficult to work with."





{SOLUTION} " CELTEC[®] printable PVC products follow the same high standards VYCOM is known for. From color consistency to workability, these PVC products can be fabricated for any need, making it perfect to replace traditional materials for any application.




PVC needs.

WHERE QUALITY **MEETS PERFORMANCE**

801 E. Corey Street Scranton, PA 18505 Ph: (800) 235-8320 Fx: (800) 858-9266 www.vycomplastics.com

866 971-1008 IMAGING


For more than a guarter of a century, Vycom has led the Olefin and PVC sheet products industry with innovative materials for a wide variety of uses. We strive to be the essential partner in creating and implementing solutions in Olefin and PVC polymers that optimize quality and performance. Vycom offers the largest range of products, capabilities, and inventory for all your Olefin and



PRINTABLE SOLUTIONS

{PROBLEM} " I've run a successful sign shop for years, but my customers now want more detailed signage that will last longer, even outdoors. The material I print on often looks dull & the ink tends to run, compromising artwork quality. **"**

{PROBLEM} ⁶⁶I own a sustain downtown Seattle. Our handmade store, but I'm afraid to switch to mental impact.⁹⁹



{SOLUTION} "CELTEC® EXPANDED PVC & ULTRA WHITE PVC are made with more consistent surfaces, resulting in less press rejections. This allows for better ink adherence creating more vibrant, longer lasting prints and are suitable for both indoor and outdoor usages."

{SOLUTION} "CELTEC® PVC products are free of lead & heavy metal so they're safe for both the environment & to have around consumables & perishables. CELTEC® performance & sustainable material leads to signs that have a long life cycle."

EM} WWW-bciimage.comalways

and worn within weeks of getting them, and my sign r says that he can only provide basic shapes.⁹⁹

866 971-1008

IMAGING

SUSTAINABLE:

we believe our responsibility is not only to our customers, but also to the environment. As a company, we have established realistic and achievable environmentally friendly goals for our manufacturing and business practices. We strive to use resources in a responsible manner. We are focused on achieving sustainability through ongoing improvements that protect our environment, our employees and our business.

LEAD & HEAVY METAL FREE:

Lead & heavy metals have never been in our product or in our production process. This means our substrates are not only safer for the environment, they are also safer for our workers and everyone who works with and uses our product.


LOCAL: CELTEC PVC is proudly made in USA.




{SOLUTION} "CELTEC® offers a PVC that is more vibrant than the competition. Plus, CELTEC® ULTRA WHITE and EXPANDED PVC can be die-cut, just like paper stocks, without a hassle or new equipment."







WHERE QUALITY MEETS PERFORMANCE



CELTEC® GRAPHIC DISPLAY MATERIALS

Vycom's Celtec[®] family of graphic and display materials is designed with a unique combination of features that makes them ideal for digital and screen printing, signage, exhibits, POP, and more. Our materials are lead and heavy metal free, which allows them to optimize performance while being environmentally friendly.





CELTEC® EXPANDED PVC

Our rigid foamed PVC is digital or screen printable and ideal for various applications in the sign and graphic markets. Celtec[®] Expanded PVC comes in the widest range of thicknesses and in a full line of standard colors, with custom colors available upon request. Celtec[®] Expanded PVC's optimal density gives it smaller cell structure for edge finishing and superior screw and staple retention. The premium UV package enhances material performance. Our materials are lead and heavy metal free, which allows them to optimize performance while being environmentally friendly.

Top Applications:

- Point of Purchase Displays
- Signage
- Store Fixturing
- Exhibits and Kiosks
- Dimensional Letters
- Display Boards

Key Material Benefits:

- Printable Digital and Screen
- Light Weight
- Easy to Fabricate, Paint, or Laminate
- Excellent Fastening Characteristics
- Excellent Fire Properties

Competitive Advantages (vs. other competitors' similar materials):

- Superior UV Performance
- Contains No Heavy Metals
- Die Cut-Able
- Optimal Density for Performance
- Short Lead-Times for Custom Sizes and Colors
- Oversized Sheets
- All Materials Produced in the US

Compliances:

- UL 94 V-0
- UL-1975
- FDA Incidental Food Contact
- RoHS Compliant



CELTEC® ULTRA WHITE

Our advanced solid PVC formulation is designed specifically for outdoor applications where resistance to ultraviolet (UV) degradation and impact strength are critical. Performance tests indicate that Ultra White is up to eight times more resistant to UV damage and is both digital and screen printable.

Top Applications:

- Outdoor Signage
- Real Estate Signs
- Exterior Chemical Processing Equipment

Key Material Benefits:

- Printable Digital and Screen
- Superior Outdoor Performance
- High Gloss Finish
- No Pretreatment
- Durability

Competitive Advantages (vs. other competitors' similar materials):

- Superior UV Performance
- Excellent Impact Properties
- Brighter White
- Standard Product Multiple Sizes Stocked
- Thermo Formable
- Die Cut-Able

Compliances:

- UL 94 V-0
- ASTM-E-84
- ASTM-1784-09
- RoHS Compliant

B.C.I. www.bciimage.com IMAGING 866 971-1008


CELTEC® EXPANDED PVC

COLORS:	THICKNESSES:	FINISH:
1 WHITE	1MM - 30MM	SATIN SMOOTH
2 BLACK	1MM - 25MM	
LIGHT GRAY	3MM - 12MM	
Standard sheet size	es in most thicknesses	

and formulations are 4'x8', 4'x10', 5'x10'.

Custom sizes available upon request.

4 BLUE	3MM - 6MM
5 RED	3MM - 6MM
6 GREEN	3MM - 6MM
7 YELLOW	3MM - 6MM
8 BEIGE	3MM - 6MM
COOL GRAY	3MM - 6MM
LIGHT BLUE	3MM



IMAGING

Standard sheet sizes in most thicknesses and formulations is 4'x8'.

Custom colors and sizes available upon request.



B.C.I. www.bciimage.com 866 971-1008

IMAGING


CELTEC® ULTRA WHITE COLORS: THICKNESSES: FINISH: 1 1 WHITE 2MM - 3MM - 6MM SMOOTH GLOSS Standard sheet sizes in most thicknesses and formulations is 4'x8'. Custom sizes available upon request. 2MM - 3MM - 6MM





www.bciimage.com

866 971-1008



For more than a quarter of a century, Vycom has led the Olefin and PVC sheet products industry with innovative materials for a wide variety of uses. We strive to be the essential partner in creating and implementing solutions in Olefin and PVC polymers that optimize quality and performance. Vycom offers the largest range of products, capabilities, and inventory for all your Olefin and PVC needs.

WHERE QUALITY MEETS PERFORMANCE

801 E. Corey Street, Scranton, PA 18505 Phone: (800) 235-8320 • Fax: (800) 858-9266

www.vycomplastics.com





WHERE QUALITY MEETS PERFORMANCE

CORRTEC CHEMICAL AND CORROSION RESISTANT MATERIALS

Vycom's Corrtec family of chemical and corrosion resistant materials offers many polymer options including PVC (Types I and II), CPVC, HDPE, PP, and CoPP formulations including the largest olefin sheet sizes in the world at up to 130" wide. These materials are designed to meet requirements in chemical handling, air processing, industrial tanks, pharmaceuticals, waste water management, and many more industries. The Corrtec family can handle everything from highly technical applications to your most basic needs.





Chemical and Liquid - Tanks and Secondary Containment

HITEC® HDPE

Hitec® is a highly versatile material for use in a wide variety of applications and industries. It has excellent impact strength, scratch and chemical resistance, stiffness, and minimal moisture absorption.

Top Applications:

- Food Processing
- Machined and Fabricated Parts
- Guides and Wear Plates
- Die Cutting Pads
- Medical Orthotics and Prosthetics
- **Key Material Benefits:**
- Chemical and Corrosion Resistant
- No Moisture Absorption
- Wide Variety of Uses

Competitive Advantages (vs. other competitors' similar materials):

- Scratch Resistance
- Low Minimums on Customs
- Oversized Sheets

- Lower Stress
- NSF Compliant (Natural)

Wood and Metal Replacement

Impact and Abrasion Resistance

• Material Handling Systems

Dunnage / Racking

Superior Versatility

Inventory in Colors, Thicknesses and Sheet Sizes

Easy to Fabricate, Weld, Machine or Thermoform

Compliances:

• FDA • USDA • NSF (Natural Only) • RoHS Compliant

PROTEC[™] PP (HOMOPOLYMER POLYPROPYLENE)

This highly chemical and corrosion resistant material exhibits excellent tensile stiffness and low moisture absorption for use in a wide variety of applications and industries.

Top Applications:

- · Chemical and Liquid Tanks and Secondary Containment
- Laboratory and Cleanroom Containment Cabinetry, Furniture, and Fume Hoods
- Medical Orthotic and Prosthetic
- · Air Processing Fume Hoods and Ducting

Key Material Benefits:

- Chemical and Corrosion Resistant
- High Strength to Weight Ratio
- Greater Hardness and Stiffness vs. HDPE
- Maximum HDT 190° F

Competitive Advantages (vs. other competitors' similar materials):

- Resin Consistency
- Inventory in Colors, Thicknesses, and Sheet Sizes **Oversized Sheets**
- - No Moisture Absorption

 - Custom Colors and Sizes with Low Minimums
 - Turns Clear when Heated

Compliances:

• FDA • USDA • NSF (Natural) • RoHS Compliant

PROTEC[™] CoPP (COPOLYMER POLYPROPYLENE)

Protec[™] provides high levels of impact, scratch, and corrosion resistance. It's a great material for tank fabrication, orthotic and prosthetic devices, and many more applications.

Top Applications:

- · Chemical and Liquid Tanks and Secondary Containment
- Superior Performance in Impact and Shock Environments (i.e. Steel Processing and Moving Tanks)
- **Orthotics and Prosthetics** Waste Water Management

• Fire Truck Tanks / Rescue Equipment

Lower Rigidity than Homopolymer

High Strength to Weight Ratio

No Moisture Absorption

• Food Processing - Manufacturing / Preparation Components

Key Material Benefits:

- Higher Impact Material
- Chemical and Corrosion Resistant
- Great Versatility
- Easy to Fabricate, Weld, Machine, Thermoform, and Vacuum Form

Competitive Advantages (vs. other competitors' similar materials):

- Lower Stress Material
- Oversized Sheets

- Inventory in Colors, Thicknesses, and Sheet Sizes
- Custom Colors and Sizes with Low Minimums

- Compliances:
- FDA USDA NSF (Natural) RoHS Compliant

- - Easy to Fabricate, Weld, Machine, Thermoform, and Vacuum Form

- Food Processing Manufacturing and Preparation Components • Die Cutting Pads
- Superior Versatility

- - Lower Stress

VINTEC® I (TYPE I, GRADE 1 PVC)

Vintec® I is a normal impact, highly corrosion resistant PVC shee Its exception for applications where maximum chemical resistance is necessary.

Top Applications:

- Chemical Processing Equipment
- Acid Baths
- Laboratory Workstations
- Plating Tanks

Key Material Benefits:

- Chemical and Corrosion Resistant
- Easily Fabricated or Welded

Competitive Advantages (vs. other competitors' similar materials):

- Higher Heat Distortion
- Proven Formula (30 Year History)
- Oversized Sheets

Compliances:

• ASTM-D-1784-09 • UL 94 V-0 • ASTM-E-84 • RoHS Compliant

VINTEC[®] II (TYPE II, GRADE 1 PVC)

Vintec[®] II is a high impact, corrosion resistant PVC sheet. Its excellent impact resistance and ductility are ideally suited for applications that require thermal forming or where the finished product is subject to shock or physical abuse.

Top Applications:

- Air Handling (Scrubbers, Ducts, and Fume Hoods)
- Fabricated Piping Components
- Electrical Cabinets
- Consoles

Key Material Benefits:

- High Impact (Over 15 Times the Value of Standard PVC)
- Thermoformable and Vacuum Formable
- Rigidity Light Weight

Competitive Advantages (vs. other competitors' similar materials):

- Higher Heat Distortion
- Superior Stiffness
- **Compliances:**
- ASTM-D-1784-09 · UL 94 V-0 · ASTM-E-84 · RoHS Compliant

VINTEC[®] CLEAR

Vintec[®] Clear is a transparent PVC material that is highly recommended where visibility of a process or an operation is essential. Vycom's Clear PVC is impact and corrosion resistant.

Top Applications:

Sight Windows	 Sight Ports 	 Machine Guards 	 Inspection Panels 	 Formed Covers
Key Material Benefits:				
 Chemical Resistance 	 Transparency 	 Stiffness 	 Impact 	
Competitive Advantages (vs. other competito	ors' similar materials):		
 Heat Forming without Cl 	ouding • Good	Light Transmittance	 Consistent Blue Tint 	 Oversized Sheets
Compliances:				

• UL 94 V-0 • ASTM-E-84 • ASTM-D-1784-09 • RoHS Compliant

CORZAN[®] CPVC

This is a highly heat and corrosion resistant CPVC sheet. Because of its excellent corrosion resistance at elevated temperatures, it is ideally suited for self-supporting constructions where high temperatures are a concern.

Top Applications:

- Plating Tanks
- Air Handling (Scrubbers, Ducts, and Fume Hoods)
- Pipe Flanges and Spacers

Cost Effectiveness

Stripping Tanks

Key Material Benefits:

- Chemical Resistance • High Heat Stability
 - Integrated Systems
- Competitive Advantages (vs. other competitors' similar materials):
- Gauge Consistency
- Compatibility with other Corzan Components
- Extruded (up to 1") vs. Pressed or Laminated

- Transitions
- Chemical and Corrosion Resistance
- Can be Cold Rolled
- Excellent Fire Properties
- Chemical Processing Equipment

Junction Boxes



• Air Handling (Scrubbers, Ducts, and Fume Hoods)

Fabricated Piping Components

Pool Components

Electrical Cabinets

Cost Effective

Strength-to-Weight Ratio

• Superior Chemical Resistance

• Does Not Contain Plasticizers or Fillers


 Greater Chemical Resistance • Oversized Sheets

Product Breadth

- **Compliances:** • ASTM-D-1784-09 • ASTM-E-84 • UL 94 V-0 • RoHS Compliant
- Wastewater Treatment Electrical Cabinets



HITEC[®] HDPE



PROTEC[™] PP (HOMOPOLYMER POLYPROPYLENE)

COLORS:	THICKNESSES:	FINISH:
1 NATURAL	1/8" - 3"	SMOOTH
2 WHITE	1/8" - 3"	
3 BLACK	1/8" - 3"	


Standard sheet sizes in most formulations are 4'x8', 4'x10', 5'x10'.

Custom colors and sizes available upon request.

PROTEC[™] CoPP (COPOLYMER POLYPROPYLENE)


COLORS:	THICKNESSES:	FINISH:
1 NATURAL	1/8" - 3"	SMOOTH
2 BLACK	1/8" - 3"	
3 EURO GRAY	1/8" - 3"	
Standard sheet sizes in	most	

formulations are 4'x8', 4'x10', 5'x10'. Custom colors and sizes available upon request.



1/8" - 3"

123










VINTEC[®] I (TYPE I, GRADE 1 PVC)

COLORS:	THICKNESSES:
1 WHITE	1/16" - 1"
② GRAY	1/16" - 4"
EURO GRAY	1/2" - 1"

Standard sheet size in most formulations is 4'x8'.

Custom sizes available upon request.



1/2" - 1"

B.C.I. www.bciimage.com

IMAGING


866 971-1008

VINTEC[®] II (TYPE II, GRADE 1 PVC)

COLORS:	THICKNESSES:
1 LIGHT GRAY	1/8" - 1"
DARK GRAY	1/8" - 1/2"
3 WHITE	1/8" - 1/2"

Standard sheet size in most formulations is 4'x8'.

Custom sizes available upon request.



CORZAN® CPVC

VINTEC [®] CLEAR			CORZAN [®] CP\	/C		
COLORS:	THICKNESSES:		COLORS:	THICKNESSES:	1	_
① SLIGHT BLUE TINT	1/16" - 1/2"		1 LIGHT GRAY	1/8" - 3"		
Standard sheet size in m formulations is 4'x8'. Custom sizes available u			Standard sheet size formulations are 4'x Custom sizes availa	8', 4'x10'.		
		1/16" - 1/2"			1/8" - 3"	
					And in case of the local division of the loc	








For more than a quarter of a century, Vycom has led the Olefin and PVC sheet products industry with innovative materials for a wide variety of uses. We strive to be the essential partner in creating and implementing solutions in Olefin and PVC polymers that optimize quality and performance. Vycom offers the largest range of products, capabilities, and inventory for all your Olefin and PVC needs.

WHERE QUALITY MEETS PERFORMANCE

801 E. Corey Street, Scranton, PA 18505 Phone: (800) 235-8320 • Fax: (800) 858-9266 www.vycomplastics.com



WHERE QUALITY MEETS PERFORMANCE



FLAMETEC° FIRE SAFE MATERIALS

Vycom's Flametec[®] proprietary family of fire safe materials offers the semiconductor and cleanroom industry a full portfolio of product offerings that is specially formulated to exceed the fire compliances for polymers in applications for tools, wet benches, cabinetry, furniture and other equipment. Our materials offer superior chemical resistance while providing optimal physical properties for fabrication, forming and workability.



elanete:



FLAMETEC[®] CLEANROOM PVC-C (FM 4910 Listed)

Cleanroom PVC-C fire safe material is specially formulated to exceed FM 4910 fire compliances for polymers in semiconductor and cleanroom applications. This proven material offers excellent chemical resistance while providing optimal physical properties for fabrication, forming and workability.

Top Applications:

- Wet Process Equipment
- Chemical Delivery Systems
- Hoods, Benches and Sinks
- Cleanroom Carts

Key Material Benefits:

- Superior Chemical Resistance at Higher Service Temperatures
- Easy to Fabricate and Weld
- Superior Strength and Flexibility

Competitive Advantages (vs. other competitors' similar materials):

- Highest Flame and Smoke Properties for FM 4910 Materials
- PVC-C Maintains its Mechanical Properties at Service Temperatures up to 200°F
- True CPVC Material

Compliances:

- FM 4910 Listed
- Meets Class 1 Rating for UL 2360
- RoHS Compliant

FLAMETEC[®] THERMAX PVC (FM 4910 Listed)

Flametec[®] Thermax PVC is designed to meet FM 4910 fire propagation and smoke generation criteria for use in cleanroom equipment materials such as wet benches, process tools, furniture & cabinetry. Flametec[®] Thermax provides a PVC solution with high workability characteristics and superior aesthetics.

Top Applications:

- Wet Process Equipment
- Chemical Delivery Systems
- Cleanroom Carts

Key Material Benefits:

- Easy to Fabricate
- Surpasses Standard PVC Temperature Resistance
- Welds Easily as Shown in DVS Welding Guidelines
- FM 4910 Listed

Competitive Advantages (vs. other competitors' similar materials):

- Higher Heat Deflection Temperature
- Optimal Color and Aesthetics
- Maintains its Mechanical Properties at Service Temperatures up to 170°F

Compliances:

- FM 4910 Listed
- UL 94 V-0
- RoHS and REACH Compliant
- ASTM E-84



FLAMETEC[®] CP-7D FLAME RETARDANT POLYPROPYLENE (FM 4910 Listed)

Flametec[®] CP-7D is our proprietary formulation of fire safe polypropylene designed to meet FM 4910 flammability requirements for use in wet process tools, furniture and cabinetry construction in semiconductor applications.

Top Applications:

- Wet Process Equipment
- Cleanroom Furniture

Key Material Benefits:

- High Gloss Finish
- FM 4910 Listed

- Bright White
- Easy to Cut, Route and Weld

Cleanroom Accessories

Fume and Exhaust Hoods

Competitive Advantages (vs. other competitors' similar materials):

- Excellent Surface Aesthetics
- Superior Mechanical Properties
- High Heat Deflection Temperature

Compliances:

- FM 4910 Listed
- RoHS Compliant

FLAMETEC[®] CP-5 FLAME RETARDANT POLYPROPYLENE (UL 94 V-0)

Flametec[®] CP-5 is formulated to meet the SEMI S93 specification for fire safety in cleanroom applications when FM 4910 listing is not required.

Top Applications:

- Air Flow Stations
- Biological Safety Cabinets

Key Material Benefits:

- High Gloss Surface
- UL 94 V-0 Material

Cleanroom Accessories

• Bright White

Fume Hoods

• Easy to Cut, Route and Weld

Competitive Advantages (vs. other competitors' similar materials):

• Good Mechanical Properties

Superior Impact Strength

Low Moisture Absorption

Compliances:

- UL 94 V-0
- SEMI 93

FLAMETEC[®] KYTEC[®] PVDF (FM 4910 Listed)

Kytec[®] PVDF is manufactured from an ultra white polyvinylidene fluoride resin. Kytec[®] is suited for harsh thermal, chemical and UV environments. Typically used in semiconductor, petrochemical and nuclear industries.

Top Applications:

- Wet Process Tools
- Chemical Tanks
- Pulp and Paper
- Metallurgical

Key Material Benefits:

- High Purity PVDF Polymer
- FM 4910 Listed
- UL 94 V-0

Competitive Advantages (vs. other competitors' similar materials):

Broad Range of Sizes

Compliances:

- FM 4910 Listed
- FDA Compliant

- Plenum Tanks
- Chemical Containment
- Petrochemical
- Pharmaceutical

B.C.I. www.bciimage.com

866 971-1008

IMAGING

FLAMETEC CLEANROOM PVC-C (FM 4910 Listed)




FLAMETEC [®] THERMA	X PVC (FM 4910 Listed	d)	
COLOR:	THICKNESSES:	FINISH:	
WHITE	1/8" - 1"	SMOOTH	
Standard sheet size is 4 Custom sizes available Select 4'x10' and 5'x10' may also be available.	upon request.		1/8" - 1"






FLAMETEC[®] CP-7D FLAME RETARDANT POLYPROPYLENE (FM 4910 Listed)




FLAMETEC' CP-5 FLAME RETARDANT POLYPROPYLENE (UL 94 V-0)

COLOR:	THICKNESSES:	FINISH:
WHITE	1/8" - 2"	SMOOTH
Standard sheet size is 4 Custom sizes available u		



FLAMETEC[®] KYTEC[®] PVDF (FM 4910 Listed)

COLOR:	THICKNESSES:	FINISH:
NATURAL OPAQUE	1/8" - 1"	SMOOTH
Standard sheet size is 4 Custom sizes available		





www.bciimage.com

866 971-1008



For more than a quarter of a century, Vycom has led the Olefin and PVC sheet products industry with innovative materials for a wide variety of uses. We strive to be the essential partner in creating and implementing solutions in Olefin and PVC polymers that optimize quality and performance. Vycom offers the largest range of products, capabilities and inventory for all your Olefin and PVC needs.

WHERE QUALITY MEETS PERFORMANCE

801 E. Corey Street, Scranton, PA 18505 Phone: (800) 235-8320 • Fax: (800) 858-9266 www.vycomplastics.com





WHERE QUALITY MEETS PERFORMANCE



PLAYBOARD[™] PLAYGROUND AND RECREATIONAL MATERIALS

Vycom's Playboard[™] family of playground and recreational materials offers a multitude of colored HDPE sheets for modular playground systems, ice rinks, and skate parks. Playboard[™] materials are UV stable, easily cleaned and fabricated and are ideally suited for either indoor or outdoor applications.





PLAYBOARD[™] (CPSIA compliant)

This superior UV stabilized HDPE material can be used indoors or outdoors, is easy to clean, and is resistant to vandalism and scratches.

Top Applications:

- Outdoor / Indoor Playground Systems
- Outdoor Signs
- Skate Parks
- Ice Rinks
- Outdoor Cabinetry / Furniture
- Decorative Wood / Metal Replacement

Key Material Benefits:

- Excellent Scratch Resistance
- Easy to Clean
- Great Impact and Stiffness
- Weather Ability (UV Stabilized)
- Will Not Delaminate, Chip, Rot, or Swell
- Easy to Machine with Standard Tooling
- No Moisture Absorption

Competitive Advantages (vs. other competitors' similar materials):

- Scratch Resistance
- Enhanced Color Performance

Compliances:

- CPSIA
- Most are FDA Compliant
- RoHS Compliant



POLYCARVE

In this multi-colored HDPE material, the outside layers and the core are different colors. It contains the same superior UV package as Playboard[™]. Polycarve can be routed so that the core color becomes visible.

Top Applications:

- Playground Systems
- Signage
- Metric Boards
- Recreational Resorts and Amusement Parks

Key Material Benefits:

- Multi Colored HDPE Material
- Core Color Different than Surface Color
- Excellent Scratch Resistance
- Easy to Clean
- Great Impact and Stiffness
- Weather Ability (UV Stabilized)
- Will Not Delaminate, Chip, Rot, or Swell
- Easy to Machine with Standard Tooling
- No Moisture Absorption

Competitive Advantages (vs. other competitors' similar materials):

• Optimal Skin Thickness and Consistency for Faster Processing


Compliances:

- CPSIA
- Most are FDA Compliant
- RoHS Compliant

	PLAYBOAF	oliant)		
	COLORS:	THICKNESSES:	FINISH:	
1	BEIGE	1/2" - 1 1/2"	MATTE	
2	BLACK	1/2" - 11/2"		

•	, ,
3 BLUE	1/2" - 1 1/2"
4 GREEN	1/2" - 1 1/2"
5 RED	1/2" - 1 1/2"
6 YELLOW	1/2" - 1 1/2"
Ø WHITE	1/2" - 1 1/2"

Standard sheet size is 4'x10'. Custom colors and sizes available upon request.









B.C.I. www.bciimage.com

IMAGING 866 971-1008






www.bciimage.com 866 971-1008

POLYCARVE

COLORS:	THICKNESSES:	FINISH:
1 BEIGE/GREEN/BEIGE	1/2" - 1"	MATTE
2 BLUE/YELLOW/BLUE	1/2" - 1"	
3 GREEN/BEIGE/GREEN	1/2" - 1"	
4 YELLOW/RED/YELLOW	1/2" - 1"	
5 BLACK/WHITE/BLACK	1/2" – 1"	
Standard sheet size is 4'x10'.		

Custom colors and sizes available upon request.

ł:




B.

C.

IMAGING


.



1/2" - 1"







For more than a quarter of a century, Vycom has led the Olefin and PVC sheet products industry with innovative materials for a wide variety of uses. We strive to be the essential partner in creating and implementing solutions in Olefin and PVC polymers that optimize quality and performance. Vycom offers the largest range of products, capabilities, and inventory for all your Olefin and PVC needs.

WHERE QUALITY MEETS PERFORMANCE

801 E. Corey Street, Scranton, PA 18505 Phone: (800) 235-8320 • Fax: (800) 858-9266 www.vycomplastics.com



WHERE QUALITY MEETS PERFORMANCE



SANATEC® FOOD PROCESSING MATERIALS

Vycom's Sanatec[®] family of food processing materials is designed for commercial and residential, direct and indirect food contact applications. From the production equipment and processing to the final food preparation, Sanatec[®] is manufactured with attention to highest quality and standards. Our materials are dishwasher safe, will not absorb moisture, bacteria, or odors, and meet FDA, USDA, and NSF requirements.



SANATEC[®] HDPE

Sanatec[®] HDPE is a formulated non-porous, high density material for food processing applications designed with superior scratch resistance. It will not absorb moisture, bacteria, or odors. It will not chip or peel and is dishwasher safe.

Top Applications:

- Cutting Boards and Food Preparation
- Food Processing Manufacturing and Components
- Commercial or Residential Use

Key Material Benefits:

- Specially Designed Texture Finish will Maximize Product Life and Minimize Wear on Knives
- Easy to Clean, Dishwasher Safe
- Cleaning Fluids Wash Off Easily
- Bright Natural Colors for Optimal Clean Appearance
- Does Not Absorb Moisture, Odor, or Bacteria
- Will Not Chip, Peel, Crack, or Splinter
- Able to Use at Low Temperatures Freezer Applications

Competitive Advantages (vs. other competitors' similar materials):

- Textured Finish is Consistent Top and Bottom
- Harder Surface
- Natural is Whiter Color
- Large Inventory in Colors, Thicknesses, and Sheet Sizes

Compliances:

- FDA
- USDA
- NSF
- RoHS Compliant

SANATEC[®] LITE HDPE

Sanatec[®] Lite HDPE is produced utilizing co-extrusion technology that allows for solid outer surfaces with a foamed core. The core is produced with a closed cell structure that eliminates propagation of moisture within core. It is 1/3 less weight than solid HDPE representing an opportunity for cost savings.

Top Applications:

- Cutting Boards and Food Preparation
- Food Processing Manufacturing and Components
- Commercial or Residential Use

Key Material Benefits:

- 1/3 Less Weight than Solid (Foamed Core)
- Low Cost Alternative
- Closed / Small Cell Structure Non Absorbent
- Solid Skinned Surface

Competitive Advantages

(vs. other competitors' similar materials):

Most Do Not Offer

Compliances:

- FDA
- USDA
- NSF
- RoHS Compliant

B.C. www.bciimage.com 866 971-1008 IMAGING

SANATEC[®] PP

Sanatec[®] PP is a polypropylene cutting board material with a hard surface and improved stain resistance.

Top Applications:

- Cutting Boards and Food Preparation
- Food Processing Manufacturing and Components
- Commercial or Residential Use

Key Material Benefits:

- Improved Stain Resistance
- Harder Surface
- Higher Temperature Performance 212°

Competitive Advantages (vs. other competitors' similar materials):

• Wider Range of Product Offering

Compliances:

- FDA
- USDA
- NSF
- RoHS Compliant

B.C.I. www.bciimage.com

1 2 3 4 5 6

SANATEC[®] HDPE

COLORS:	THICKNESSES:	FINISH:
1 NATURAL	1/4" - 2"	MATTE
2 BLUE	1/4" - 2"	
3 GREEN	1/4" - 2"	
4 RED	1/4" - 2"	
5 BEIGE	1/4" - 2"	
6 YELLOW	1/4" - 2"	


Standard sheet sizes in most formulations are 4'x8', 4'x10', 5'x10'.

Custom colors and sizes available upon request.

SANATEC[®] LITE HDPE

COLORS:	THICKNESSES:	FINISH:
1 NATURAL	3/8" - 3/4"	MATTE

Standard sheet sizes in most formulations are 4'x8', 4'x10', 5'x10'. Custom colors and sizes available upon request.



1/4" - 2"




SANATEC [®] PP			B.C.I. www.bciimage.com IMAGING 866 971-1008
COLORS:	THICKNESSES:	FINISH:	(1)
1 NATURAL	1/2" - 1"	MATTE	
Standard sheet sizes in r formulations are 4'x8', 4 Custom sizes available u	'x10', 5'x10'.		





www.bciimage.com

866 971-1008



For more than a quarter of a century, Vycom has led the Olefin and PVC sheet products industry with innovative materials for a wide variety of uses. We strive to be the essential partner in creating and implementing solutions in Olefin and PVC polymers that optimize quality and performance. Vycom offers the largest range of products, capabilities, and inventory for all your Olefin and PVC needs.

WHERE QUALITY MEETS PERFORMANCE

801 E. Corey Street, Scranton, PA 18505 Phone: (800) 235-8320 • Fax: (800) 858-9266 www.vycomplastics.com



WHERE QUALITY MEETS PERFORMANCE




SEABOARD[™] MARINE, RV & OUTDOOR MATERIALS

Vycom's Seaboard[™] family of marine, RV and outdoor materials provides superior performance in outdoor environments where water, UV exposure and other harsh elements are present. Unlike wood or metal alternatives, our products will not rust, corrode, rot, delaminate or splinter. With their superior scratch resistance, stiffness and UV packages, our HDPE and PVC products are ideal for a wide range of applications, from outdoor cabinetry and marine furniture to signage and recreational areas.



www.bciimage.com

866 971-1008



For more than a quarter of a century, Vycom has led the Olefin and PVC sheet products industry with innovative materials for a wide variety of uses. We strive to be the essential partner in creating and implementing solutions in Olefin and PVC polymers that optimize quality and performance. Vycom offers the largest range of products, capabilities and inventory for all your Olefin and PVC needs.

WHERE QUALITY MEETS PERFORMANCE

801 E. Corey Street, Scranton, PA 18505 Phone: (800) 235-8320 • Fax: (800) 858-9266 www.vycomplastics.com

SEABOARD[™] GRIP-X[™]

This UV stabilized material is textured for enhanced traction

Top Applications:

Steps

Swim Platforms

- **Key Material Benefits:**
- Non-Skid Surface
- Diamond or Dot Pattern
- Competitive Advantages (vs. other competitors' similar materials):

Superior UV Package

Compliances:

• FDA • USDA • RoHS Compliant

SEABOARD[™] SUPREME DS

Our specially formulated foamed core material has more stiffness and twice the normal dimensional stability of Seaboard[™] HDPE.

Top Applications:

- Seat Bottoms
- Engine Covers

Key Material Benefits:

- 1/2 the Expansion / Contraction Versus Standard HDPE
- Foamed Core for Reduced Weight

Competitive Advantages (vs. other competitors' similar materials):

Proprietary Formulation

Compliances:

RoHS Compliant

SEABOARD™ UTILITY

This economical grade of lightweight foamed HDPE is perfect for non-UV applications.

Top Applications:

- Non-Exposed Substrates
- Wood Replacement
- **Key Material Benefits:**
- 1/3 Less Weight
- Closed / Small Cell Structure Non-Absorbent

Competitive Advantages (vs. other competitors' similar materials):

- Superior Scratch Resistance
- Superior Screw and Staple Retention

Compliances:

FDA • USDA • RoHS Compliant

SEABOARD[™] ENDURABOND[™]

Seaboard[™] Endurabond[™] material provides structural and bonding properties for marine and other applications. Unlike wood, Endurabond[™] will not rot, corrode, delaminate or splinter. Endurabond[™] offers enhanced adhesion characteristics and optimal screw retention.

Top Applications:

- Marine
- Transportation

Key Material Benefits:

- Exceptional Structural Support
- Impact Resistant

Competitive Advantages (vs. other competitors' similar materials):

- Increased Screw Retention and Adhesion Characteristics
- Minimizes Tool Wear Improving Maintenance Cycles
- Creates Less Dust During Fabrication

Compliances:

• UL 94 V-0 • RoHS Compliant • FVMSS-302 Compliant • REACH Compliant

- Seat Backs and Bottoms
- Weight Reduction Components
- Low Cost Alternative
- Solid Skinned Surface

- UV Stabilized
- One Side Standard Matte Finish

- Large Span Applications
- Twice the Stiffness of Standard HDPE
- UV Stabilized



- RV
- Structural
- Excellent Surface Adhesion Characteristics

B.C.I. www.bciimage.com


866 971-1008

IMAGING

SEABOARD™ (GRIP-X™		
COLORS:	THICKNESSES:	FINISH:	1 2
1 POLAR WHITE	1/2" - 3/4"	MATTE	
2 BLACK	1/2" - 3/4"		
Standard sheet size in most formulations is 54" x 96". Custom colors and sizes available upon request.			1/2" - 3/4"
SEABOARD™ S	SUPREME DS		
COLORS:	THICKNESSES:	FINISH:	
BLACK	3/8" - 1"	MATTE	

Standard sheet size in most formulations is 4' x 8'.

Custom colors and sizes available upon request.



SEABOARD™ UTILITY				
	COLORS:	THICKNESSES:	FINISH:	
	1 POLAR WHITE	3/8" - 1"	MATTE	
	2 BLACK	3/8" - 1"		
	3 GRAY	3/8" - 1"		
	Standard sheet size ir	ı		

most formulations is 4' x 8'.


Custom colors and sizes available upon request.


SEABOARD[™] ENDURABOND

COLORS:	THICKNESSES:	FINISH:
① GRAY	1/4" - 1 1/8"	COARSE

Standard sheet size is 48" x 96".

Custom colors and sizes available upon request.















SEABOARD[™] PVC

Our rigid foamed PVC is ideal for wood or metal replacement applications. The materials are lead and heavy metal free, which allows them to optimize performance while being environmentally friendly. Seaboard[™] PVC has an optimal density that gives it smaller cell structure for finishing with superior screw and staple retention. The premium UV package enhances material performance.

Top Applications:

- Wood Replacement (Non-Load Bearing)
- Cabinetry
- Instrumental Panels / Consoles

Key Material Benefits:

- Easy to Fabricate, Paint or Laminate with Traditional Tools
- Great Screw, Nail and Staple Retention
- High Strength-to-Weight Ratio
- Weatherability

Competitive Advantages (vs. other competitors' similar materials):

- Smallest Cell Structure for Finishing
- Optimal Density for Superior Stiffness, Impact and Fastening

Compliances:

• UL 94 V-0 • ASTM E-84 • NFPA-255 • RoHS Compliant

SEABOARD[™] HDPE

This UV stabilized material has great scratch and impact resistance, and stiffness, yet is easy to fabricate and machine for the most demanding applications. It is ideal for outdoor cabinetry, furniture, signage and recreational area applications.

Top Applications:

- Marine and Non-Marine Outdoor Cabinetry / Furniture
- Rails, Trim and Components

Key Material Benefits:

- Excellent Scratch Resistance
- Weatherability (UV Stabilized)
- Easy to Machine with Standard Tooling

Competitive Advantages (vs. other competitors' similar materials):

- Superior Scratch Resistance
- Easier to Clean
- Stocked Colors, Sizes and Thicknesses
- Still FDA and USDA with UV Additive

Compliances:

• FDA • USDA • RoHS Compliant

SEABOARD[™] LITE HDPE

Seaboard[™] LITE HDPE is produced utilizing co-extrusion technology that allows for solid outer surfaces with foamed core. The core is produced with a closed cell structure that eliminates propagation of moisture within the core. It weighs 1/3 less than solid HDPE representing an opportunity for cost savings.

Top Applications:

- Marine and Non-Marine Outdoor Cabinetry / Furniture
- Hatches and Covers for Recreational Vehicles

Key Material Benefits:

- 1/3 Less Weight than Solid (Foamed Core)
- Closed / Small Cell Structure Non-Absorbent

Competitive Advantages (vs. other competitors' similar materials):

- Superior Scratch Resistance
- Color Availability

Compliances:

• FDA • USDA • RoHS Compliant

- Marine Seat Backs and Bottoms
- Shutters
- Case Goods
- Easy to Form, Cut and Glue
- Light Weight
- Insect Resistant
- Will Not Rot, Swell or Peel
- Oversized Sheets

- Hatches / Covers
- Decorative Wood / Metal Replacement
- Great Impact and Stiffness
- Will Not Delaminate, Chip, Rot or Swell
- No Moisture Absorption
- Gloss Finish
- Stiffness
- Capabilities

- Rails, Trim and Components Decorative Wood / Metal Replacement
- Solid Skinned Surface
- Weatherability (UV Stabilized)

			PRCI www.bciimage.com
SEABOARD™ PV	с		B 6 971-1008
COLORS:	THICKNESSES:	FINISH:	IMAGING 2 3
1 WHITE	6MM - 25MM	SATIN	
2 BLACK	6MM - 25MM	SMOOTH	
3 LIGHT GRAY	6MM - 12MM		
Standard sheet sizes in are 4' x 8', 4' x 10' and 3			
Custom colors and size upon request.	es available		6MM - 25MM 6MM - 12MM
SEABOARD™ HD	PE		
COLORS:	THICKNESSES:	FINISH:	123456
1 POLAR WHITE	1/4" - 1"	MATTE	
2 BLACK	1/4" - 1"		

BLACK 1/4" - 1"
 CRAFT GRAY 1/4" - 1"
 MERCURY GRAY 1/4" - 1"
 SEAFOAM 1/4" - 1"
 SAND SHADE 1/4" - 1"

Standard sheet sizes in most formulations are 4' x 8' and 54" x 96".

Custom colors and sizes available upon request.

SEABOARD™ LITE HDPE

COLORS:	THICKNESSES:	FI
1 WHITE	3/8" - 3/4"	MA
2 BLACK	3/8" - 3/4"	
3 GRAY	3/8" - 3/4"	
(4) SEAFOAM	3/8" - 3/4"	
Standard sheet size in I	most	


Standard sheet size in most formulations is 54" x 96".

Custom colors and sizes available upon request.



1/4" - 1"

3/8" - 3/4"









WHERE QUALITY MEETS PERFORMANCE



CORRIGC PLAYBOARD FLAMETEC SEABCARD Sanatec





For more than a quarter of a century, Vycom has led the Olefin and PVC sheet products industry with innovative materials for a wide variety of uses. We strive to be the essential partner in creating and implementing solutions in Olefin and PVC polymers that optimize quality and performance. Vycom offers the largest range of products, capabilities and inventory for all your Olefin and PVC needs.

WHERE QUALITY MEETS PERFORMANCE







FIRE SAFE MATERIALS

CELTEC

Vycom's Celtec[®] family of graphic and display materials is designed with a unique combination of features that makes them ideal for digital and screen printing, signage, exhibits, POP, and more. Our materials are lead free and heavy metal free, which allows them to optimize performance while being environmentally sound.

FLAMETEC

Vycom's Flametec[™] proprietary family of fire safe materials is specially formulated to exceed the fire compliances for polymers in semiconductor and clean room applications for tools and other equipment, wet benches, cabinetry, and furniture. Our materials offer superior chemical resistance while providing optimal physical properties for fabrication, forming, and workability.

SEABOARD

MARINE, RV & OUTDOOR MATERIALS

Seaboard

Vycom's Seaboard® family of marine, RV, and outdoor materials provides superior performance in outdoor environments where water, UV exposure, and other harsh elements are present. Unlike wood or metal alternatives, our products will not rust, corrode, rot, delaminate, or splinter. With their superior scratch resistance, stiffness, and UV packages, our HDPE and PVC products are ideal for a wide range of applications, from outdoor cabinetry and marine furniture to signage, and recreational areas.



CORRTEC

Vycom's Corrtec family of chemical and corrosion resistant materials offers many polymer alternatives, including PVC (Types I and II), HDPE, PP, CoPP, and CPVC formulations, to meet your requirements in chemical handling, air processing, industrial tanks, pharmaceuticals, waste water management, and many more fields. The Corrtec family can handle everything from highly technical applications to your most basic needs.



Sahatec

Vycom's Sanatec[®] family of food processing materials is designed for commercial and residential and direct and indirect food contact applications, from the production equipment and processing to the final food preparation. Our materials are dishwasher safe, will not absorb moisture, bacteria, or odors, and meet FDA, USDA, and NSF requirements.



PLAYGROUND & RECREATIONAL

PLAYBOARD

Vycom's Playboard[™] family of playground and recreational materials offers a multitude of colored HDPE sheets for modular playground systems, ice rinks, and skate parks. Playboard™ materials are UV stable, easily cleaned and fabricated and are ideally suited for either indoor or outdoor applications.

CELTEC® GRAPHIC DISPLAY MATERIALS



IMAGING Our rigid foamed PVC is digital or screen printable and ideal fo sign and graphic markets. Celtec® Expanded PVC comes in the widest range of thicknesses and in a full line of standard colors, with custom colors available upon request. Celtec® Expanded PVC's optimal density gives it smaller cell structure for finishing and superior screw and staple retention. The premium UV package enhances material performance. Our materials are lead free and heavy metal free, which allows them to optimize performance while being environmentally sound.

CELTEC® ULTRA WHITE

Our advanced solid PVC formulation is designed specifically for outdoor applications where resistance to ultraviolet (UV) degradation and impact strength are critical. Performance tests indicate that Ultra White is up to eight times more resistant to UV damage and is both digital and screen printable.

FLAMETEC[™] FIRE SAFE MATERIALS

FLAMETEC[™] CLEAN ROOM PVC-C (FM4910 Listed) This economical choice in FM 4910 materials has high structural strength, chemical

FLAMETEC[™] CP-7D FLAME RETARDENT POLYPROPYLENE (FM4910 Listed) Our proprietary formulation of flame retardant polypropylene is designed for wet process

FLAMETEC" CP-5 FLAME RETARDENT POLYPROPYLENE (UL 94 V-0) This product offers an excellent balance of physical properties, chemical resistance, and fire safety.

Our ultra pure fluoropolymer is perfect for harsh chemical, thermal, and ultraviolet environments. It has a continuous operating temperature of 284° F.

SEABOARD[™] MARINE, RV, AND OUTDOOR MATERIALS

SEABOARD [™] HDPE This UV stabilized material has great scratch and impact resistance, and stiffness, yet is easy to fabricate and machine for the most demanding applications. It is ideal for outdoor cabinetry, furniture, signage, and recreational area applications.	COLORS: POLAR WHITE, BLACK, CRAFT GRAY, MERCURY GRAY, SEAFOAM, SAND SHADE FINISH: MATTE THICKNESSES: 1/4" - 1 1/2"
SEABOARD™ LITE HDPE This foamed core Seaboard™ HDPE material is the same tough product at 1/3 less weight.	COLORS: WHITE, BLACK, GRAY, SEAFOAM FINISH: MATTE THICKNESSES: 3/8" - 1"
SEABOARD™ GRIP-X™	COLORS: POLAR WHITE, BLACK
This UV stabilized material is textured for enhanced traction and slip resistance for step and	FINISH: MATTE
flooring applications.	THICKNESSES: 1/2" - 3/4"
SEABOARD [™] SUPREME DS	COLOR: LIGHT GRAY
Our specially formulated foamed core material has more stiffness and twice the normal	FINISH: MATTE
dimensional stability of Seaboard [™] HDPE.	THICKNESSES: 3/8" - 1"
SEABOARD™ UTILITY This lightweight foamed HDPE is perfect for non-UV applications.	COLORS: POLAR WHITE, BLACK FINISH: MATTE THICKNESSES: 3/8" - 1"
SEABOARD [™] PVC	COLORS: WHITE, LIGHT GRAY
Our rigid foamed PVC is ideal for wood replacement or metal applications. The materials	FINISH: SATIN SMOOTH
are lead and heavy metal free, which allows them to optimize performance while being	THICKNESS: WHITE 6MM - 25MM

resistance, ease of fabrication, and consistent dimensions for the semiconductor industry.

tools, furniture, and cabinetry construction.

FLAMETEC[™] KYTEC[®] PVDF (FM4910 Listed)

are lead and heavy metal free, which allows them to optimize performance while being environmentally sound. Seaboard[™] PVC has an optimal density that gives it smaller cell structure for finishing with superior screw and staple retention. The premium UV package enhances material performance.

www.bciimage.com

866 971/1008 CK

COOL GRAY, LIGHT BLUE FINISH: SATIN SMOOTH THICKNESSES: WHITE - 1MM - 30MM BLACK - 1MM - 25MM LIGHT GRAY - 3MM - 12MM COLORS - 3MM - 6MM

COLOR: WHITE FINISH: SMOOTH GLOSS THICKNESSES: 2MM - 3MM - 6MM

COLOR: WHITE FINISH: SMOOTH THICKNESSES: 1/8" - 1 1/2"

COLOR: WHITE FINISH: SMOOTH **THICKNESSES:** 1/8" - 2"

COLOR: WHITE FINISH: SMOOTH **THICKNESSES:** 1/8" - 2"

COLOR: NATURAL OPAQUE FINISH: SMOOTH **THICKNESSES:** 1/8" - 1"

LIGHT GRAY 6MM - 12MM

CORRTEC CHEMICAL AND CORROSION RES



Hitec[®] is a highly versatile material for use in a wide variety of applications and industries. It has excellent impact strength, scratch and chemical resistance, stiffness, and minimal moisture absorption.

PROTEC[™] PP (HOMOPOLYMER POLYPROPYLENE)

This highly chemical and corrosion resistant material exhibits excellent tensile stiffness and low moisture absorption for use in a wide variety of applications and industries.

PROTEC[™] CoPP (COPOLYMER POLYPROPYLENE)

Protec[™] provides high levels of impact, scratch, and corroson resistance. It's a great material for tank fabrication, orthotic and prosthetic devices, and many more applications.

VINTEC® I (TYPE I, GRADE 1 PVC)

Vintec[®] I is a normal impact, highly corrosion resistant PVC sheet. Its exceptional corrosion resistance is ideally suited for applications where maximum chemical resistance is necessary. It conforms to ASTM D1784-07 Class 12454-B.

VINTEC® II (TYPE II, GRADE 1 PVC)

Vintec[®] II is a high impact, corrosion resistant PVC sheet. Its excellent impact resistance and ductility are ideally suited for applications that require thermal forming or where the finished product is subject to shock or physical abuse. It conforms to ASTM D1784-07 Class 16444-D.

VINTEC[®] CLEAR

Our transparent PVC material is impact and corrosion resistant. Vintec[®] Clear is highly recommended where visibility of a process or an operation is essential. It conforms to ASTM D1784-07 Class 12453-B.

CORZAN[®] CPVC

This is a highly heat and corrosion resistant CPVC sheet. Because of its excellent corrosion resistance at elevated temperatures, it is ideally suited for self-supporting constructions where high temperatures are a concern. It conforms to ASTM D1784-07 Class 24446-B.

SANATEC[®] FOOD PROCESSING MATERIALS

SANATEC® HDPE

Sanatec[®] HDPE is a formulated non-porous, high density material for food processing applications designed with superior scratch resistance. It will not absorb moisture, bacteria, or odors. It will not chip or peel. It is dishwasher safe.

SANATEC[®] LITE HDPE

Sanatec® Lite HDPE is our quality foamed core HDPE material at 1/3 less weight.

SANATEC[®] PP

Sanatec[®] PP is a polypropylene cutting board material with a hard surface and improved stain resistance.

PLAYBOARD[™] PLAYGROUND AND RECREATIONAL MATERIALS

PLAYBOARD[™] (CPSIA compliant)

This superior UV stabilized HDPE material can be used indoors or outdoors, is easy to clean, and is resistant to vandalism and scratches.

POLYCARVE

In this multi-colored HDPE material, the outside layers and the core are different colors. It contains the same superior UV package as Playboard[™]. Polycarve can be routed so that the core color becomes visible. It is useful in playground and signage applications.

866 971-1008 colors: NATURAL, BLACK

FINISH: SMOOTH OR MATTE THICKNESSES: 1/8" - 3"

COLORS: NATURAL, WHITE, BLACK, CUSTOM COLORS FINISH: SMOOTH THICKNESSES: 1/8" - 3"

COLORS: NATURAL, BLACK, EURO GRAY, CUSTOM COLORS FINISH: SMOOTH THICKNESSES: 1/8" - 3"

COLORS: WHITE, GRAY, EURO GRAY **THICKNESSES:** GRAY - 1/16" - 4" EURO GRAY - 1/2" - 1" WHITE - 1/16" - 1"

COLORS: LIGHT GRAY, DARK GRAY, WHITE THICKNESSES: LIGHT GRAY - 1/8" - 1" DARK GRAY - 1/8" - 1/2" WHITE - 1/8" - 1/2"

COLORS: SLIGHT BLUE TINT **THICKNESSES:** 1/16" - 1/2"

COLOR: LIGHT GRAY **THICKNESSES:** 1/8"- 3"

COLORS: NATURAL, BLUE, GREEN, RED, BEIGE, YELLOW, CUSTOM COLORS FINISH: MATTE THICKNESSES: 1/4" - 2"

COLORS: NATURAL, CUSTOM COLORS FINISH: MATTE THICKNESSES: 3/8" - 3/4"

COLORS: NATURAL FINISH: MATTE THICKNESSES: 1/2" - 1"

COLORS: BEIGE, BLACK, BLUE, GREEN, RED, YELLOW, WHITE FINISH: MATTE THICKNESSSES: 1/2" - 1 1/2"

COLORS: BEIGE/GREEN/BEIGE, BLUE/YELLOW/BLUE, GREEN/ BEIGE/GREEN, YELLOW/RED/ YELLOW, BLACK/WHITE/ BLACK. FINISH: MATTE THICKNESSES: 1/2" - 1"

www.bciimage.com

IMAGING





WHERE QUALITY MEETS PERFORMANCE

- AIR PROCESSING
- CABINETRY
- CHEMICAL HANDLING
- CLEAN ROOM & CONTAINMENT CABINETRY
- DUNNAGE/AUTOMOBILE RACKING
- FIXTURES & POP DISPLAYS
- **FOOD PROCESSING & CUTTING BOARDS**
- INDUSTRIAL TANKS
- MARINE APPLICATIONS
- ORTHOTICS & PROSTHETICS
- OUTDOOR CABINETRY
- **PHARMACEUTICALS**
- PLAYGROUNDS, SKATE PARKS, & ICE RINKS
- SEMICONDUCTOR
- SIGN AND GRAPHICS
- WASTE WATER MANAGEMENT

SHEET SIZES:

- Standard 4'x8', 4'x10', 5'x10'
- Custom widths available up to 130"
- Custom lengths up to 300" (25ft)
- All materials are oversized by length and width
- Custom thicknesses available

MATERIALS:

- Extruded thicknesses 1/8" up to 1 1/2"
- Pressed gauges up to 4" thick
- Color matches for custom colors in most materials
- Co-extrusion capabilities
- Extensive line of foam products
- Re-ground and post consumer materials available

COMPLIANCE FOR SELECT PRODUCTS:

- FDA, USDA, NSF
- CPSIA
- FM 4910 (Factory Mutual)
- NFPA Class A and B fire rating (National Fire Protection Association)
- 3A Dairy
- AG Canada
- UL Underwriters Laboratory



801 E. Corey Street, Scranton, PA 18505 Phone: (800) 235-8320 • Fax: (800) 858-9266

www.vycomplastics.com