

FASNAP[®] CORP.

QUALITY PRODUCTS EXPERT SOLUTIONS[™]

FULL LINE CATALOG

ISO CERTIFIED

2015 CATALOG

VOLUME 2

FasGrip[®]

Fasnap[®]
Webbing Tape

Question
.
.
.
.

COST PER
SECURED
FASTENER

FASNAP[®] CORP.

If you secure everything from
www.bciimage.com your future... why would you
leave your fastening solution unsecured?



since 1981

COMPANY HISTORY

Fasnap® Corp. was founded in 1981 in Elkhart, Indiana with the goal of providing premium quality fastening systems to the automotive, trucking, marine, furniture and other industries.

In 2011, Fasnap® celebrated 30 years of serving the industrial textile fastener industry. Our innovative products, quality and service have set the standard and made us a leader in the fastener industry. For quality products and expert solutions™ turn to Fasnap's knowledgeable sales team and technicians.

From testing through production, components are assembled under strict ISO 9001: 2008 guidelines.

Fasnap® Southeast opened in January, 2003, in Orlando, FL and Fasnap® Southwest opened in November, 2012, in Anaheim, CA . These branch locations serve as a distribution and machinery servicing centers for the southeastern/ southwestern United States. Future plans call for the expansion of our distribution network. Fasnap® serves lower volume fabricators in the marine, automotive, upholstery, sign & banner, and other industries via a network of national distributors.

QUALITY AND SERVICE

Fasnap® Corp. is committed to quality, becoming ISO9002/ QS9000 registered in 1998, ISO 9001:2000 certified in 2005, and subsequently ISO 9001: 2008 certified in 2011. Fasnap® has redefined performance standards for timely delivery by maintaining superior inventory levels and shipping 99 percent of orders on a same-day basis.

Quality Policy

Fasnap® Corp. is committed to meeting customer requirements and increasing customer satisfaction through continual improvement of its products, services and the quality management system.

Warranty Policy

Fasnap® Corp. warrants that the products we sell are free from manufacturing defects. We will be pleased to assist customers in the selection or development of products and equipment for their specific application. We will provide working samples where feasible, however, the final choice is the responsibility of the customer.

Returned Goods Policy

All items being returned to Fasnap® Corp. must be authorized in advance and be assigned a returned goods authorization (RGA) number, and are subject to a restocking fee.

Business/Credit Policies

For net term consideration, new customers must complete a credit application. Fasnap's credit department will use these facts and other sources of credit information to determine repayment terms. Fasnap® accepts most major credit cards or will ship C.O.D. cash or certified funds if no terms are established. N.S.F. checks will be assessed a fee of \$35. A second N.S.F. will result in loss of net terms.

Shipping Policies

All truck shipments are shipped F.O.B. Elkhart, IN, Orlando, FL or Anaheim, CA on carriers selected by Fasnap® Corp. Carriers may be specified by customer under certain circumstances. All ground shipments are shipped via United Parcel Service (UPS), unless otherwise specified. International shipments are arranged through our forwarding agents or through customer specified customs brokers. Payment is required by letter of credit, wire transfer, payment in advance by bank certified check or by credit card.



This icon denotes premium product warranted by Fasnap® Corp. Detailed information about our warranty is located on the back cover.



CORPORATE

Fasnap® Headquarters • 3500 Reedy Drive
• Elkhart IN 46514




SOUTHEAST

Fasnap® Southeast • 6300 Hazeltine National Drive
• Ste E-114 • Orlando FL 32822



SOUTHWEST

Fasnap® Southwest • 1320 N. Jefferson St.
• Anaheim CA 92807



METAL CONTENTS

PREMIUM SNAP FASTENERS	1-5
ENAMEL COLOR CAP & FINISH	6
DIRECTIONAL FASTENERS	7-8
RIVETS	9-10
GROMMETS	11-13
GROMMET KITS	14
HAND APPLY SNAP KITS	14
VENTILATORS	15
SLIDES	16
SNAP HOOKS	16
D-RINGS / SQUARE RINGS	17
PADEYES	17
WEBBING BUCKLE	17
UPHOLSTERY BUTTON SUPPLIES & EQUIPMENT	18-20
T-NUT 24	21
SHOCK CORD HOOKS & HOG RINGS	21
SHOCK CORD	22
SNAPPY TAPE	22
DIES	23-25
HAND TOOLS & MISC.	26
MACHINES	28-30

PLASTIC CONTENTS

SINGLE SIDE RELEASE BUCKLES	31-33
DUAL SIDE RELEASE BUCKLES	33
CENTER RELEASE BUCKLES	34
TAN HARDWARE	34
CAM BUCKLES	35
SAFETY BUCKLES	36-37
SPECIALTY SIDE RELEASE BUCKLES	38-39
LADDER LOCKS	40-41
3-BAR SLIDES	42-44
6 ANGLE DOUBLE BAR RINGS	45
STRAP DIVIDERS	46
GALLUSES	46-47
SQUARE LOOPS	48-49
BELT LOOPS	50
SPECIALTY LOOPS	51
D-RINGS	52-53
TRI-RINGS	54
O-RINGS	54
CLIPS • HOOKS	55-56
SNAP / CARABINER / HANG HOOKS	57-62
SHOULDER PADS	63-65
ZIPPER PULLS	66
CORD LOCKS & ENDS • BOTTLE HOLDER	67-68
PLASTIC SNAP FASTENERS	69
PLASTIC GROMMETS	70
PLASTIC TURN FASTENERS	71
STAYPUT FASTENERS	71
PANEL FASTENERS	72-74
HOOK & LOOP	74-77
WEBBING	78-79

FAS-N-STIK

ISO CERTIFIED adhesive attached snap

STICK IT
•
SNAP IT
•
DONE

FASNAP® introduces its FAS-N-STIK snap components for industrial users. Unlike conventional metal screw studs used in many marine and related applications, this product will not snag clothing or deteriorate from exposure to sunlight, sand or grit.

APPLICATIONS

- Use wherever a conventional screw stud might be used:
 - Marine carpeting for decks
 - Canvas for decks bulkheads or panels
 - Upholstery cushions and seating
 - Console covers
- Use to replace existing screw stud eliminating the need to fill-in the screw hole.
- Use where screw studs are impossible to be used because substrates won't hold a screw in place or cannot be penetrated.



MAGNETIC SNAP FASTENERS

Our surface mounted snaps provide a unique means of fastening using magnets. These fasteners are ideal for bags, luggage, automotive, leather goods, eyeglass cases, etc. Available in 14mm and 18mm sizes.


FEMALE 		FEMALE 		WASHER <p>Available in Brass Nickel Only</p>	4 Pc. Set		
MALE 		MALE 			Brass	Brass/Nickel	Antique Brass
SIZE	RELEASE STRENGTH	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER		
14MM	2.4 LB (approx.)	01-MAG14MM-BR	01-MAG14MM-NI	01-MAG14MM-AB			
18MM	6.6 LB (approx.)	01-MAG18MM-BR	01-MAG18MM-NI	01-MAG18MM-AB			

INSTALLATION GUIDE




PREMIUM SNAP FASTENERS


Our caps are designed with a unique window cutout that is folded under the post in order to minimize dimpling of the cap. Fasnep® also offers caps with a stainless steel post to eliminate the need for pre-piercing tough fabrics or leathers. All of the following are 24 ligne caps.

	CAPS					
	Stainless Steel	Brass/Nickel	Brass/Black Oxide	Brass/Gilt	Brass Post w/Black Plastic Cap	Steel/Nickel
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Standard Post 3/16"		BN4647AR	BB4647AR	BG4647AR	BPB7047A	SN4647AR
Standard Stainless Steel Post 3/16"	SS4650AR	BNS4647AR**	BBS4647AR	BGS4647AR*		
Long Post 1/4"		BN4647LAR	BB4647LAR	BG4647LAR	BPB4647LA	SN4647LAR
Long Stainless Steel Post 1/4"	SS4650LAR	BNS4647LAR	BBS4647LAR	BGS4647LAR*		
Extra Long Post 5/16"		BN4647LLAR	BB4647LLAR	BG4647LLAR		
** Available with baked automotive enamel finish in a wide variety of standard and custom colors.			* Denotes non-stock items which may have minimum purchase requirements.			


Fasnep's standard action sockets are made with nickel plated brass springs for corrosion resistance. Our hard action brass sockets are made with phosphor bronze springs that have been copper/nickel/chrome plated for maximum corrosion resistance.

	SOCKETS				
	Stainless Steel	Brass/Nickel	Brass/Black Oxide	Brass/Gilt	Steel/Nickel
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Standard Spring	SS4650B	BN4647B	BB4647B	BG4647B	SN4647B
Easy Action Spring		BN4647EB	BB4647EB*	BG4647EB*	SN7050B
Hard Action Spring	SS4650HB	BN4647HB	BB4647HB	BG4647HB	SN4647HB
* Denotes non-stock items which may have minimum purchase requirements.					


Fasnep® offers both standard and hard action studs. They are available with either an elevated base, for use with eyelets on fabric applications, or with a low base, for use when attaching a stud with rivets or screws.

	STUDS				
	Stainless Steel	Brass/Nickel	Brass/Black Oxide	Brass/Gilt	Steel/Nickel
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Standard Action Stud	SS4650C	BN4647C	BB4647C	BG4647C	SN4647C
Low Base Stud		BN4647SC	BB4647SC*	BG4647SC*	SN4647SC
Hard Action, Low Base Stud		BN4647SCH	BB4647SCH*	BG4647SCH*	
* Denotes non-stock items which may have minimum purchase requirements.					


Used when attaching either a stud or a socket, our eyelets are available in three different lengths for material of varying thickness. For tough material applications, Fasnep® offers stainless steel eyelets that can easily pierce Kevlar®, Cordura®, and nylon webbing.

	EYELETS				
	Stainless Steel	Brass/Nickel	Brass/Black Oxide	Brass/Gilt	Steel/Nickel
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Standard Eyelet 1/4"	SS4647D	BN4647D	BB4647D	BG4647D	SN4647D
Long Eyelet 11/32"		BN4647LD	BB4647LD	BG4647LD	SN4647LD*
Extra Long Eyelet 3/8"		BN4647LLD	BB4647LLD	BG4647LLD*	
* Denotes non-stock items which may have minimum purchase requirements.					

Fasnap's flangeless studs are commonly found on convertible automobiles, specially designed fastening clips or in marine applications. Our flangeless studs offer a low profile stud that can be attached with a screw, rivet or eyelet.




		FLANGELESS STUDS				
		Brass/Nickel				
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
Flangeless Stud					BN4647FLC	
Rivet type Flangeless Stud with .020-.087" Grip Range					RIV10314	
Rivet type Flangeless Stud with .188-.375" Grip Range					RIV10319	

Gypsy studs are frequently referred to as "double studs" because of the ability to join the stud fastener to another stud or socket. They are generally used to connect two or more fabrics together.


		GYPSY STUDS				
		Brass/Nickel			Brass/Black Oxide	
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
Double Stud with 7/32" Brass Eyelet		BNP232NBS		BBP232NBS*		
Double Stud with 1/4" Brass Eyelet		BNP232NB		BBP232NB		
Double Stud with 11/32" Brass Eyelet		BNP232NBL		BBP232NBL*		
Double Stud with 7/32" Stainless Steel Eyelet				BBP232SS		


* Denotes non-stock items which may have minimum purchase requirements.



Fasnap® maintains an extensive inventory of screwstuds in different materials, styles, and lengths for use in a variety of applications. For applications requiring a specially designed screwstud, please contact us for our minimum order quantities. All screwstuds have a #2 Philips drive with a #8-18 screw unless otherwise specified.


		SELF-TAPPING SHEETMETAL SCREWSTUDS					6 Lobe Drive 	6 Lobe Drive 
		100% Stainless Steel	Brass/Nickel Stud w/ Stainless Steel Screw	Brass/Nickel Stud w/ Steel Screw	Steel/Nickel Stud w/ Steel Screw	Steel/Black Oxide Stud w/ Steel Screw	Brass/Black Oxide Stud w/ Steel Screw	Brass/Nickel Stud w/ Steel Screw
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
5/16"		BNSS705912				BB704912*		
3/8"	SSSS705914	BNSS705914	BN705914	SN705914	SB705914			
1/2"		BNSS705916				BB704916*		
5/8"	SSSS705920	BNSS705920	BN705920	SN705920		BB704920*	BNY704920*	
7/8"						BB704928*		
1"		BNSS705932		SN705932				
5/8" Oversized #10		BNSS705921						

* Screwstuds have a T-20 6-lobe drive.


		SELF-TAPPING SHEETMETAL SCREWSTUDS				
		100% Stainless Steel	Brass/Nickel Stud w/Stainless Steel Screw			
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
3/8" Square Drive (Robertson)		SSSQ705914				
5/8" Square Drive (Robertson)					BNSQ705920	

		SCREWSTUD WASHER				
		Nylon				
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
					WSH7059	


	SELF-DRILLING SCREWSTUDS				
	100% Stainless Steel	Brass/Nickel Stud	Steel/Nickel Stud	6 Lobe Drive 	Steel/Nickel Stud
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1/2" Stainless Steel Screw	SSST705916	BNST705916			
3/4" Stainless Steel Screw		BNST705924			
3/4" Steel/Zinc Plated Screw			SN7049T24		SN7059T24
1" Steel/Zinc Plated Screw			SN7049T32		SN7059T32
1/2" Hardened SUS410 Stainless Steel Screw		BHST705916			
1-1/2" Steel/Zinc Plated Screw			SN7049T48		SN7059T48

	MACHINE SCREWSTUDS				
	Stainless Steel Stud		Brass/Nickel Stud		
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
8-32x3/16" Stainless Steel Screw	SSSS705806-HY				
10-32x3/8" Brass Screw w/Flangeless Stud				BNB705614	
8-32x3/8" Stainless Steel Screw	SSSS705814*			BNSS705814	
8-32x1/2" Stainless Steel Screw	SSSS705816			BNSS705816	
8-32x5/8" Stainless Steel Screw	SSSS705820*			BNSS705820	

* Denotes non-stock items which may have minimum purchase requirements.

	DRYWALL SCREWSTUDS				
	Brass/Nickel Stud				
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
3/8" Stainless Steel Screw				BNSS704714	
5/8" Stainless Steel Screw				BNSS704720	
1" Stainless Steel Screw				BNSS704732	


For use in marine and automotive applications, our windshield clips are 100% stainless steel and are available with varying tensions.

	WINDSHIELD CLIPS				
	Stainless Steel				
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
.748" clip width (appx. 3/4")				CLIP34WSTT	
.754" clip width (appx. 3/4")				CLIP34WST	
.760" clip width (appx. 3/4")				CLIP34WSD	
.770" clip width (appx. 3/4")				CLIP34WSTN	
.875" clip width (appx. 7/8")				CLIP78WS	
.875" clip width (appx. 7/8")				CLIP78WS-A	
.875" clip width (7/8" long leg)				CLIP78WS-L	
.500" clip width (Internal Fit)-(Plastic)-(7/8" long leg)				WSBASEGRY	


FASNAP® introduces its FAS-N-STIK snap components for industrial users. Unlike conventional metal screw studs used in many marine and related applications, this product will not snag clothing or deteriorate from exposure to sunlight, sand or grit.

			FAS-N-STIK					
			SIZE		COLOR	Stainless Steel Stud	Plastic Stud (UV ACETAL)	Stainless Steel Socket
						PART NUMBER		
AB5300CW	AB5300CB	AB5300CC	25mm (1")	FLEX BASE	White	AB5300CW		
AB5300CN	AB5500CW	AB5500CB	25mm (1")	FLEX BASE	Black	AB5300CB		
			25mm (1")	FLEX BASE	Clear	AB5300CC		
			25mm (1")	FLEX BASE	Grey	AB5300CN		
			25mm (1")	FLEX BASE	White			AB5300BW
AB5300BW	AB5100CW	AB5100CB	25mm (1")	DOMED	White		AB5500CW	
			25mm (1")	DOMED	Black		AB5500CB	
			40mm (1 9/16")	DOMED	White		AB5100CW	
			40mm (1 9/16")	DOMED	Black		AB5100CB	

Fasnap's carpet fasteners secure carpet to flooring. These fasteners conveniently attach to our industrial screwstuds, regular studs, and rivet studs.


	CARPET SNAP FASTENERS				
	Brass/Nickel		Brass/Black Oxide		
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Carpet Ring	BN10123		BB10123		
Carpet Socket	BN10222		BB10222		

Slide sockets can be used in applications where the attachment needs to be adjustable. Made to work with webbing or strapping these are often found in athletic equipment, juvenile products and various headgear.


	ADJUSTABLE SLIDE SOCKETS				
	Steel/Nickel		Brass/Steel/Nickel		Stainless Steel
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1/2" Socket Buckle	SLCLIP12SN-T				SLCLIP12SS
3/4" Socket Buckle			SLCLIP34BN4660SN		
1" Socket Buckle					SLCLIP1SS*

* Denotes non-stock items which may have minimum purchase requirements.

Fasnap® caps, flangeless studs, and screwstuds are 24k gold plated with an extra coating of clear lacquer to provide additional wear and corrosion resistance.


	24k GOLD PLATED FASTENERS				
	Brass w/24k Gold Plated Finish				
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Cap 3/16" Post			BNG4647AR		
Flangeless Stud			BNG4647FLC		
3/8" Screwstud w/Stainless Steel Screw			BNSG705914		
5/8" Screwstud w/Stainless Steel Screw			BNSG705920		
1" Screwstud w/Stainless Steel Screw			BNSG705932		

Oversized snap fasteners are available in nickel plated brass for superior corrosion resistance, and are designed for applications where smaller fasteners will not provide a suitable attachment.


	EXTRA-LARGE DURABLE SNAP FASTENERS				
	Brass/Nickel				
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Cap, 36 Ligne			BN789AR		
Socket			BN789B		
Stud			BN789C		
Eyelet 15/64"			BN789D		
3/8" Screwstud w/Stainless Steel Screw			BNSS78914		
5/8" Screwstud w/Stainless Steel Screw			BNSS78920*		

* Denotes non-stock items which may have minimum purchase requirements.

This smaller snap fastener line offers a trimmer looking, less aggressive snap, and is available in three finishes. All of the following are 20 ligne snaps.

	BABY FASTENERS			
	Brass/Nickel	Brass/Black Oxide	Brass/Gilt	Steel/Nickel
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Cap, Standard Post 9/64"	BND7201A13	BBD7201A13	BGD7201A13	SND7201A13
Socket	BND7201B	BBD7201B	BGD7201B	SND7201B
Socket, Hard Action	BND7201HB	BBD7201HB	BGD7201HB	SND7201HB
Stud	BND7201C	BBD7201C	BGD7201C	SND7201C
Stud, Hard Action	BND7201SC	BBD7201SC	BGD7201SC	
Eyelet 7/32"	BND7201D	BBD7201D	BGD7201D	SND7201D


The parallel spring fastener provides smooth consistent snap action that ensures maximum performance in harsh environments. Our parallel spring socket has a unique concealed spring design that offers long-term reliability.

	PARALLEL SPRING SNAP FASTENERS		
	Brass/Nickel	Brass/Black Oxide	Brass/Gilt
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER
Ligne 20 Cap	BNPS6HA20	BBPS6HA20	BGPS6HA20
Ligne 20 Cap Long Barrel	BNPS6HLA20	BBPS6HLA20*	BGPS6HLA20*
Ligne 24 Cap	BNPS6HA24	BBPS6HA24	BGPS6HA24
Ligne 24 Cap Long Barrel	BNPS6HLA24	BBPS6HLA24*	BGPS6HLA24*
Socket	BNPS6HB	BBPS6HB	BGPS6HB
Stud	BNPS6HC	BBPS6HC	BGPS6HC
Eyelet	BNPS6HD	BBPS6HD	BGPS6HD

* Denotes non-stock items which may have minimum purchase requirements.

SNAP FASTENERS


These snap fasteners are a high quality, cost-effective fastener for products such as: outdoor furniture, luggage, sports bags, and light-duty automotive trim.

	STANDARD	
	Brass/Nickel	Brass/Black
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER
Cap Standard Post 3/16"	BN7047AR	BB7047AR
Cap Long Post 1/4"	BN7047LAR	BB7047LAR
Socket, Standard Action	BN7047B	BB7047B
Socket, Hard Action	BN7047HB	BB7047HB
Stud	BN7047C	BB7047C
Stud, Low Base	BN7047SC	BB7047SC
Eyelet 1/4"	BN7047D	BB7047D
Eyelet, Long 11/32"	BN7047LD*	BB7047LD*

* Denotes non-stock items which may have minimum purchase requirements.

COLOR & FINISH

FASNAP® brand color caps are available with either four durable layers of baked automotive enamel or a matte finish, and most are available with a stainless steel post. Our color caps are UV stabilized, can be dry cleaned and are scratch and chip resistant. We maintain inventory on 32 colors or we can provide special colors with minimum requirements.




Ask us about our full line of solutions designed to economically resolve assembly requirements.




★★ Available with long post.
★ Available in urethane with long post only.

DIRECTIONAL FASTENERS


Fasnap® premium brand turn fasteners have superior locking action that prevents undesired opening of the fastener. The majority of our turn fasteners feature a stainless steel pin and spring, which provides maximum corrosion resistance and promotes extended product life.















		PREMIUM TURN FASTENERS		
		Brass/Nickel		Plastic
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	
Single Stud, 2 Screw Mounted Stainless Steel Pin and Spring	AT M-4665-1			
Double Stud, 2 Screw Mounted Stainless Steel Pin and Spring	AT M-4665-2			
Single Stud, 2 Prong w/Clinch Plate	AT M-15			
Single Stud, 4 Prong w/Clinch Plate	AT M-10			
Single Stud, Rivet Type w/Washer, Stainless Steel Pin and Spring	AT M-2M-SSW			
4 Prong Eyelet w/Washer*	AT M-2B-EW			
4-Prong Eyelet w/4-hole Washer*	AT M-2B-4HEW			
Plastic Flex Washer for 4-Prong Eyelet			AT 2B-WSHR-PL	

* Denotes eyelets and washers may be purchased separately.

		STANDARD TURN FASTENERS		
		Brass/Nickel	Black Oxide	Plastic
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	
Single Stud, 2 Screw Mounted	AT S-46651	AT S-46651-B		
Double Stud, 2 Screw Mounted	AT S-46652	AT S-46652-B		
Single Stud w/#12 5/8" Steel Screw	AT S-6CD-S-12S			
Single Stud w/#7 5/8" Brass Screw	AT S-6M-S-7B			
Single Stud, Rivet Type	AT S-2M-S			
Washer for AT S-2M-S	AT S-2M-W			
Single Stud, 2 Prong, Stud Only	AT S-15-S	AT S-15-S-B		
Clinch Plate Only for AT S-15-S	AT S-15-W	AT S-15-W-B		
4-Prong Eyelet	AT S-2B-E	AT S-2B-E-B		
Long 4-Prong Eyelet	AT S-2B-LE			
Washer for 4-Prong Eyelet	AT S-2B-W	AT S-2B-W-B		
4-Hole Washer for 4-Prong Eyelet	AT S-2B-4HW			
Plastic Flex Washer for 4-Prong Eyelet			AT 2B-WSHR-PL	

SnapFast® directional locking fasteners are non-corrosive and well-suited for outdoor applications. This line features a nylon stud which can be mounted with a screw or attached to fabric using a standard eyelet, a stainless steel cap which self-pierces most fabric materials and a plastic socket.

		SNAPFAST®			
		Black Plastic	White Plastic	Stainless Steel	Black Oxide
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
Pronged Cap			SNPFSTA	SNPFSTAB	
Long Prong Cap			SNPFSTLA	SNPFSTLAB	
Socket	SNPFSTB	SNPFSTBW			
Stud	SNPFSTC	SNPFSTCW			

	Fasnaps One-Way-Lift® directional locking fasteners can be used with a variety of studs. One-Way-Lift® fasteners lock on three sides and are opened by lifting the fourth side.			
	See pg. 29 for details about Snap Dragon™ tool designed for One-Way-Lift			
	ONE-WAY-LIFT® SOCKETS			
		 Brass/Nickel	 Brass/Black Oxide	Plastic
	SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER
	Socket	LDBN16205	LDBB16205	
Socket, Long Prong	LDBN16206	LDBB16206		
Clinch Plate for 16205 and 16206	LDBN16506	LDBB16506		
Plastic Flex Washer for 16205 and 16206			LDPL16510	
Covered Socket/Clinch Plate	BN7150B			
	ONE-WAY-LIFT® STUDS			
	SIZE • DESCRIPTION	 Brass/Nickel	 Brass/Black Oxide	
		PART NUMBER	PART NUMBER	PART NUMBER
	Stud w/2 Prong Base	LDBN16349		LDBB16349
	Washer for LDBN16349	LDBN16501		LDBB16501
	Stud w/Eyelet Base	LDBN16358		LDBB16358
Washer for 16358	LDBN16509		LDBB16509	
2 Screw Mount Stud	LDBN16347			
	ONE-WAY-LIFT® SCREWSTUDS			
	SIZE • DESCRIPTION	 Brass/Nickel		
		PART NUMBER	PART NUMBER	PART NUMBER
	Screwstud #8 x 3/8" Stainless Steel Self-Tapping Screw		LDBN163604	
	Screwstud #8 x 1/2" Stainless Steel Self-Tapping Screw		LDBN163606	
	Screwstud #8 x 5/8" Stainless Steel Self-Tapping Screw		LDBN163607	
Screwstud #8 x 5/8" Steel Self-Tapping Screw w/chromate dip		LDBN163667		
Screwstud 8-32 x 3/8" Stainless Steel Machine Screw		LDBN163624		
Screwstud 8-32 x 5/8" Brass Machine Screw		LDBN163627		
	ONE-WAY-LIFT® WINDSHIELD CLIPS			
	SIZE • DESCRIPTION	 Brass/Nickel		
		PART NUMBER	PART NUMBER	PART NUMBER
3/4" Windshield Clip		LDBN16376		
7/8" Windshield Clip		LDBN16377		
	ONE-WAY-PULL® FASTENERS			
		 Brass/Nickel	 Brass/Black Oxide	
	SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER
	Cap 11/64"	PDBN18100		PDBB18100
	Cap 1/4"	PDBN18100L		PDBB18100L
	Socket	PDBN18201		PDBB18201
	Stud	PDBN18303		PDBB18303
	Standard Eyelet 1/4"	BN4647D		BB4647D
	Long Eyelet 5/16"	BN4647LD		BB4647LD
	3/8" Screwstud w/Stainless Steel Screw	PDBN183074		PDBB183074
5/8" Screwstud w/Stainless Steel Screw	PDBN183075		PDBB183075*	

* Denotes non-stock items which may have minimum purchase requirements.

RIVETS

Fasnap® capped tubular rivets offer superior piercing performance through materials such as: nylon webbing, leather and ballistic style fabrics. Our rivets provide an appealing, finished attachment and are offered in steel/nickel, brass/nickel, brass/black nickel, brass/gilt or stainless steel.



SELF-PIERCING CAPPED TUBULAR RIVETS

Stainless Steel

SIZE • DESCRIPTION

PART NUMBER PART NUMBER PART NUMBER

(WxLxD) (Cap Size 9mm)

Use with R-5 Washer

3 x 4 x 9mm

SSR349

3 x 6 x 9mm

SSR369

3 x 8 x 9mm

SSR389

(WxLxD) (Cap Size 10mm)

Use with R-4 Washer

4 x 8 x 10mm

SSR4810

4 x 10 x 10mm

SSR41010

4 x 12 x 10mm

SSR41210



SELF-PIERCING CAPPED TUBULAR RIVETS

Steel/Nickel

Brass/Nickel

Brass/Black Nickel

Brass/Gilt

SIZE • DESCRIPTION

PART NUMBER PART NUMBER PART NUMBER

(WxLxD) (Cap Size 6mm)

Use with R-5 Washer

3 x 6 x 6mm

SNR366

BNR366

BHBKR366

BGR366

3 x 8 x 6mm

SNR386

BNR386

BHBKR386

BGR386

3 x 10 x 6mm

SNR3106

(WxLxD) (Cap Size 7mm)

Use with R-4, R-6, R-9, R-10 Washer

4 x 6 x 7mm

SNR467

BNR467

BHBKR467

BGR467

4 x 8 x 7mm

SNR487

BNR487

BHBKR487

BGR487

4 x 10 x 7mm

SNR4107

BNR4107

BHBKR4107

BGR4107

4 x 12 x 7mm

SNR4127

(WxLxD) (Cap Size 8mm)

Use with R-4, R-6, R-9, R-10 Washer

4 x 6 x 8mm

SNR468

BNR468

BHBKR468

BGR468

4 x 8 x 8mm

SNR488

BNR488

BHBKR488

BGR488

4 x 10 x 8mm

SNR4108

BNR4108

BHBKR4108

BGR4108

4 x 12 x 8mm

SNR4128

BNR4128

BHBKR4128

BGR4128

4 x 15 x 8mm

SNR4158

(WxLxD) (Cap Size 10mm)

Use with R-4, R-6, R-9, R-10 Washer

4 x 6 x 10mm

SNR4610

BNR4610

BHBKR4610

BGR4610

4 x 8 x 10mm

SNR4810

BNR4810

BHBKR4810

BGR4810

4 x 10 x 10mm

SNR41010

BNR41010

BHBKR41010

BGR41010

4 x 12 x 10mm

SNR41210

BNR41210

BHBKR41210

BGR41210

4 x 15 x 10mm

SNR41510

BNR41510

BHBKR41510

BGR41510

(WxLxD) (Cap Size 12mm)

Use with R-4, R-6, R-9, R-10 Washer

4 x 8 x 12mm

SNR4812

BNR4812

BHBKR4812

BGR4812

4 x 10 x 12mm

SNR41012

BNR41012

BHBKR41012

BGR41012

SNR41212

BNR41212




BHBKR41212

BGR41212



SNR41512






The following styles of washers are available to complement various applications.

 R-4 / R-5  R-9  R-10		WASHERS				
		Steel/Nickel	Brass/Nickel	Brass/Black Nickel	Stainless Steel	Brass/Gilt
DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
R-4				SSWSHR4		
R-5				SSWSHR5		
R-6	SNWSHR6	BNWSHR6	BHBKWSHR6		BGWSHR6	
R-9	SNWSHR9	BNWSHR9	BHBKWSHR9		BGWSHR9	
R-10	SNWSHR10	BNWSHR10	BHBKWSHR10		BGWSHR10	




Our rivet caps offer a polished look to the underside of our self-piercing capped tubular rivet. Simply use this combination of product in place of our rivet washer.

 		RIVET CAPS			
		Brass/Nickel		Brass/Gilt	
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
11mm Rivet Cap w/Stud Washer	BNRIVCAP11		BGRIVCAP11		
12mm Rivet Cap w/Stud Washer	BNRIVCAP12		BGRIVCAP12		

Fasnaps two-piece male/female style rivets can be assembled with either dies or a hammer. Available in steel/nickel, stainless steel, steel/black nickel, or painted enamel finish; our rivets provide solid closure and complement the appearance of various applications.





  		FINISHED RIVETS			
		Steel/Nickel	Stainless Steel	Steel/Black Nickel	Steel/Black Matte Urethane
DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
.510" O.D. Grip Range: .138"-.197"	SH137DNI				SH137DBU
Cap, .520" O.D.	SH130CAPNI				SH130CAPBU
.513" O.D. Grip Range: .138"-.197"		SH137DSS		SHBK137D	
Cap, .520" O.D.		SH130CAPSS		SHBK130CAP	
.370" O.D. Grip Range: .177"-.256"	SH8108DNI				
Cap, .355" O.D.	SH810CAPNI				
.352" O.D. Grip Range: .138"-.197"		SH9107DSS			
Cap, .352" O.D.		SH910CAPSS			

Our rivet and burr combination provides a permanent attachment to layers of diverse material. This product is self-piercing and can also be used to reinforce various applications.





  		RIVETS AND BURR			
		Brass/Nickel			
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Burr for BN406 Rivets			BN2942		
Rivet			BN406LL		
Rivet, Short			BN406S		

GROMMETS AND WASHERS



Fasnep's premium self-piercing grommets are manufactured with a sharpened edge for superior piercing ability. The washers are made with a patented design that incorporates small teeth and a channel to prevent slipping and provide extra holding force.

 GRIPPING TEETH LOCKING CHANNEL		PREMIUM SELF-PIERCING GROMMETS AND WASHERS					
		Stainless Steel (Locking Channel) 		Brass Sharpened (Gripping Teeth) 		Brass/Nickel Sharpened (Gripping Teeth) 	
SIZE	ID.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
#0	1/4"	9/16"	GRMWSH210SS	GRMGWS210B	GRMGWS210N		
#1	5/16"	5/8"	GRMWSH230SS	GRMGWS230B	GRMGWS230N		
#2	3/8"	3/4"	GRMWSH250SS	GRMGWS250B	GRMGWS250N		
#3	7/16"	15/16"		GRMGWS280B	GRMGWS280N		
#4	5/8"	1-1/8"		GRMGWS300B	GRMGWS300N		




Our self-piercing grommets, used in conjunction with Fasnep's exclusive washer design, eliminates the need to pre-punch a hole. Grommets are set in a single action.

		SELF-PIERCING GROMMETS AND WASHERS					
		Brass (Gripping Teeth) 		Brass/Nickel (Gripping Teeth) 		Brass/Black Nickel (Gripping Teeth) 	
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
#0	1/4"	9/16"	GRMWSH210B	GRMWSH210N	GRMWSH210HBK		
#1	5/16"	5/8"	GRMWSH230B	GRMWSH230N	GRMWSH230HBK		
#2	3/8"	3/4"	GRMWSH250B	GRMWSH250N	GRMWSH250HBK		
#2 LONG BARREL	3/8"	3/4"	GRMLWS250B	GRMLWS250N			


Designed to withstand the harshest environments, our stainless steel self-piercing rolled rim grommets with spur washers are the best product available for corrosive applications. These grommets can be installed through several layers of tough material and can be attached with hand dies in low volume situations.

		STAINLESS STEEL SELF-PIERCING ROLLED RIM GROMMETS WITH SPUR WASHERS					
		Stainless Steel 					
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
#0	1/4"	5/8"	GRMWSPUR0SS				
#1	5/16"	13/16"	GRMWSPUR1SS				
#2	3/8"	13/16"	GRMWSPUR2SS				
#3	7/16"	7/8"	GRMWSPUR3SS				
#4	1/2"	1-1/16"	GRMWSPUR4SS				
#5	5/8"	1-1/16"	GRMWSPUR5SS				


Our heavy-duty self-piercing rolled rim grommets with spur washers are designed for use in heavy stress applications. Commonly found on tarps and awnings, these grommets save time and labor by setting in one easy step.


		BRASS SELF-PIERCING ROLLED RIM GROMMETS WITH SPUR WASHERS					
		Brass 		Brass/Nickel 			
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
#00	11/64"	9/16"	GRMWSPUR00				
#0	9/32"	11/16"	GRMWSPUR0		GRMWSPUR0N		
#1	3/8"	3/4"	GRMWSPUR1		GRMWSPUR1N		
#2	7/16"	7/8"	GRMWSPUR2		GRMWSPUR2N		
#4	9/16"	1-1/8"	GRMWSPUR4		GRMWSPUR4N		

Fasnap's self-piercing eyelets are easily installed in Nomex®, plastic, leather, fabric, and paper. These eyelets create a reinforced hole and provide a finished appearance.

		I.D.	O.D.	SELF-PIERCING EYELETS AND WASHERS				
				Brass		Brass/Nickel		
				PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
9/64"	17/64"	GRMSE200B			GRMSE200N			
11/64"	23/64"	GRMSE300B			GRMSE300N			
13/64"	27/64"	GRMSE400B			GRMSE400N			
15/64"	29/64"	GRMSE500B			GRMSE500N			

Fasnap's rolled rim grommets with spur washers can be automatically fed using our grommeting equipment or similar machinery.

















		ROLLED RIM GROMMETS WITH SPUR WASHERS							
		Brass		Brass/Nickel		Brass/Black Oxide		Stainless Steel	
		GROMMETS	GROMMETS	GROMMETS	GROMMETS	GROMMETS	GROMMETS	GROMMETS	GROMMETS
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
#0	9/32"	.670	GRM OGR-BBR	GRM OGR-BNI	GRM OGR-BBX		GRM OGR-SS		
#0L	9/32"	.670					GRM OGRL-SS		
#1	13/32"	.790	GRM 1GR-BBR	GRM 1GR-BNI	GRM 1GR-BBX				
#2	7/16"	.882	GRM 2GR-BBR	GRM 2GR-BNI	GRM 2GR-BBX				
#3	15/32"	.970	GRM 3GR-BBR	GRM 3GR-BNI	GRM 3GR-BBX				
#4	9/16"	1.122	GRM 4GR-BBR	GRM 4GR-BNI	GRM 4GR-BBX				
#5.5	11/16"	1.250	GRM 32GR-BBR	GRM 32GR-BNI	GRM 32GR-BBX				

		WASHERS							
		Brass		Brass/Nickel		Brass/Black Oxide		Stainless Steel	
		WASHERS	WASHERS	WASHERS	WASHERS	WASHERS	WASHERS	WASHERS	WASHERS
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
#0	.345	.645	GRM OWS-BBR	GRM OWS-BNI	GRM OWS-BBX		GRM OWS-SS		
#1	.455	.790	GRM 1WS-BBR	GRM 1WS-BNI	GRM 1WS-BBX				
#2	.512	.880	GRM 2WS-BBR	GRM 2WS-BNI	GRM 2WS-BBX				
#3	.537	.970	GRM 3WS-BBR	GRM 3WS-BNI	GRM 3WS-BBX				
#4	.645	1.122	GRM 4WS-BBR	GRM 4WS-BNI	GRM 4WS-BBX				
#5.5	.730	1.233	GRM 32WS-BBR	GRM 32WS-BNI	GRM 32WS-BBX				



**SECURE
YOUR
FASTENERS
BECAUSE ITS
WORTH IT**

Fasnab's sheet metal grommets with assorted washers can be automatically fed using our grommeting equipment or similar machinery.

			SHEET METAL GROMMET				
			Brass 		Brass/Nickel 		Brass/Black Oxide 
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
#0	1/4"	.545	GRMSM0B		GRMSM0N		GRMSM0BBX
#1	5/16"	.687	GRMSM1B		GRMSM1N		GRMSM1BBX
#2	3/8"	.815	GRMSM2B		GRMSM2N		GRMSM2BBX
#3	7/16"	.970	GRMSM3B		GRMSM3N		GRMSM3BBX
#4	1/2"	1.233	GRMSM4B		GRMSM4N		GRMSM4BBX
			PLAIN WASHERS				
			Brass 		Brass/Nickel 		Brass/Black Oxide 
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
#0	.289	.546	GRMPW0B		GRMPW0N		GRMPW0BBX
#1	.359	.700	GRMPW1B		GRMPW1N		GRMPW1BBX
#2	.453	.835	GRMPW2B		GRMPW2N		GRMPW2BBX
#3	.530	.955	GRMPW3B		GRMPW3N		GRMPW3BBX
#4	.585	1.062	GRMPW4B		GRMPW4N		GRMPW4BBX
			TEETH WASHERS				
			Brass 		Brass/Nickel 		Brass/Black Oxide 
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
#0	.290	.570	GRPTW0B		GRPTW0N		GRPTW0BBX
#1	.350	.680	GRPTW1B		GRPTW1N		GRPTW1BBX
#2	.468	.840	GRPTW2B		GRPTW2N		GRPTW2BBX
#3	.545	.945	GRPTW3B		GRPTW3N		GRPTW3BBX
#4	.593	1.050	GRPTW4B		GRPTW4N		GRPTW4BBX
			NECK WASHERS				
			Brass 		Brass/Nickel 		Brass/Black Oxide 
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
#0	.294	.531	GRMNW0B		GRMNW0N		GRMNW0BBX
#1	.355	.705	GRMNW1B		GRMNW1N		GRMNW1BBX
#2	.429	.840	GRMNW2B		GRMNW2N		GRMNW2BBX
#3	.505	.945	GRMNW3B		GRMNW3N		GRMNW3BBX
#4	.569	1.050	GRMNW4B		GRMNW4N		GRMNW4BBX

Taking your business in new directions



GROMMET KITS

Fasnap's grommet kits contain heavy-duty grommets and easy-to-use setting tools. Perfect for repair of tents, awnings, canvas products, outdoor furniture and much more. Our kits are available in master packs suitable for retail and can be privately labeled.



PLAIN GROMMETS & WASHERS

	Brass	Brass/Nickel
SIZE • DESCRIPTION • 3/8"	PART NUMBER	PART NUMBER
Repair Kit, 24 Grommets w/Washers; Setting Tools	GRMWS250BHK-24	GRMWS250NHK-24
Refill Kit, 24 Grommets w/Washers	GRMWS250BRPL-24	GRMWS250NRPL-24

CUSTOM PACKAGING


We offer packaging and labeling services for nearly all of our products. This service allows companies to offer Fasnap's premium quality fasteners to their customers in customized packaging. Contact one of our sales representatives to discuss the wide range of fastener kits and packaging solutions available.

ROLLED RIM GROMMETS W/SPUR WASHER

	Brass	Brass/Nickel
SIZE • DESCRIPTION • #1	PART NUMBER	PART NUMBER
Repair Kit, 24 Grommets w/Spur Washers; Setting Tools	GRSPUR1B-TK	GRSPUR1N-TK
Refill Kit, 24 Grommets w/Spur Washers	GRSPUR1B-K	GRSPUR1N-K
SIZE • DESCRIPTION • #2	PART NUMBER	PART NUMBER
Repair Kit, 24 Grommets w/Spur Washers; Setting Tools	GRSPUR2B-TK	GRSPUR2N-TK
Refill Kit, 24 Grommets w/Spur Washers	GRSPUR2B-K	GRSPUR2N-K

HAND APPLY SNAP KITS


Fasnap® offers pre-packaged quick repair kits featuring our premium fasteners. These kits provide easy replacement for failed snap fasteners on tents, boat tops, convertibles, bags, and many other applications. We also provide custom packaging and bar coding.




DESCRIPTION	PART NUMBER
6 of each: Brass/Nickel Cap, Socket, Stud, Eyelet; Flaring Tool and Anvil	BN4647HAK
6 of each: Brass/Black Oxide Cap, Socket, Stud, Eyelet; Flaring Tool and Anvil	BB4647HAK
Refill, 6 of each: Brass/Nickel Cap, Socket, Stud, and Eyelet	BN4647RPL
6 of each: Brass/Nickel Cap, Socket, 3/8" Screwstud w/Brass/Nickel Stud and Stainless Steel Screw; Flaring Tool and Anvil	BNSS705914HAK
6 of each: Brass/Nickel Cap, Socket, 5/8" Screwstud w/Brass/Nickel Stud and #10 Oversize Stainless Steel Screw; Flaring Tool and Anvil	BNSS705921HAK

VENTILATORS


Fasnap's high-quality waterproof net vents allow continuous air movement and simultaneously inhibits water from seeping through the vent.

	WATERPROOF NET VENTS				
	Brass/Nickel			Brass	
SIZE	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1/2"	BNNET12WP			BGNET12WP	
5/8"	BNNET58WP			BGNET58WP	
3/4"	BNNET34WP			BGNET34WP	
1"	BNNET1WP			BGNET1WP	

Our net vents are available in several sizes and finishes. These vents provide function and enhance appearance.

	NET VENTS				
	Brass/Nickel			Brass	
SIZE	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1/2"	BNNET12			BGNET12	
5/8"	BNNET58			BGNET58	
3/4"	BNNET34			BGNET34	
1"	BNNET1			BGNET1	

Fasnap's stamped vents are often used to provide air ventilation through a cushion to reduce mildew and odor. Our vents are easily applied with one of our bench presses.

	STAMPED VENTS			
	Brass/Nickel	Brass & Steel/ Nickel	Brass	Brass & Steel
SIZE	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1"	VENTWS1BN (Vent & Washer Part #)		VENT1BRS (Vent Part # Only)	VENT1WSHRBRS (Washer Part # Only)





Your connection for premium marine fasteners








SLIDES

Our three bar slides are sewn into one end of webbing to accommodate adjustment on webbing straps.

		3-BAR				
		Brass/Nickel			Stainless Steel	
SIZE		PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1-1/16" Slide Buckle						SLIDESS1
1-1/2" Contoured Slide Buckle						SL 208-38-SN

SNAP HOOKS

We maintain a large inventory of snap hooks in several styles and material types. Due to the wide range of products in this section, we have listed only our standard items. For special requirements, please contact a Fasnap® representative for innovative solutions.

	FIXED EYE STRAP				
	Stainless Steel			Brass/Nickel	
SIZE	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
#0		SSF249		BNFE249	
	STRAPPED EYE HOOK				
	Stainless Steel			Brass/Nickel	
SIZE	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1"		SSSQ249		BNSQ249	
	SNAP HOOK				
	Stainless Steel			Steel/Nickel	
SIZE	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1"		SNAPHOOK1SS		SNAPHOOK1SN	
1-1/2"		SNAPHOOK112SS			
	WEBBING SNAP HOOK, HEAVY-DUTY				
	Stainless Steel				
SIZE	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1"		WEBHOOK1SS			
	CARABINER SNAP HOOK				
	Steel/Zinc Plated				
SIZE	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
2"		CARCLP2SZ*			





FASNAP®

CORP.

D-RINGS


Fasnap's metal d-rings are suitable for use in many applications. We carry inventory in several sizes and materials.

	WELDED				
	Steel/Nickel			Stainless Steel	
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1" x .162 dia.	DRING1STLW			DRING1SSW	
1" x .162 dia.	DRING1STLCN				
1-1/8" x .212 dia., Heavy-Duty	DRING118STLW				
1-1/8" x .208 dia.				DRING118SSW	
1-1/2" x .175 dia.				DRING112SSW	
2" x .160 dia.				DRING2SSW	

	SCREW-MOUNTED				
	Stainless Steel			Iron w/Black Powder Coating	
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
3/4" x .115 dia.	DRMT 20-SS			DRMT 20-SBP	


SQUARE RING

Fasnap's metal square rings, like d-rings, are suitable for use in many applications.

	WELDED				
	Stainless Steel				
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
	RL 35-25-125 SSW				


PADEYES

Our padeyes are normally surface-mounted with #10 or #12 self-tapping screws. They are frequently used as snap hook anchors.

	SURFACE-MOUNTED				
	Stainless Steel				
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
	PADEYESS542				

WEBBING BUCKLE

Our quick-slide webbing buckle is ideal for cinching webbing straps with ease.

	WELDED				
	Steel / Zinc			Stainless Steel	
SIZE	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1"	QRS 25-SZ			QRS1SS	



Protect the value of your product




www.bciimage.com

866 971-1008 IT FASNAP.COM FOR MORE INFORMATION




UPHOLSTERY BUTTON SUPPLIES AND EQUIPMENT

Fasnap® covers thousands of buttons daily. We are equipped to handle small runs of 50 pieces or larger production runs of several thousand pieces per day. With our ability to control rigid ISO 9001: 2008 quality standards on button manufacturing, we can supply customers with buttons covered with selected material on a timely and cost-efficient basis.


	BUTTON CHART				
	Size			Ligne	
	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
			2"		80
			1-3/8"		60
			1-1/8"		45
			7/8"		36
			3/4"		30
			9/16"		22


Button chart is shown to scale.

The shell portion of the button assembly is available in soft wax, soft wax rust resistant, and aluminum.

	SHELLS					
	#22	#30	#36	#45	#60	#80
DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Soft Wax	SHEL22SOFW	SHEL30SOFW	SHEL36SOFW	SHEL45SOFW	SHEL60SOF	SHEL80SOF
Soft Wax Rust Resistant		SHEL30SOFWR	SHEL36SOFWR	SHEL45SOFWR		
Aluminum		SHEL30AL	SHEL36AL			

From tufting to snap buttons, Fasnap® offers several button backs for various applications.

	BACKS					
	#22	#30	#36	#45	#60	#80
DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Durasnap		DURABK30	DURABK36			
Nylon Hook Back	HKBK22NYL	HKBK30NYL	HKBK36NYL	HKBK45NYL	HKBK60NYL	HKBK80NYL
Wire-Eye Back	WEBK229	WEBK309	WEBK369	WEBK459	WEBK609	WEBK809

	PRONG BACKS				
	#22	#30	#36	#45	
SIZE	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1-1/2"	PRGBK22112	PRGBK30112	PRGBK36112	PRGBK45112	
2"	PRGBK222	PRGBK302	PRGBK362	PRGBK452	
2-1/2"	PRGBK22212	PRGBK30212	PRGBK36212	PRGBK45212	
3"	PRGBK223	PRGBK303	PRGBK363	PRGBK453	

NAIL BACKS					
	#22		#30		#36
SIZE	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
5/8"	NALBK2258		NALBK 3058		NALBK3658
7/8"	NALBK2278		NALBK3078		NALBK3678
1-1/2"	NALBK22112		NALBK30112		NALBK36112

PIVOT BACK					
	#30	#36	#60	#80	
SIZE	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
No Tack	PVBK30MTL	PVBK36MTL		PVBK80MTL	
3/8" Tack	PVBK3012TK	PVBK3612			
3/8" Tack	PVBK3038TK	PVBK3638	PVTK6038		
3/4" Tack		PVBK3634TK			

PIVOT TACK					
	#22				
SIZE	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1/2" Tack			PVTK12		
3/8" Tack			PPVTK38		
3/4" Tack			PPVTK34		

All button parts are sold in five gross increments.

TUFTING DISC AND WASHERS					
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
#1- 1" Metal Prong Washer			WSH1PRGM		
#15 - 1" Nail Washer			WSH15NAL		
#5 Fiber Prong Washer			WSH5PRGF		
#8 Plastic Prong Washer			WSH8PRGP		
#9 Poly Tufting Disk			WSH9TUFT		
#11 Poly Tufting Disk			WSH11TUFT		

PRE-TIED LOOPS					
SIZE	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
2"			LOOP2PT		
2-1/2"			LOOP212PT		
3"			LOOP3PT		
3-1/2"			LOOP312PT		
4"			LOOP4PT		

Other sizes available with minimum purchase requirements. Minimum order quantity 5000 pieces.



www.bciimage.com



866 971-1008 IT FASNAP.COM FOR MORE INFORMATION




2-PIECE BUTTON DIE SETS FOR HANDY JR. MACHINE

SEE BUTTON CHART	Light		Medium		Heavy
	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Button size/fabric weight					
#22	DIES22LU2		DIES22HU2		DIES22HUX2
#30	DIES30LU2		DIES30HU2		DIES30HUX2
#36	DIES36LU2		DIES36HU2		DIES36HUX2
#45	DIES45LU2		DIES45HU2		DIES45HUX2

3-PIECE BUTTON DIE SETS FOR SWIVEL PLATE MACHINE

SEE BUTTON CHART	Light		Medium		Heavy
	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Button size/fabric weight					
#22	DIES22LU3		DIES22HU3		DIES22HUX3
#30	DIES30LU3		DIES30HU3		DIES30HUX3
#36	DIES36LU3		DIES36HU3		DIES36HUX3
#45	DIES45LU3		DIES45HU3		DIES45HUX3

BUTTON MACHINES

	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
	MACH1 JR				
	DESCRIPTION				
	Height: 22" Weight: 13 lbs.				
	Manually operated covering and cutting machine. Used with Handy 2-piece dies and short cutter.				
	SIZE	PART NUMBER		DESCRIPTION	
3/8"	ASAPSNAPJR		Adapts machine shank to set fasteners.		
	PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER				
	MACH11 CUTR				
	DESCRIPTION				
	Height: 20" Weight: 60 lbs.				
	Cutting machine with rack and pinion design for smooth and easy operation. This machine is used with standard long cutters.				
	PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER				
	MACH5PABTN				
	DESCRIPTION				
	Height: 47" Floor Space: 20" x 23"				
	Air operation provides uniform power pressure to ensure consistently tight buttons. This machine is also available as a kick press.				

T-NUT

Stainless steel t-nuts offer the maximum in corrosion resistance. Our t-nuts provide metal threads in wood or plastic applications.



STANDARD

Stainless Steel

SIZE • DESCRIPTION

PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER

1/4"- 20 x 3/8" Barrel

TNUT142038SS

SHOCK CORD HOOKS • HOG RINGS

Combine our standard shock cord and shock cord hooks to create custom shock cord straps.



SHOCK CORD HOOK

Black

SIZE	DESCRIPTION	LENGTH	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
3/16"	PVC Black Cover	1 3/4"					SCH 0316-0134-2B
3/16"	PVC Black Cover	2 3/4"					SCH 0316-0234-2B
1/4"	PVC Black Cover	1 3/4"					SCH 0014-0134-2B
1/4"	PVC Black Cover	2 7/8"					SCH 0014-0178-2B
5/16"	PVC Black Cover	1 3/4"					SCH 0516-0134-2B
5/16"	PVC Black Cover	2 7/8"					SCH 0516-0278-2B
3/8"	PVC Black Cover	1 3/4"					SCH 0038-0134-2B
3/8"	PVC Black Cover	2 7/8"					SCH 0038-0278-2B
1/2"	PVC Black Cover	1 3/4"					SCH 0012-0134-2B
1/2"	PVC Black Cover	2 7/8"					SCH 0012-0278-2B



HOG RINGS

Galvanized Steel

SIZE	DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
3/16"	Hog Ring					HR316GS
1/4"	Hog Ring					HR14GS
5/16"	Hog Ring					HR516GS
3/8"	Hog Ring					HR38GS


Hog rings are sold per pound.

Taking your business in new directions



SHOCK CORD

Our shock cord is available in different markings, cover material and widths, providing versatility to many applications.


	SIZE	DESCRIPTION	100 ft. Spools	500 ft. Spools	1000 ft. Spool
			PART NUMBER	PART NUMBER	PART NUMBER
	1/8"	White/Black Marker	SC 0018-PSW-1C-WB		
		Black Marker	SC 0018-PPW-1C-B	SC 0018-PPW-5C-B	SC 0018-PPW-1M-B
	3/16"	Tan Marker		SC 0316-PPW-5C-TAN	
		White/Black Marker	SC 0316-PSW-1C-WB	SC 0316-PSW-5C-WB	
		Black Marker	SC 0316-PPW-1C-B	SC 0316-PPW-5C-B	
	1/4"	White/Black Marker	SC 0014-PSW-1C-WB	SC 0014-PSB-5C-WB SC 0014-PSW-5C-WB	
		Black Marker	SC 0014-PPW-1C-B	SC 0014-PPB-5C-B	
	5/16"	White/Black Marker	SC 0516-PSB-1C-WB	SC 0516-PSW-5C-WB	
		Black Marker		SC 0516-PPW-5C-B	
	3/8"	White/Black Marker	SC 0038-PSW-1C-WB		
		Black Marker	SC 0038-PPW-1C-B		
	1/2"	White/Black Marker	SC 0012-PSW-1C-WB		

SHOCK CORD COVER/CORE MATERIALS

PSW	Polyester Cover w/White Rubber Core
PSB	Polyester Cover w/Black Rubber Core
PPW	Polypropylene Cover w/White Rubber Core
PPB	Polypropylene Cover w/Black Rubber Core

SNAPPY TAPE

Fasnap® snappy tape saves on assembly costs and guarantees uniform spacing even if the opposing fasteners are attached in different facilities. Snappy tape is comprised of low profile, polyacetal fasteners that have been molded directly to polyester tape at evenly spaced increments. For convenience, snappy tape is sewn to the end product; can be molded in any color, ordered in pre-cut lengths, and is available in fire-retardant material. We stock various sizes of solid black and white.

	STANDARD									
	PART NUMBER	COLOR	Tape Width		Snap Dia.		Fastener Spacing			
			SIZE	SIZE	SIZE	SIZE	SIZE	SIZE	SIZE	
	ST15SP25W100P	WHITE	1"		9/16"		3-15/16"			
	ST15SP25B100P	BLACK	1"		9/16"		3-15/16"			
	ST23SP40W100P	WHITE	1-9/16"		7/8"		3-15/16"			
	ST23SP40B100P	BLACK	1-9/16"		7/8"		3-15/16"			
	DIRECTIONAL									
	PART NUMBER	COLOR	Tape Width		Snap Dia.		Fastener Spacing			
			SIZE	SIZE	SIZE	SIZE	SIZE	SIZE	SIZE	
	ST15DP25W100P	WHITE	1"		9/16"		3-15/16"			
ST15DP25B100P	BLACK	1"		9/16"		3-15/16"				
ST23DP40W100P	WHITE	1-9/16"		7/8"		3-15/16"				
ST23DP40B100P	BLACK	1-9/16"		7/8"		3-15/16"				

DIES

Fasnap® offers both standard and custom solutions that economically resolve assembly requirements. We can satisfy customer demands with an extensive inventory of dies that fit most machines.




PRES-N-SNAP

PM1, PM40
Upper Die:
5/16-18 Treaded
Lower Die:
3/4" Dia. Shank

PM5, PM10, PM20,
MACH SAE-02-SDS-38
Upper Die:
3/8" Dia. Shank
Lower Die:
3/8" Dia. Shank

DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
SNAP DIES				
Snap Dies set (cap, socket, stud, eyelet)	PNSDIE4647	DIE4647PM1		DIE4647
Cap Standard/Long Post 4647AR/LAR, 7047AR/LAR	PNSDIE46AR	DIE4647AR1		DIE4647AR
Cap Reverse Die 4647, 7047AR/LAR				DIE4647ARV
Socket 4647B	PNSDIE46B	DIE4647B1		DIE4647B
Stud 4647C, 7047C	PNSDIE46C	DIE4647C1		DIE4647C
Low Base Stud 4647SC				DIE4647SC
Flangeless Stud 4647FLC				DIE4647FLC
Gypsy Stud P232	PNSDIEP232	DIEP232NB1		DIEP232NB
Eyelet 4647D, 7047D	PNSDIE46D	DIE4647D1		DIE4647D
Alternative Steel 4pc set 7050 (cap, socket, stud, eyelet)		DIES7050P1		DIES7050P5
Alternative Steel Cap 7050				DIE7050A
Alternative Steel Socket 7050				DIE7050B
Carpet Fastener 10123				DIE10123
Carpet Fastener 10222				DIE10222
BABY SNAP DIES				
Baby Snap Dies 4pc set (cap, socket, stud, eyelet)	PNSDIE7201	DIESD7201PM1		DIESD7201
Baby Snap Cap 7201A13	PNSDIE72A	DIED7201A131		DIED7201A13
Baby Snap Socket 7201B	PNSDIE72B	DIED7201B1		DIED7201B
Baby Snap Hard Action Stud 7201SC	PNSDIE72SC	DIED7201C1		DIED7201SC
Baby Snap Eyelet 7201D	PNSDIE72D	DIED7201D1		DIED7201D
PLASTIC SNAP DIES				
Light-Duty Plastic P3A Cap Die				DIEP3A
Light-Duty Plastic P3B Socket				DIEP3B
Light-Duty Plastic P3C Stud				DIEP3C
Medium-Duty Plastic P6A20 Cap				DIEP6A20
Medium-Duty Plastic P6A24 Cap				DIEP6A24
Medium-Duty Plastic P6B Socket				DIEP6B
Medium-Duty Plastic P6C Stud				DIEP6C
Heavy-Duty Plastic P7A Cap				DIEP7A
Heavy-Duty Plastic P7B Socket				DIEP7B
Heavy-Duty Plastic P7C Stud				DIEP7C
EXTRA LARGE SNAP DIES				
Extra Large Snap Dies 4pc Set				DIES789
Extra Large Cap				DIE789AR
Extra Large Socket				DIE789B
Extra Large Stud				DIE789C
Extra Large Eyelet				DIE789D

		PRES-N-SNAP	PM1, PM40 Upper Die: 5/16-18 Treaded Lower Die: 3/4" Dia. Shank	PM5, PM10, PM20, MACH SAE-02-SDS-38 Upper Die: 3/8" Dia. Shank Lower Die: 3/8" Dia. Shank	MULTI-DUTY DIES
DESCRIPTION		PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
PARALLEL SPRING DIES					
Parallel Spring Dies 20 ligne 4pc Set (cap, socket, stud, eyelet)		DIESPS620PM1		DIESPS620PM5	
Parallel Spring Dies 24 ligne 4pc Set (cap, socket, stud, eyelet)		DIESPS624PM1		DIESPS624PM5	
Parallel Spring Cap, 20 ligne		DIEPS6HA20PM1		DIEPS6HA20PM5	
Parallel Spring Cap, 24 ligne		DIEPS6HA24PM1		DIEPS6HA24PM5	
SELF-PIERCING GROMMET DIES					
210 Grommets 2pc Set	PNSDIES210	DIES210PM1		DIES210PM5	DIES210SM
210 Grommets 2pc Set - Stainless Steel	PNSDIES210	DIES210PM1		DIES210PM5	
230 Grommets 2pc Set	PNSDIES230	DIES230PM1		DIES230PM5	DIES230SM
230 Grommets 2pc Set - Stainless Steel	PNSDIES230	DIES230PM1		DIES230PM5	
250 Grommets 2pc Set	PNSDIES250	DIES250PM1		DIES250PM5	DIES250SM
250 Grommets 2pc Set - Stainless Steel	PNSDIES250	DIES250PM1SS		DIES250PM5SS	
280 Grommets 2pc Set		DIES280PM1		DIES280PM5	DIES280SM
300 Grommets 2pc Set		DIES300PM1		DIES300PM5	DIES300SM
200 Eyelet/Grommet 2pc Set		DIES200SEPM1		DIES200SEPM5	
300 Eyelet/Grommet 2pc Set		DIES300SEPM1		DIES300SEPM5	
400 Eyelet/Grommet 2pc Set		DIES400SEPM1		DIES400SEPM5	
500 Eyelet/Grommet 2pc Set		DIES500SEPM1		DIES500SEPM5	
#0 Stainless Steel Spur 2pc Set		DIESPUR0SS-YM		DIESPUR0SS-CF	DIESPUR0SS-SM
#1 Stainless Steel Spur 2pc Set		DIESPUR1SS-YM		DIESPUR1SS-CF	DIESPUR1SS-SM
#2 Stainless Steel Spur 2pc Set		DIESPUR2SS-YM		DIESPUR2SS-CF	DIESPUR2SS-SM
#3 Stainless Steel Spur 2pc Set		DIESPUR3SS-YM		DIESPUR3SS-CF	DIESPUR3SS-SM
#4 Stainless Steel Spur 2pc Set				DIESPUR4SS-CF	DIESPUR4SS-SM
#5 Stainless Steel Spur 2pc Set				DIESPUR5SS-CF	DIESPUR5SS-SM
#00 Brass Spur 2pc Set		DISSPUR00PM1		DISSPUR00	
#0 Brass Spur 2pc Set		DISSPUR0PM1		DISSPUR0	
#1 Brass Spur 2pc Set		DISSPUR1PM1		DISSPUR1	
#2 Brass Spur 2pc Set		DISSPUR2PM1		DISSPUR2	
#4 Brass Spur 2pc Set				DISSPUR4	
STANDARD GROMMET DIES				ROLLED RIM	SHEET METAL
#0 Brass Spur Upper Die/ #0 Brass Sheet Metal Upper Die				DIE0GRR	DIE0GSM
#0 Brass Spur Lower Die/ #0 Brass Sheet Metal Lower Die				DIE0WS	DIE0WSM
#1 Brass Spur Upper Die/ #1 Brass Sheet Metal Upper Die				DIE1GRR	DIE1GSM
#1 Brass Spur Lower Die/ #1 Brass Sheet Metal Lower Die				DIE1WS	DIE1WSM
#2 Brass Spur Upper Die/ #2 Brass Sheet Metal Upper Die				DIE2GRR	DIE2GSM
#2 Brass Spur Lower Die/ #2 Brass Sheet Metal Lower Die				DIE2WS	DIE2WSM
#3 Brass Spur Upper Die/ #3 Brass Sheet Metal Upper Die				DIE3GRR	DIE3GSM
#3 Brass Spur Lower Die/ #3 Brass Sheet Metal Lower Die				DIE3WS	DIE3WSM
#4 Brass Spur Upper Die/ #4 Brass Sheet Metal Upper Die				DIE4GRR	DIE4GSM
#4 Brass Spur Lower Die/ #4 Brass Sheet Metal Lower Die				DIE4WS	DIE4WSM
#2 Plastic Grommets 2pc Set				DIES250PLPM5	
#3 Plastic Grommets 2pc Set				DIES280PLPM5	
230 Top Die Replacement Jaw/O-ring/Spring				JAWS230	
250 Top Die Replacement Jaw/O-ring/Spring				JAWS250	
280 Top Die Replacement Jaw/O-ring/Spring				JAWS280	
300 Top Die Replacement Jaw/O-ring/Spring				JAWS300	

DIES

	PRES-N-SNAP	PM1, PM40, Upper Die: 5/16-18 Treaded Lower Die: 3/4" Dia. Shank	PM5, PM10, PM20, MACH SAE-02-SDS-38 Upper Die: 3/8" Dia. Shank Lower Die: 3/8" Dia. Shank
--	--------------------	---	--

	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
--	-------------	-------------	-------------	-------------

DIRECTIONAL DIES

One-Way-Lift® 16205, 16206			DIELD16205
One-Way-Lift® 16506			DIELD16506
One-Way-Lift® 16349			DIELD16349
One-Way-Lift® 16501			DIELD16501
One-Way-Lift® 16358	PNSDIELD16358		DIELD16358
One-Way-Lift® 16509	PNSDIELD16509		DIELD16509
One-Way-Pull® Cap 18100			DIEPD18100
One-Way-Pull® Socket 18201	PNSDIEPD18201		DIEPD18201
One-Way-Pull® Stud 18303			DIEPD18303
Turn Fastener AT2B 2pc set			DIESAT2B-CF
Turn Fastener AT2M 2pc set			DIESAT2M
Turn Fastener AT2MSS, Reverse, 2pc set			DIESAT2MSS-REV
SnapFast® 2pc set			DIESNPFST1

VENT DIES

1" Stamped Vent Die Set			DIESHBVENT1*
1/2" Waterproof and Net/Screen Vent Die Set		DIESVENT12PM1	DIESVENT12
5/8" Waterproof and Net/Screen Vent Die Set		DIESVENT58PM1	DIESVENT58
3/4" Waterproof and Net/Screen Vent Die Set		DIESVENT34PM1	DIESVENT34
1" Waterproof Vent Die Set		DIESVENT1PM1	DIESVENT1

RIVET DIES

Rivets SH910 2pc set		DISSH910PM1	DISSH910
Rivets SH810 Magnetic 2pc set		DISSH810M1	DISSH810M
Rivets SH130 Magnetic 2pc set		DISSH130M1	DISSH130M
Rivets BN2942/BN406 2pc set			DIES406LL
6mm Self-Piercing Capped Rivet		DIE6MMPM1	DIE6MM
7mm Self-Piercing Capped Rivet		DIE7MMPM1	DIE7MM
8mm Self-Piercing Capped Rivet		DIE8MMPM1	DIE8MM
9mm Self-Piercing Capped Rivet-Stainless Steel	PNSDIES9MMSS	DIE9MMPM1SS	DIE9MMSS
10mm Self-Piercing Capped Rivet		DIE10MMPM1	DIE10MM
10mm Self-Piercing Capped Rivet-Stainless Steel	PNSDIES10MMSS	DIE10MMPM1SS	DIE10MMSS
12mm Self-Piercing Capped Rivet		DIE12MMPM1	DIE12MM
R-4 Washer-Stainless Steel		DIEWSHR4PM1SS	DIEWSHR4SS
R-5 Washer-Stainless Steel		DIEWSHR5PM1SS	DIEWSHR5SS
R-6 Washer		DIEWSHR6PM1	DIEWSHR6
R-9 Washer		DIEWSHR9PM1	DIEWSHR9
R-10 Washer		DIEWSHR10PM1	DIEWSHR10
3mm Washerless Rivet		DIE3XPM1	DIE3X
4mm Washerless Rivet		DIE4XPM1	DIE4X
11mm Rivet Cap and Stud Washer 2pc set		DIESRC11PM1	DIESRC11
12mm Rivet Cap and Stud Washer 2pc set		DIESRC12PM1	DIESRC12

*Must be set w/Handy Jr. Machine


TOOLS

PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION
	Hand setting dies for stainless steel grommets w/spur washers		Hand setting dies for brass rolled rim grommets w/spur washers
DIESPUR0SS-HAND DIESPUR1SS-HAND DIESPUR2SS-HAND DIESPUR3SS-HAND DIESPUR4SS-HAND DIESPUR5SS-HAND		DIESHDSPUR0GR-HAND DIESHDSPUR1GR-HAND DIESHDSPUR2GR-HAND DIESHDSPUR3GR-HAND DIESHDSPUR4GR-HAND	
	Hand setting dies for sheet metal grommets w/plain/neck/teeth washers		Hand setting dies for brass and brass nickel self-piercing rolled rim grommets w/spur washers
DIESHDGRMSM0-HAND DIESHDGRMSM1-HAND DIESHDGRMSM2-HAND DIESHDGRMSM3-HAND DIESHDGRMSM4-HAND		DIESPUR1-HAND DIESPUR2-HAND	
	Hand setting dies; machined, knurled and plated for 4647 series snaps		Disposable hand setting dies for 4647 series snaps
DIES4647HND		DIES4647HAK-SA (SHORT PUNCH) 2" DIES4647HAK-LA (LONG PUNCH) 3"	
	Driver for AT F-6CDS/AT S-6CD-S-12S/AT S-6M-S-7B Driver for One-Way-Lift® screwstuds		Adapter for Phillips recess in screwstuds. Minimizes gouging and stripping
TOOLAT6 LDDRIVER		ADAPPHIL BIT2x2PHIL	
	Cutter for AT15M stud		Cutter for AT10M four prong stud
TOOLAT15		TOOLAT10MH	
	Cutter for four prong socket and washer for turn fastener Cutter for LDBN16205 and LDBN16206		Cutting tool for SnapFast® stainless steel caps, SNPFSTA and SNPFSTLA.
TOOLAT2BH TOOLLDH		TOOLSNPFST	
	Tool for precise placement of snap		Hog ring pliers
KWIKFITKIT		HOGRINGPLIER	
	Tool provides additional leverage for stretching canvas and fastening One-Way-Lift® fasteners		
TOOLSNDPRG		TOOLSNDPRG	




www.bciimage.com
FAST-SET TOOL (TOOLS-SS-HAND)
FAST-SET tool also contains a turn fastener driver.

CUTTER CHART FOR GROMMETS AND VENTS

	CUTTERS	
	DESCRIPTION	PART NUMBER
	GRMWSPUR0SS, BNNET12WP, BGNET12WP, BNNET12, BGNET12, GRMSMOB	CUTRGRM0SS
	GRMWSPUR1SS, BNNET58WP, BGNET58WP, BNNET58, BGNET58, GRMSM1B, GRM OGR-BBR	CUTRGRM1SS
	GRMWSPUR2SS, BNNET34WP, BGNET34WP, BNNET34, BGNET34, GRMSM2B, GRM 1GR-BBR	CUTRGRM2SS
	GRMWSPUR3SS, GRMWSH250WPL, GRMSM4B, GRM 2GR-BBR	CUTRGRM3SS
	GRMWSPUR4SS, BNNET1WP, BGNET1WP, BNNET1, BGNET1, VENTWS34BN, VENTWS34B, GRMWSH280WPL, GRMSM4B, GRM 3GR-BBR	CUTRGRM4SS
GRMWSPUR5SS, VENTWS1BN, VENTWS1B, GRM 4GR-BBR	CUTRGRM5SS	

CUTTER CHART FOR BUTTONS

	SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER
		Short Cutter	Long Cutter	
	#22 w/1" DIAMETER	CUTR22SHT	CUTR22LNG	
	#30 w/1.2" DIAMETER	CUTR30SHT	CUTR30LNG	
	#36 w/1.4" DIAMETER	CUTR36SHT	CUTR36LNG	
	#45 w/1.7" DIAMETER	CUTR45SHT	CUTR45LNG	
<i>Other sizes available upon request.</i>				

SETTING MACHINES


PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER

PRES-N-SNAP

	<p>Pres-N-Snap offers on-the-job attachment for snap fasteners, rivets, One-Way-Lift® fasteners, and self-piercing grommets in sizes #0-#2. We stock all replacement parts for this tool.</p>
--	---

PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER

PM1 (MACHPM1SNP)

	<p>Fasnap's PM1 machine is a small, entry level bench-mounted machine. The limited leverage available from the short handle makes it suitable for setting snap fasteners and our self-piercing grommets no larger than size 250 (#2). The dies used in this machine interchange with those used in the PM40 machine.</p> <p>Throat depth: 1-7/8".</p>
---	---

SETTING MACHINES

PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER

PM5 (MACHPM5SNP)



The PM5 machine is an industry standard bench-mounted machine. It is made of tough ductile iron and has a deep throat with a longer padded handle. This machine uses standard 3/8" diameter shank dies that set self-piercing grommets up to size 300 (#4), and snap fasteners in one motion, swiftly and efficiently. Dies interchange with those used on the PM10 and YM450.

Throat depth: 4-3/4".

PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER

PM5AL (MACHPM5AL)



This durable PM5 machine is made of aluminum and can be used either bench-mounted or free-standing. It is heat-treated to T-6 for added strength for setting snap fasteners or our self-piercing grommets, up to size 300, (#4).

Throat depth: 4-1/4".

PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER

PM10 (MACHPM10SN)



Fasnep's PM10 bench-mounted machine is a large scale, heavy-duty version of the PM5 snap machine. It provides the leverage to set larger size grommets. Dies interchange with those used on the PM5 and YM450 machines.

Throat depth: 4-3/8".

PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER

PM20 (MACHPM20AL)



Our PM20 machine, made from aluminum, has a long padded handle that greatly increases the leverage applied. It can be used for setting our brass or stainless steel #4 and #5 self-piercing spur grommets or, with an easy change of dies, our snap fasteners. This machine can be bench-mounted or is available on a wheeled table, making it very easy to move around large fabrications.

Throat depth: 2-3/4".

SETTING MACHINES

PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER

PM40 (MACHPM40)



The PM40 is a bench-mounted, deep throat machine that has a shelf containing the lower die. The shelf allows the operator to attach fasteners to areas that are inaccessible with a standard industry bench press. For example, closed-end products like tool belts, gloves, or pockets. The dies used interchange with those used in the PM1 machine.

Throat depth: 5-1/8".

PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER

APM3000 (MACHAPM3000)



The Fasnap® APM 3000 automatic fastener machine is designed to provide speed, consistency, and durability for large production runs of various sizes of snap fasteners. The APM 3000 features a state-of-the-art two-stage mechanical clutching system. This machine is also available with a deep throat.

Throat depth: 2-1/4".

PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER

MACH SAP-02-SDS-38



Fasnap's pneumatic foot press machine offers an economical and convenient means of fastener attachment. The machine sets snap fasteners, rivets and grommets up to size #3 and use the same dies as the standard PM5 bench-mounted machine. Throat depth 4".

Measurements without pedestal:

- 25" high
- 7.5" wide at the bottom base
- 9" wide at the top by sensor
- 12" deep at the base
- 10" deep at the top

110V Electric Power: min. 75 psi. - max. 145 psi. Compatible with any small air compressor.

SETTING MACHINES

PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER

MACH SAP-L-02-SDS-104 (STAND-UP VERSION)



Fasnap's pneumatic foot press machine offers an economical and convenient means of fastener attachment. The machine sets snap fasteners, rivets and grommets up to size #3 and use the same dies as the standard PM5 bench-mounted machine. Throat depth 4".

Measurements without pedestal:

- 25" high
- 7.5" wide at the bottom base
- 9" wide at the top by sensor
- 12" deep at the base
- 10" deep at the top

110V Electric Power: min. 75 psi. - max. 145 psi. Compatible with any small air compressor.

PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER

3P5



At only 22 pounds, 17" tall, 4" wide and 11" deep, this powerful compact press is capable of punching a hole in a wide range of industrial fabrics and setting for grommet and washer, all in a single cycle. The 3P5 is available for grommets up to size #4, plain and rolled rim.

The 3P5 is designed to be portable or bench mounted. Several alternative configurations allow the 3P5 to be used in the most productive manner:

- (a) Pedestal Stand with optional foot pedal.
- (b) Mobile Base for floor work.
- (c) Tool Rack with Storage Bins.

PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER

3P5-X



At only 45 pounds, 17 1/2" tall, 4 1/2" wide and 14" deep, this heavy-duty compact press is capable of punching a hole in a wide range of industrial fabrics and setting for grommet and washer, all in a single cycle. The 3P5-X is available for grommets larger than #4, plain and rolled rim. This model comes with an adaptor to set smaller sized grommets.

The 3P5-X is designed to be portable or bench mounted. Several alternative configurations allow the 3P5-X to be used in the most productive manner:

- (a) Pedestal Stand with optional foot pedal.
- (b) Mobile Base for floor work.
- (c) Tool Rack with Storage Bins.

PART NUMBER PART NUMBER PART NUMBER PART NUMBER PART NUMBER

92GW




Fasnap® offers Edward Segal's fully automatic and semi- automatic grommeting equipment. Model 92GW is a fully automatic grommet machine capable of feeding and setting sheet metal grommets and neck washers or rolled rim grommets and spur washers sizes #0 through #5. The machine is fly-wheel powered and cam- actuated to ensure consistent settings. It weighs approximately 850 pounds, and is mounted on a heavy- duty machine stand.

Throat depth: 1-5/8".
www.bciimage.com

SINGLE SIDE RELEASE BUCKLES

Side release buckles offer quick release action along with webbing grip and adjustment. Many styles are available to enhance both appearance and function for numerous applications.

DIMENSIONS




WEBBING DIAGRAM

CAD drawings available by request.

CLASSIC

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
5/8	16	BK 202-16	16.50	20.80	42.70	8.00	16.80
3/4	20	BK 202-20	19.46	24.72	52.43	9.78	19.92
1	25	BK 202-25*	26.36	33.16	62.60	9.45	25.80
1 1/4	32	BK 202-32	32.40	40.25	65.32	12.20	32.60
1 1/2	38	BK 202-38	39.67	46.60	72.31	12.88	39.00
2	51	BK 202-51	52.03	59.20	80.47	14.35	51.60



* Also available in white.

CLASSIC • CAMBER

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/4	20	BK 221-20	20.30	25.89	52.68	11.10	20.46
1	25	BK 221-25	26.40	32.20	62.54	12.83	26.00
1 1/2	38	BK 221-38	39.20	45.85	71.22	15.26	39.00
2	51	BK 221-51	52.00	58.54	80.49	16.61	51.70



CLASSIC • CONTOUR

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC
3/8	10	BK 208-10	11.00	15.54	33.90	8.39
3/8	10	BK 208-3-10	11.00	15.54	28.70	7.71
1/2	13	BK 208-13	13.00	17.41	43.50	12.32
5/8	16	BK 208-16	16.50	21.00	45.00	12.00
3/4	20	BK 208-20	19.60	25.00	52.50	12.46
1	25	BK 208-25	26.00	31.60	67.50	15.41
2	51	BK 207-51	52.50	68.87	85.90	17.00

207 208 208-3



HEAVY DUTY • CONTOUR

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
5/8	16	BK 208-1-16	16.50	21.00	45.00	12.00	16.60
3/4	20	BK 208-1-20	19.60	25.00	52.50	12.46	19.60
1	25	BK 208-1-25	26.00	31.60	67.50	15.41	26.20
	29	BK 208-1-29	29.50	41.35	68.70	17.03	28.90



EURO STYLE • CLASSIC								MATERIAL • POLYACETAL
IN.	MM	PART #	A	B	C	D	E	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC		
3/4	20	BK 223-20	19.80	25.22	49.71	9.30	19.70	
1	25	BK 223-25	25.70	33.20	64.32	11.79	25.90	
1 1/4	32	BK 223-32	32.40	39.98	66.74	12.70	31.70	
1 1/2	38	BK 223-38	38.75	46.40	71.00	14.00	38.56	
2	51	BK 223-51	52.10	62.26	80.00	15.50	51.60	

EURO STYLE • CLASSIC • HIGH STRENGTH								MATERIAL • POLYACETAL
IN.	MM	PART #	A	B	C	D		
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC		
1	25	BK 229-25	26.86	33.31	70.21	12.71		

EURO STYLE • CAMBER								MATERIAL • POLYACETAL
IN.	MM	PART #	A	B	C	D	E	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC	
1/2	13	BK 01A-13	13.30	18.90	36.60	7.37	13.30	
3/4	20	BK 227-20	19.70	24.80	51.00	9.00	19.70	
1	25	BK 227-25	25.80	33.30	61.70	11.30	25.80	
1 1/2	38	BK 227-38	39.10	45.10	67.27	15.88	39.00	
2	51	BK 227-51	51.60	59.10	79.20	19.11	51.36	

EURO STYLE • WIDE • OVERSIZED • SQUARE								MATERIAL • POLYACETAL
IN.	MM	PART #	A	B	C	D	E	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC	
3/4	20	BK 206-20	19.90	29.28	52.00	10.00	19.80	
1	25	BK 206-25	26.20	36.40	60.80	12.00	25.80	
1 1/4	32	BK 206-32	32.20	39.70	65.80	12.40	32.50	
1 1/2	38	BK 206-38	39.80	51.50	79.20	17.50	38.80	
2	51	BK 206-51	51.70	65.50	79.20	16.00	50.60	
2	51	BK 206-1-51	51.70	63.50	84.10	15.00	63.50	

CLASSIC EURO STYLE • TAPERED								MATERIAL • POLYACETAL
IN.	MM	PART #	A	B	C	D	E	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC		
1 1/2	38	BK 220-38	39.60	50.00	75.30	39.80		

EURO STYLE • SLIMLINE								MATERIAL • NYLON
IN.	MM	PART #	A	B	C	D	E	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC	
1	25	BK 225-25	26.40	39.00	64.50	12.00	39.00	
1 1/2	38	BK 225-38	38.69	54.87	80.39	15.14	38.69	

SOFT TOUCH

MATERIAL • NYLON


IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
3/4	20	BK 206N-20	19.90	29.28	52.00	10.00
1	25	BK 206N-25	26.20	36.40	60.80	12.00
1	25	BK 206N-1-25	26.20	36.40	60.80	12.00
1 1/4	32	BK 206N-32	32.20	39.70	65.80	12.40
1 1/2	38	BK 206N-38	39.80	51.50	79.20	17.50
2	51	BK 206N-51	51.70	65.50	79.20	16.00



DUAL SIDE RELEASE BUCKLES

A variety of dual side release buckles are available to accommodate a wide range of applications and enhance product appearance and design.

DIMENSIONS



WEBBING DIAGRAM

CLASSIC

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/4	20	BK 210-20	19.86	24.78	57.59	9.80	20.22
1	25	BK 210-25	25.90	32.80	72.15	10.40	25.80
1 1/4	32	BK 210-32	32.20	40.12	72.94	11.90	32.60
1 1/2	38	BK 210-38	38.80	46.46	80.47	13.10	39.00
2	51	BK 210-51	51.20	59.24	89.95	14.55	51.60



CLASSIC • CAMBER

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/4	20	BK 222-20	20.10	25.89	58.54	10.83	20.46
1	25	BK 222-25	26.00	32.03	68.68	13.19	26.20
1 1/2	38	BK 222-38	39.20	45.85	78.05	15.26	39.00
2	51	BK 222-51	51.80	58.54	88.78	16.45	51.70



EURO STYLE • CAMBER


MATERIAL • POLYACETAL


IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1 1/2	38	BK 228-38	39.10	45.11	75.20	15.88	39.00
2	51	BK 228-51	51.40	59.10	89.70	19.35	51.36





CENTER RELEASE BUCKLES


A variety of specialty buckles are available to accommodate a wide range of applications and industries. Commonly used in the pet, industrial safety and lanyard industries.


CENTER RELEASE								MATERIAL • POLYACETAL
IN.	MM	PART #	A	B	C	D	E	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC		
1	25	BK 203-25	27.15	33.90	49.60	6.60	27.50	
1 1/4	32	BK 203-32	32.75	40.55	60.85	6.40	32.75	
1 1/2	38	BK 203-38	38.85	47.60	66.80	6.85	39.10	

CENTER RELEASE								MATERIAL • POLYACETAL
IN.	MM	PART #	A	B	C	D	E	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC		
1	25	BK 219-25	26.30	32.00	50.00		8.68	
1 1/2	38	BK 219-38	39.00	46.20	57.20		10.87	

CENTER RELEASE								MATERIAL • POLYACETAL
IN.	MM	PART #	A	B	C	D	E	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC		
3/8	10	BK 211-10	10.70	14.50	25.80	6.80	14.50	

EURO STYLE • CLASSIC			SINGLE SIDE					MATERIAL • POLYACETAL
IN.	MM	PART #	A	B	C	D	E	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC		
1	25	BK 223-25-TAN	25.70	33.20	64.32	11.79	25.90	
1 1/2	38	BK 223-38-TAN	38.75	46.40	71.00	14.00	38.56	

EURO STYLE • CAMBER			DUAL SIDE					MATERIAL • POLYACETAL
IN.	MM	PART #	A	B	C	D	E	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC		
1 1/2	38	BK 228-38-TAN	39.10	45.11	75.20	15.88	39.00	

CLASSIC								MATERIAL • POLYACETAL
IN.	MM	PART #	A	B	C	D	E	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC		
1	25	LL 503-25-TAN	26.00	30.76	38.78	7.02	7.02	

CAM BUCKLES

Cam buckles offer one-handed secure grip adjustment and locking action that prevents unintentional webbing slippage.

DIMENSIONS




WEBBING DIAGRAM

CLASSIC

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
5/8	16	BK 505-16	15.00	20.50	28.23	10.80
3/4	20	BK 505-20*	19.40	26.00	30.50	13.20
1	25	BK 505-25	24.50	31.80	36.30	13.90
1 1/4	32	BK 505-32	32.80	39.60	49.79	17.50
1 1/2	38	BK 505-38	39.50	46.50	60.30	22.00
2	51	BK 505-51	54.10	61.70	73.40	22.20



MOUNTABLE

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
1	25	BK 505-1-25	25.70	31.70	36.00	6.80




TESTING AND PPAP



SAFETY BUCKLES

DIMENSIONS



WEBBING DIAGRAM

PET LOCK

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/8	10	BK 212-10	10.40	17.80	25.79	5.90	17.80



QUICK RELEASE • ADJUSTABLE

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1	25	BK 201-25	25.90	36.11	54.25	9.00	25.50
1 1/4	32	BK 201-32	32.30	39.31	65.00	11.00	32.00
1 1/2	38	BK 201-38	39.20	48.10	73.85	14.20	48.10



REFLECTOR

MATERIAL • POLYACETAL / NYLON

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1	25	BK 205-25	26.36	33.16	62.60	12.40	33.16
1	25	BK 205N-1-25	26.20	36.40	60.80	14.10	36.40



BREAKAWAY • CONTOUR

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/8	10	BK 208-2-10	11.00	15.54	28.70	7.71	5.30




CENTER RELEASE • BREAKAWAY								MATERIAL • POLYACETAL		
IN.	MM	PART #	A	B	C	D	E	213	213-2	213-1
SIZE	PART NUMBER		METRIC	METRIC	METRIC	METRIC				
5/8	16	BK 213-16	16.80	21.20	24.70	4.19	17.10			
3/4	20	BK 213-20	19.60	23.80	28.50	4.80	19.60			
1	25	BK 213-25	26.00	31.50	29.50	6.00	26.00			
3/4	19	BK 213-2-19	19.00	23.20	25.15	4.19	19.00			
1	25	BK 213-1-25	26.20	31.80	47.50	7.30	26.20			
CENTER RELEASE • BREAKAWAY								MATERIAL • POLYACETAL		
IN.	MM	PART #	A	B	C	D	E	214	214-1	214-2
SIZE	PART NUMBER		METRIC	METRIC	METRIC	METRIC				
1	25	BK-214-25	25.30	33.00	52.85	5.10	25.20			
1	25	BK 214-1-25	26.00	32.00	32.40	4.50	26.00			
1	25	BK 214-2-25	26.00	32.00	44.70	4.20	26.00			
LANYARD • BREAKAWAY								MATERIAL • POLYACETAL		
IN.	MM	PART #	A	B	C	D				
SIZE	PART NUMBER		METRIC	METRIC	METRIC					
1132	8.5	BK 663-8.5	3.80	10.20	28.20	4.00				
LANYARD • BREAKAWAY								MATERIAL • POLYACETAL		
IN.	MM	PART #	A	B	C	D				
SIZE	PART NUMBER		METRIC	METRIC	METRIC					
9/16	10	BK 670-10	9.10	13.20	33.55	5.2				
3/8	15	BK 670-15	9.20	10.20	28.20	4.00				
SAFETY • CAMBER								MATERIAL • POLYACETAL		
IN.	MM	PART #	A	B	C	D				
SIZE	PART NUMBER		METRIC	METRIC	METRIC					
3/8	10	BK 674-10	10.70	15.60	32.00	8.65				
5/8	16	BK 675-16	16.32	23.01	52.02	9.75				
3/4	20	BK 676-20	19.48	26.22	52.03	9.89				

SPECIALTY SIDE RELEASE BUCKLES

Side release buckles offer quick release action along with webbing grip and adjustment. Many styles are available to enhance both appearance and function for numerous applications.

DIMENSIONS



WEBBING DIAGRAM

SIDE LOOP

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1 1/2	38	BK 226-38	39.00	62.80	76.06	12.88	62.80



KEY • LOCK

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
2	51	BK 224-51	52.70	63.10	79.20	16.50	52.50



QUICK CORD RELEASE

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC
7/16	10	BK 622-10	10.20	13.40	34.85	3.70



STANDARD

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
7/16	10	BK 625-10	7.90	13.50	24.80	6.30	11.00



MOUNTABLE • SIDE RELEASE								MATERIAL • POLYACETAL	
IN.	MM	PART #	A	B	C	D	E		
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC			
1	25	BK 209-25	26.36	33.16	68.05	13.60	5.30		
MOUNTABLE • CENTER RELEASE								MATERIAL • POLYACETAL	
IN.	MM	PART #	A	B	C	D			
SIZE		PART NUMBER	METRIC	METRIC	METRIC				
1	25	BK 215-25	4.80	26.31	47.80	13.57			
MOUNTABLE • CENTER RELEASE								MATERIAL • POLYACETAL	
IN.	MM	PART #	A	B	C	D			
SIZE		PART NUMBER	METRIC	METRIC	METRIC				
7/16	11	BK 216-11	15.40	26.10	37.80	13.15			
7/16	11	BK 216-1-11	15.40	52.00	44.00	9.65			
QUICK RELEASE								MATERIAL • POLYACETAL	
IN.	MM	PART #	A	B	C	D			
SIZE		PART NUMBER	METRIC	METRIC	METRIC				
7/16	10	BK 662-10	8.80	13.00	25.29	13.00			
ABS • NICKEL PLATING								MATERIAL • POLYACETAL / ABS / NYLON	
IN.	MM	PART #	A	B	C	D	<p>206A ABS-NICKEL</p>		
SIZE		PART NUMBER	METRIC	METRIC	METRIC				
1	25	BK 206A-25	26.20	36.40	60.80	12.00			


VALUE ADDED SERVICES

- Custom Packaging
- Upholstery Button Supplies and Equipment
- Fastener Attachment
- Sewn Assembly
- Sonic Welding
- Cut-To-Length Services

LADDER LOCKS

Ladder lock buckles minimize slippage of webbing and provide for easy release or tightening adjustments with one hand.

DIMENSIONS



WEBBING DIAGRAM

CLASSIC

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
5/8	16	LL 503-16	16.80	21.20	33.00	6.60	6.60
3/4	20	LL 503-20	20.00	25.80	39.00	6.80	2.60
1	25	LL 503-25	26.00	30.76	38.78	7.02	7.02
1 1/4	32	LL 503-32	32.55	38.70	43.30	8.10	8.10
1 1/2	38	LL 503-38	39.00	45.50	50.50	8.40	8.40



EURO STYLE

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
5/8	16	LL 503-1-16	15.95	21.24	31.15	8.00	8.00
3/4	20	LL 503-1-20	19.60	26.20	34.70	8.27	8.27
1	25	LL 503-1-25	26.20	33.66	35.06	9.24	9.24




HEAVY DUTY

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1	25	LL 501-25*	24.80	33.48	49.80	9.77	2.80
1 1/2	38	LL 501-38	38.80	48.56	64.20	10.90	3.50
2	51	LL 501-51	51.90	65.90	78.42	24.81	25.00

* Also available in white.



HEAVY DUTY • CONTOUR

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC
2	51	LL 517-51	52.17	63.95	65.65	12.70



CONTOUR

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
3/4	20	LL 516-20	20.50	27.80	31.97	10.60



CONTOUR

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
1	25	LL 501-1-25	26.00	32.60	37.60	9.67



DUAL

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	
1	25	LL 502-25	26.20	33.00	40.29	7.80	2.63



STANDARD

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
3/4	20	LL 504-20	19.60	26.00	35.89	13.67
1	25	LL 504-25	26.20	32.80	46.80	16.37



STANDARD

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
3/4	20	LL 504-1-20	19.88	27.12	39.60	8.27



STANDARD

MATERIAL • POLYACETAL


IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
1	25	LL 502-1-25	25.80	33.04	31.28	10.09



3-BAR SLIDES

3-bar slides secure loose webbing and also provide length adjustment on strap assemblies. Available in a variety of sizes and styles for varying applications and webbing sizes and thicknesses.

DIMENSIONS




WEBBING DIAGRAM

STANDARD

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
5/8	16	SL 512-16	16.70	23.30	23.30	5.10
3/4	20	SL 512-20	20.00	26.50	24.00	5.30
1	25	SL 512-25	26.80	33.60	25.70	5.30
1 1/4	32	SL 512-32	32.10	40.20	27.60	5.40
1 1/2	38	SL 512-38	38.80	48.00	32.30	6.60
1 3/4	45	SL 512-45	45.40	54.90	32.80	6.60
2	51	SL 512-51	51.20	60.80	34.30	6.70



HEAVY DUTY

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
5/8	16	SL 511-16	16.10	22.95	22.20	4.95
3/4	20	SL 511-20	20.00	27.40	23.40	5.35
1	25	SL 511-25	26.60	33.40	23.50	4.59
1 1/4	32	SL 511-32	32.30	41.00	27.50	4.80
1 1/2	38	SL 511-38	37.80	47.90	33.85	6.10
1 3/4	45	SL 511-45	45.50	55.40	35.08	6.10
2	51	SL 511-51	50.90	61.00	37.60	7.80









HEAVY DUTY

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
1/2	13	SL 510-13	13.50	21.10	19.60	4.40
5/8	16	SL 510-16	16.40	23.40	23.70	4.20
3/4	20	SL 510-20	19.70	28.00	25.70	4.60
1	25	SL 510-25	26.20	34.80	32.00	5.00
1 1/2	32	SL 510-32	32.50	41.50	39.50	6.70
1 3/4	38	SL 510-38	38.60	47.55	39.20	6.60



SQUARE WIDE MOUTH							MATERIAL • POLYACETAL	
IN.	MM	PART #	A	B	C	D		
SIZE		PART NUMBER	METRIC	METRIC	METRIC			
5/8	16	SL 508-16	16.40	20.85	27.20	5.80		
3/4	20	SL 508-20	19.90	26.50	30.45	6.10		
1	25	SL 508-25	25.60	31.30	32.80	7.70		
STANDARD							MATERIAL • POLYACETAL	
IN.	MM	PART #	A	B	C	D		
SIZE		PART NUMBER	METRIC	METRIC	METRIC			
7/16	10	SL 506-10	10.20	13.20	10.50	.80		
1/2	13	SL 506-13	13.20	17.80	13.70	3.00		
5/8	16	SL 506-16	16.30	21.10	17.50	2.20		
1	25	SL 506-25	25.80	30.80	17.40	2.10		
SLIDE • SINGLE LOOP							MATERIAL • POLYACETAL	
IN.	MM	PART #	A	B	C	D		
SIZE		PART NUMBER	METRIC	METRIC	METRIC			
1	25	SL 514-25	16.70	23.30	23.30	5.10		
SLIDE • DOUBLE LOOP							MATERIAL • POLYACETAL	
IN.	MM	PART #	A	B	C	D		
SIZE		PART NUMBER	METRIC	METRIC	METRIC			
3/4	20	SL 513-20	20.80	43.20	27.00	3.30		
1	25	SL 513-25	26.00	40.00	30.40	3.30		
SLIDE & KEEPER							MATERIAL • POLYACETAL	
IN.	MM	PART #	A	B	C	D		
SIZE		PART NUMBER	METRIC	METRIC	METRIC			
3/16	5	SL 507-5	5.50	8.50	22.00	5.50		
7/16	11	SL 507-11	11.20	15.00	25.30	5.50		
STANDARD							MATERIAL • POLYACETAL	
IN.	MM	PART #	A	B	C	D	E	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC		
1	25	SL 515-25	26.80	32.91	30.00	7.00	18.20	

3-bar slides secure loose webbing and also provide length adjustment on strap assemblies. Available in a variety of sizes and styles for varying applications and webbing sizes and thicknesses.

DIMENSIONS



WEBBING DIAGRAM

SEWABLE

MATERIAL • NYLON

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/4	20	LP 409-20	20.00	27.63	20.18	3.92	1.23
1	25	LP 409-25	29.00	38.60	20.79	2.74	1.02
1 3/4	45	LP 409-45	45.60	54.00	21.10	3.00	1.00



SEWABLE

MATERIAL • NYLON

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1	25	LL 407-25	26.00	33.20	62.60	7.70	1.00




Taking your business in new directions



6 ANGLE DOUBLE BAR RINGS

6-angle double bar rings prevent webbing from twisting and keeps webbing taut for a smoother appearance. The bar rings also help center weight and create a strong attaching point.

DIMENSIONS



OPEN

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
3/4	20	LP 417-20	19.90	26.50	20.20	4.38
1	25	LP 417-25	26.80	34.60	27.20	4.76
1 1/4	32	LP 417-32	32.20	41.40	29.00	4.97
1 1/2	38	LP 417-38	38.70	48.90	34.80	5.68
2	51	LP 417-51	51.50	62.30	39.50	4.70



CLOSED

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
3/4	20	LP 418-20	20.00	27.60	26.60	5.07
1	25	LP 418-25	26.20	33.80	26.50	5.12
1 1/4	32	LP 418-32	32.50	42.30	30.50	5.94
1 1/2	38	LP 418-38	39.40	49.40	31.00	5.63
2	51	LP 418-51	52.40	62.60	38.00	5.94



6-ANGLE

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
1	25	LP 415-25	26.00	35.60	5.42	28.69
1 1/4	32	LP 415-32	32.00	43.00	5.63	30.30
1 1/2	38	LP 415-38	38.50	49.10	5.74	31.80



DOUBLE BAR

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
2	51	LP 416-51	52.00	62.26	34.80	6.16



STRAP DIVIDERS

Strap dividers provide a means of intersecting webbing from multiple angles.

DIMENSIONS



STRAP DIVIDER

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/4	20	PD 713-1	44.00	75.00	50.00	2.20	37.40



STRAP DIVIDER

MATERIAL • POLYACETAL


IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1 1/2	38	PD 713-2	38.00	44.38	25.00	5.60	18.46



GALLUSES

Galluses provide a means of attachment to another object or suspender.

DIMENSIONS




HOOK

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1	25	SH 307-25	29.00	40.00	37.20	4.50	3.60
1 1/2	38	SH 307-1-38	30.20	50.20	49.00	5.20	3.80



DIMENSIONS



STRAP DIVIDER

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1	25	LP 320	26.30	38.00	45.00	4.50	24.80




STRAP DIVIDER

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1 1/2	38	LP 321	38.80	48.80	45.00	4.30	24.60



DIMENSIONS



LOOP 3 PC SET

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E	F
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC	METRIC
1	25	LP 322	26.30	40.00	45.00	24.80	4.50	13.00



LOOP • HEAVY DUTY • 3 PC SET

MATERIAL • POLYACETAL


IN.	MM	PART #	A	B	C	D	E	F
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC	METRIC
1 1/2	38	LP 323	38.80	54.00	45.00	24.60	4.30	13.00



SQUARE LOOPS

Loops join two pieces of webbing together and are ideal for non-adjustment applications.

DIMENSIONS



STANDARD

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
5/8	16	LP 419-16	16.30	23.30	14.39	3.72
3/4	20	LP 419-20	19.80	26.60	14.79	4.40
1	25	LP 419-25	26.40	34.40	16.20	3.50
1 1/4	32	LP 419-32	32.70	41.90	18.50	4.45
1 1/4	38	LP 419-38	39.00	49.00	19.90	4.00
1 3/4	45	LP 419-45	45.00	54.60	20.20	4.00
2	51	LP 419-51	52.00	62.00	20.80	4.68



CLASSIC

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
3/4	20	LP 420-20	20.36	28.10	16.60	5.60
1	25	LP 420-25	27.00	36.00	19.50	5.50
1 1/4	32	LP 420-32	32.80	42.00	19.99	6.00
1 1/4	32	LP 420-1-32	32.00	41.00	23.90	4.00
1 1/2	38	LP 420-38	38.80	48.00	19.50	6.00
2	51	LP 420-51	51.70	62.20	20.20	6.60



CLASSIC • WIDE MOUTH

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
1	25	LP 422-25	26.10	34.50	22.60	6.00
1 1/4	32	LP 422-32	32.00	40.80	23.10	6.50
1 1/2	38	LP 422-38	39.00	48.60	24.40	6.40
2	51	LP 422-51	51.50	61.80	24.70	6.20




SQUARE • WIDE MOUTH

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
1	25	LP 421-25	26.40	36.80	27.40	6.40
1 1/4	32	LP 421-32	32.60	43.00	27.20	6.40
1 1/2	38	LP 421-38	39.00	49.40	27.40	6.20
2	51	LP 421-51	51.80	62.20	27.20	6.20



DIMENSIONS




DOUBLE • LOOP

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1 1/2	38	LP 425-38	42.70	52.40	31.33	5.40	18.30



DIMENSIONS



WELDED PLASTIC PIN

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC
1 1/4	32	LP 404-32	5.20	42.40	4.00	7.19



HEAVY DUTY

MATERIAL • POLYACETAL


IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC
1	25	LP 401-25	26.00	35.50	28.50	3.20
1 1/2	38	LP 401-38	38.60	48.00	28.60	3.20
2	51	LP 401-51	51.40	50.50	29.20	3.20
2	51	LP 401-1-51	51.30	60.50	25.00	5.20



BELT LOOPS

Belt loops are used in conjunction with adjustable buckles, with the belt loop stays offering a means of securing the loose end of the webbing.

DIMENSIONS



ADJUSTER

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
5/8	16	LP 405-16	17.00	20.00	9.40	5.10
3/4	20	LP 405-20	20.30	23.20	9.50	5.10
1	25	LP 405-25	26.20	29.40	8.80	5.60
1 1/4	32	LP 405-32	32.80	35.80	9.00	5.80



HEAVY DUTY • ADJUSTER

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
5/8	16	LP 406-16	17.00	21.00	10.60	4.00
3/4	20	LP 406-20	20.10	24.00	11.80	4.70
1	25	LP 406-25	26.60	32.00	11.20	6.50
1 1/2	38	LP 406-38	39.20	45.60	15.80	9.50
1 1/2	38	LP 406-2-38	40.40	49.20	20.30	11.50
2	51	LP 406-51	51.60	55.60	15.50	10.80
2	51	LP 406-1-51	52.60	59.20	15.80	9.90
2	51	LP 406-2-51	51.20	60.20	19.40	10.80




Protect the value of your product



SPECIALTY LOOPS

DIMENSIONS




WEBBING END • O-RING

MATERIAL • NYLON

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1 1/2	38	LP 426-38	35.50	44.50	51.00	7.00	5.00



DIMENSIONS



CHAFE TAB

MATERIAL • NYLON

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1	25	LP 424-25	26.00	32.00	38.23	3.00	4.50
1 1/2	38	LP 424-38	38.50	44.50	45.93	3.00	5.50
2	51	LP 424 -51	51.40	57.40	46.31	3.00	5.50



PADEYES

Our padeyes are normally surface-mounted with #10 or #12 self-tapping screws. They are frequently used as snap hook anchors.

DIMENSIONS



MATERIAL • POLYPROPYLENE


IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1/2	13	PE 541*	12.60	48.20	17.85	12.70	4.90



D-RINGS

D-rings center weight and provide a means of attachment for snap hooks or other types of hardware. Several styles are available to complement various applications.

DIMENSIONS



CLASSIC

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
1/2	13	DR 412-13	13.27	19.31	2.80	12.65
3/4	20	DR 412-20	20.01	27.03	3.20	20.08
1	25	DR 412-25	26.20	34.20	4.00	24.10
1 1/4	32	DR 412-32	33.94	42.80	4.20	25.80
1 1/2	38	DR 412-38	39.39	49.48	5.00	33.40
2	51	DR 412-51	51.98	64.47	6.00	44.40



HEAVY DUTY

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
3/4	20	DR 411-20	20.30	29.10	4.60	25.10
1	25	DR 411-25	26.00	36.40	5.53	27.80
1 1/4	32	DR 411-32	32.00	41.20	5.70	27.64
1 1/2	38	DR 411-38	38.60	49.40	5.96	28.80
2	51	DR 411-51	54.00	66.20	5.80	31.00



HEAVY DUTY • WIDE MOUTH

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
3/4	20	DR 413-20	19.60	27.60	3.60	23.80
1	25	DR 413-25	26.30	34.70	3.20	28.40
1 1/4	32	DR 413-32	32.50	40.90	4.40	32.30
1 1/2	38	DR 413-38	39.00	48.00	4.50	36.00
1 3/4	45	DR 413-45	44.80	54.60	4.10	39.20
2	51	DR 413-51	51.70	62.10	4.20	42.20




Taking your business in new directions



LOOP							MATERIAL • POLYACETAL
IN.	MM	PART #	A	B	C	D	
SIZE		PART NUMBER	METRIC	METRIC	METRIC		
1	25	LP 423-25	25.90	33.50	4.00	31.80	

LOOP • SQUARE NOTCH							MATERIAL • POLYACETAL
IN.	MM	PART #	A	B	C	D	
SIZE		PART NUMBER	METRIC	METRIC	METRIC		
1	25	LP 336	25.80	53.40	3.50	27.60	



SEWABLE D-RINGS							MATERIAL • NYLON	
IN.	MM	PART #	A	B	C	D	E	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC		
3/4	20	DR 408-20	19.90	28.50	42.10	4.30	.80	
1	25	DR 408-25	26.40	35.80	45.30	5.00	.80	
1 1/2	38	DR 408-38	38.40	46.80	56.00	5.5	.80	

SEWN ASSEMBLY


FASNAP® offers sewing capabilities for many application requirements. Combine our hook & loop, webbing, or shock cord with snap hooks, slides, d-rings, shock cord hooks, or other fasteners to create custom sewn assemblies.



TRI-RINGS

Tri-rings anchor hook and loop or webbing straps, help center weight and eliminate bunching.

DIMENSIONS



CLASSIC

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
3/4	20	TR 414-20	19.70	30.73	3.80	29.00
1	25	TR 414-25	26.17	36.03	3.60	33.99
1 1/4	32	TR 414-32	32.50	41.48	3.90	44.70
1 1/2	38	TR 414-38	39.00	47.44	4.00	50.73
1 3/4	45	TR 414-45	46.00	57.08	4.30	52.90
2	51	TR 414-51	51.40	61.53	4.00	58.19



HEAVY DUTY • ROUNDED

MATERIAL • POLYACETAL


IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
3/4	20	TR 402-20	19.00	27.80	4.20	26.00



O-RINGS

O-rings are ideal in non-adjustment applications, and also join together two pieces of webbing.

DIMENSIONS



CLASSIC

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C
SIZE		PART NUMBER	METRIC	METRIC	METRIC
3/8	10	OR 410-09	10.00	14.80	2.20
3/4	20	OR 410-20	20.50	27.30	3.20
1	25	OR 410-25	26.00	33.80	3.90
1 1/2	38	OR 410-38	38.60	48.40	4.90
2	51	OR 410-51	51.40	63.40	6.00



TAB

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C
SIZE		PART NUMBER	METRIC	METRIC	METRIC
3	78	LP 338	77.80	88.80	5.50



CLIPS • HOOKS

Clips and hooks are perfect for many applications including the safety, industrial, medical and consumer technical markets.

DIMENSIONS



BELT CLIP • 3 PC SET

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1	25	LP 325-25	26.40	30.00	11.20	11.50	2.09
1 1/2	38	LP 325-38	38.60	43.60	12.50	17.81	1.75
2	51	LP 325-51	51.30	56.30	12.50	17.18	1.75



DIMENSIONS




CASE CLIP

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC
3/16	5	LP 326	5.00	21.00	65.42	15.32



DIMENSIONS



SWIVEL CELL PHONE CLIP

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E	F
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC	METRIC
7/8	22	SH 341	22.00	27.80	63.99	40.00	25.00	21.20



Clips and hooks are perfect for many applications including the safety, industrial, medical and consumer technical markets.

DIMENSIONS




BELT CLIP / HOOK

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/4	20	LP 330	20.00	26.80	36.20	9.50	5.80




DIMENSIONS




HANGING HOOK

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
9/32	7	LP 335	7.00	23.00	45.20	10.00	3.00




DIMENSIONS



HANGING HOOK • FLEXIBLE

MATERIAL • POLYACETAL


IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/8	10	LP 334	10.00	14.00	83.80	23.00	19.80



SNAP HOOKS

Snap hooks are available in a wide range of styles and sizes to accommodate many applications. Heavy-duty and weather resistant, the hooks are most commonly used in detachable shoulder strap assemblies.

DIMENSIONS



STANDARD

MATERIAL • POLYACETAL


IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/4	20	SH 309-20	20.00	28.40	56.69	18.79	7.08
1	25	SH 309-25	25.60	34.60	56.74	18.60	6.80
1 1/4	32	SH 309-32	32.60	41.00	56.54	18.67	7.08
1 1/2	38	SH 309-38	39.00	47.40	56.44	18.60	6.80




HEAVY DUTY

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1 1/2	38	SH 308-38	38.80	47.50	57.24	18.60	6.80
1 3/4	45	SH 308-45	45.20	53.80	57.24	18.60	6.81
2	51	SH 308-51	51.60	60.20	56.98	18.60	6.81




DIMENSIONS




SWIVEL

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/4	20	SH 310-20	20.10	27.70	62.50	18.20	2.70
1	25	SH 310-25	26.40	34.00	62.50	18.20	2.70
1 1/4	32	SH 310-32	32.40	40.00	62.50	18.20	2.70
1 1/2	38	SH 310-38	39.60	47.20	62.50	18.20	2.70
1 3/4	45	SH 310-45	45.40	53.00	62.50	18.20	2.70
2	51	SH 310-51	51.60	59.20	62.50	18.20	2.70



DIMENSIONS



UNIVERSAL SWIVEL

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/4	20	SH 311-20	22.00	30.00	50.50	32.20	2.50
1	25	SH 311-25	25.80	33.80	50.50	32.20	2.50
1 1/4	32	SH 311-32	32.70	42.30	64.80	42.40	3.10
1 1/2	38	SH 311-38	38.60	49.00	65.70	42.40	3.10
2	51	SH 311-51	51.10	62.30	73.15	47.00	3.50



SWIVEL

MATERIAL • POLYACETAL


IN.	MM	PART #	A	B	C	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC
3/4	20	SH 315-20	20.00	33.89	77.27	33.86
1	25	SH 315-25	25.40	40.16	77.59	18.35
1 1/2	38	SH 315-38	38.19	52.93	78.71	18.35
2	51	SH 315-51	51.25	65.80	79.24	18.35




CORD LOCK • SWIVEL

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1/2	12	SH 312-12	12.20	19.20	63.80	39.90	2.70



DIMENSIONS



SHOCK CORD


MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1/4	7	CL 302-1-7	9.00	12.40	46.50	17.84	4.60
1/4	7	CL 302-2-7	9.00	12.40	46.50	17.84	4.60

302-1 NON-LOCKING 302-2 LOCKING




DIMENSIONS



SPRING HOOK

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1	25	SH 313-25	28.00	38.30	60.40	35.80	3.40
1 1/4	32	SH 313-32	34.66	44.66	60.40	35.80	3.40
1 1/2	38	SH 313-38	36.90	50.90	60.40	35.80	3.40
2	51	SH 313-51	53.60	63.60	60.40	35.80	3.40



SMALL

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
5/16	8	SH 301	7.60	14.20	39.40	5.30	3.30
1/2	13	SH 301-1	13.70	8.70	27.50	N/A	N/A



O-RING

MATERIAL • POLYACETAL


IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
5/16	8	SH 304-1-08	7.15	11.24	35.64	11.24	4.00
7/16	10	SH 304-1-10	9.95	11.55	46.97	10.00	5.40



D-RING

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/4	20	SH 304-20	20.40	26.40	52.04	11.49	3.00
1	25	SH 304-25	25.70	33.70	57.00	12.20	5.40




J-TYPE

MATERIAL • NYLON

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1/2	13	SH 329	13.00	37.48	70.00	19.00	8.96
1/2	13	SH 329-1-0	13.00	39.85	70.00	19.00	8.96



DIMENSIONS



SWIVEL • SPRING

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/4	20	SH 331-20*	19.70	31.70	62.90	31.70	2.79
1	25	SH 331-25*	26.00	38.00	62.70	38.00	2.79
1 1/4	32	SH 331-32*	32.40	44.40	62.70	44.40	2.79
1 1/2	38	SH 331-38*	38.60	50.60	62.70	50.60	2.79
1 3/4	45	SH 331-45*	44.70	56.70	62.70	56.70	2.79
2	51	SH 331-51*	51.00	63.00	62.70	63.00	2.79



* Also available in two-color.

SWIVEL • CLASP

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/4	20	SH 332-20	19.70	31.70	62.90	31.70	2.79
1	25	SH 332-25	26.00	38.00	62.70	38.00	2.79
1 1/4	32	SH 332-32	32.40	44.40	62.70	44.40	2.79
1 1/2	38	SH 332-38	38.60	50.60	62.70	50.60	2.79
1 3/4	45	SH 332-51	44.70	56.70	62.70	56.70	2.79



KEY RING (ROUND)

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
23/32	18	SH 305	18.20	21.81	58.30	22.42	4.60




KEY RING (SQUARE)

MATERIAL • ABS

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
23/32	18	SH 306	18.20	21.81	72.50	26.95	5.40



DIMENSIONS




CARABINER HOOK

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1 3/8	60	SH 337	20.00	31.60	59.40	9.60	5.80



DIMENSIONS




HANG HOOK

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
7/32	31	SH 317	31.20	163.89	52.77	9.25	7.80



DIMENSIONS




HANG HOOK

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1 1/4	31	SH 318	30.72	78.40	80.17	42.60	4.50



DIMENSIONS



HANGER HOOK

MATERIAL • POLYACETAL


IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
1 1/2	38	SH 316	38.40	51.50	51.81	18.00	11.30
1 1/2	38	SH 316-1	40.00	51.50	51.81	19.00	11.30

316

316-1



DIMENSIONS




HANGER HOOK

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
7/32	31	LP 333	25.50	45.50	45.50	9.00	9.80



DIMENSIONS



HANG HOOK

MATERIAL • POLYACETAL


IN.	MM	PART #	A	B	C	D	E
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC
3/4	20	SH 319-20	19.84	40.60	62.20	22.00	4.20
7/8	22	SH 319-22	22.80	40.80	62.80	22.00	4.40
1	25	SH 319-25	26.10	41.40	64.20	22.00	4.20



SHOULDER PADS

Shoulder pads offer cushioned support in bag and luggage applications and are available in a variety of styles for versatile design. Lash tabs are sewn in and provide a means of accepting webbing on backpacks and other types of soft baggage.

DIMENSIONS



OVAL

MATERIAL • PVC

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
1	25	PD 716-25	26.00	135.04	148.00	5.50
1 1/4	32	PD 716-32	32.00	148.00	45.00	5.50
1 1/2	38	PD 716-38	38.80	124.26	145.50	6.20
1 3/4	45	PD 716-45	45.50	154.00	50.40	6.40
2	51	PD 716-51	51.50	133.28	158.00	3.00



STANDARD

MATERIAL • PVC

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
1	25	PD 717-25	28.50	146.00	10.50	6.50
1 1/4	32	PD 717-32	32.00	145.00	44.66	5.80
1 1/2	38	PD 717-38	39.00	149.00	16.00	5.60
2	51	PD 717-51	51.50	133.28	158.00	3.00




HEAVY DUTY

MATERIAL • THERMOPLASTIC RUBBER

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
2	51	PD 722-51	52.60	168.00	6.30	17.75



DIMENSIONS



HEAVY DUTY

MATERIAL • POLYACETAL

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
1 1/2	38	PD 719-38	29.00	150.00	47.41	3.92



SQUARE

MATERIAL • PVC

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
1 1/4	32	PD 720-32	33.40	145.00	42.00	3.50



RADIAL

MATERIAL • PVC

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
1 1/2	38	PD 721-38	41.04	200.00	63.24	17.55





LASH TAB


MATERIAL • Hytrel®

IN.	MM	PART #	A	B	C	D
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
1	25	PD 718-25	20.33	98.00	43.00	7.50





LASH TAB							MATERIAL • Hytrel®
IN.	MM	PART #	A	B	C	D	
SIZE		PART NUMBER	METRIC	METRIC	METRIC		
1 1/2	38	PD 711-38	38.50	66.60	43.50	6.00	

LASH TAB							MATERIAL • Hytrel®
IN.	MM	PART #	A	B	C	D	
SIZE		PART NUMBER	METRIC	METRIC	METRIC		
3/4	20	PD 712-1	20.00	50.80	50.80	3.50	
1	25	PD 712-2	27.50	56.00	56.00	3.50	

LASH TAB							MATERIAL • Hytrel®
IN.	MM	PART #	A	B	C	D	
SIZE		PART NUMBER	METRIC	METRIC	METRIC		
1	25	PD 714-25	26.80	140.00	54.50	2.79	

DIMENSIONS




SEW-IN						MATERIAL • POLYACETAL
IN.	MM	PART #	A	B	C	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	
5 1/4	130	PD 715	130.00	2.50	62.00	

ZIPPER PULLS

Zipper pulls confine loose string ends by snapping onto the ends of cordage. Available in a wide variety of designs for versatility and style enhancement.

DIMENSIONS



END								MATERIAL • POLYACETAL		
IN.	MM	PART #	A	B	C	D	E	647-0	647-38	680-38
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC			
1/4	7	CL 647-0*	5.50	16.90	36.65	5.77	6.78			
1/4	7	CL 647-38*	5.50	16.90	36.65	5.77	6.78			
1/2	12	CL 680-38*	6.00	11.63	65.68	11.63	6.00			
<i>*Available in white.</i>										

END								MATERIAL • POLYACETAL		
IN.	MM	PART #	A	B	C	D	E	664	666	
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC			
3/4	20	CL 664	10.00	12.50	8.97	5.60	5.60			
7/8	22	CL 666*	3.84	20.33	38.08	10.90	6.40			
<i>*Available in white.</i>										

END								MATERIAL • POLYACETAL		
IN.	MM	PART #	B	C	D			665		
SIZE		PART NUMBER	METRIC	METRIC	METRIC					
3/4	20	CL 665	12.70	26.20	11.44				CLIP	

END								MATERIAL • POLYACETAL			
IN.	MM	PART #	A	B	C	D	E	646	671	672	673
SIZE		PART NUMBER	METRIC	METRIC	METRIC	METRIC	METRIC				
3/4	20	CL 646	4.90	13.00	24.57	7.1	8.60				
7/8	22	CL 671	4.00	12.13	16.50	7.95	N/A				
1	25	CL 672	5.45	15.00	23.35	6.80	N/A				
7/8	22	CL 673	5.90	11.50	19.80	10.60	N/A				

CORD LOCKS & ENDS


Cord locks and cord ends provide a durable, weather-resistant means for securing cordage. Commonly used in the sporting equipment, bag and luggage industries, as well as in industrial applications.

DIMENSIONS



PART #	A	B	C	MATERIAL • POLYACETAL / ABS				
	METRIC	METRIC	METRIC					
CL 602	6.90	12.50	25.35					
CL 603	7.00	13.75	31.10					
CL 604	7.60	14.90	14.90					
CL 605	6.80	11.85	39.10					
CL 606	6.00	12.65	31.74					
CL 608	7.00	13.90	30.70					
CL 612	7.90	17.75	22.40					
CL 613	8.39	17.58	21.60					
CL 614	5.95	19.30	15.30					
CL 618	6.50	18.50	29.70					
CL 619	7.00	13.00	30.00					
CL 620-0	6.20	14.60	26.10					
CL 621	7.00	17.00	29.95					
CL 630	5.20	24.00	21.00					
CL 636	8.00	20.90	26.74					
CL 639	7.10	20.30	22.90					
CL 640	4.60	20.60	23.20					
CL 641	5.10	7.40	29.35					
CL 642	6.80	25.59	34.00					
CL 643	6.63	21.85	21.45					
CL 648-0	5.40	11.00	20.70					
CL 650	3.80	9.10	21.20					
CL 651-0	6.50	12.50	21.11					
CL 652	6.00	12.00	20.00					
CL 654	7.00	15.00	17.30					
CL 655	3.55	15.25	16.10					
CL 661	7.80	14.50	38.70					

DIMENSIONS






PART #	A	B	C	MATERIAL • POLYACETAL / ABS			
	METRIC	METRIC	METRIC				
CLE 623	4.30	12.00	10.33	624	628	629	659
CLE 624	6.80	10.29	13.40				
CLE 628	5.80	10.30	15.60				
CLE 629	5.70	16.00	16.00				
CLE 631	4.20	24.00	18.00	631	632	644	645
CLE 632	5.20	32.20	5.00				
CLE 644	5.00	27.80	11.00				
CLE 645	5.00	38.20	10.37				
CLE 658	5.60	11.52	13.35		623	658	
CLE 659-W	4.50	13.50	12.00				
CLE 667	4.20	11.42	20.00				
CLE 668	2.60	5.00	16.00	667	668	680	
CL 680	6.00	18.54	11.73				

Fasnap's holders attach to standard sized plastic beverage containers. Use with webbing and hardware to create a custom look; attaches to golf bags, backpacks, belt loops, and more.

BOTTLE HOLDER		MATERIAL • POLYACETAL
	PART #	
DESCRIPTION		
Black Holder	PLSBTLHLDRB	
Natural Holder	PLSBTLHLDRC	

PLASTIC SNAP FASTENERS

Fasnap® plastic snap fasteners offer the maximum in corrosion resistance. Manufactured from the highest quality raw materials, Fasnap® plastic snap fasteners are highly durable, lightweight, and will accommodate material of varying thickness.

LIGHT DUTY			
	PART NUMBER	WHITE	BLACK
		P3AWHT	P3ABLK
		P3BWHT	P3BBLK
		P3CWHT	P3CBLK
MEDIUM DUTY			
	PART NUMBER	WHITE	BLACK
		P6A20WHT	P6A20BLK
		P6A24WHT	P6A24BLK
		P6BWHT	P6BBLK
		P6CWHT	P6CBLK
HEAVY DUTY			
	PART NUMBER	WHITE	BLACK
		P7A24WHT	P7A24BLK
		P7BWHT	P7BBLK
		P7CWHT	P7CBLK

PLASTIC GROMMETS & WASHERS

FASNAP® plastic grommets and washers provide a reinforced hole for light-duty needs. This product is available in custom colors, solidifying the best appearance for many applications. Our plastic grommets and washers offer defense in corrosion resistance.

SIZE	I.D.	O.D.	PART NUMBER	White	Black
SIZE • DESCRIPTION				PART NUMBER	PART NUMBER
#2	13/32	27/32		GRMWSH250WPL	GRMWSH250BKPL
#3	15/32	15/16		GRMWSH280WPL	GRMWSH280BKPL

** Denotes non-stock items which may have minimum purchase requirements.*



PLASTIC SNAP GROMMETS & WASHERS

Our plastic snap grommet and washer afford identical light-duty hole reinforcement as our plastic grommets, but with a much easier assembly. This line can be quickly assembled by hand; thus eliminating the need for setting dies.

SIZE	I.D.	O.D.	PART NUMBER	Black
SIZE • DESCRIPTION				PART NUMBER
#2	23/64	1-3/16		GRMWSH250BKPLS

Colors available with minimum purchase requirements.



FOUR-PIECE PLASTIC TURN FASTENER

Fasnap® plastic four-piece turn fastener is ideal where a non-corrosive positive locking fastener is needed. It is suitable for light-duty application.

	4-PIECE SET		MATERIAL • NYLON
	DESCRIPTION		PART NUMBER
	Black / PLASTIC TURN FASTENER-SQUARE		TF 217
	Black / PLASTIC TURN FASTENER-OVAL		TF 218

STAYPUT FASTENER SYSTEM

The Stayput fastener system works with a #1 spur or #2 plain grommet. This system requires no pressure to open or close the fastener; the weight of the fabric on the fastener locks the toggle. The studs are available in two styles and lengths to accommodate various applications and fabric thicknesses. Stayput products are manufactured from UV stabilized glass-filled nylon.

		White	Black
	SIZE • DESCRIPTION	PART NUMBER	PART NUMBER
	Vertical		
	Single Stud	SPVSS34W	SPVSS34B
	Double Stud	SPVDS35W	SPVDS35B
	Horizontal		
	Single Stud	SPHSS37W	SPHSS37B
	Double Stud	SPHDS38W	SPHDS38B
	Curved		
	Base	SPCB76W	SPCB78B
	Canvas-to-Canvas		
	Single Stud, 2 pc.	SPCCSS39W	SPCCSS39B
	Double Stud, 2 pc.	SPCCDS40W	SPCCDS40B
	Keder Track		
Slide, 2 pc.	SPKTS10W		













The Stayput shock cord clip is used to apply tension to the fabric to which it is attached. This clip can be installed in different thicknesses of fabric, has excellent corrosion resistance and is UV stabilized.

	SHOCK CORD CLIP		
		White	Black
	Shock Cord Clip, 3pc	SPSCC70W	SPSCC75B
	Attachment Knob	SPAK86W	SPAK87B
	Tent Wall Hook, 2pc	SPTWH50W	SPTWH55B



PANEL FASTENERS

Our panel fasteners are used for attaching material of various composition and thickness. Fasnap® panel fasteners are found in electronic products, furniture, automotive door panels, seating and trim. Please call Fasnap® for special requirements as our line of panel fasteners is extensive.

HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	1 1/4"	CLIPXMAS2	9/16" SINGLE HEAD	NATURAL	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	1 5/16"	CLIPXMAS2A	3/4" SINGLE HEAD	NATURAL	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	1 9/16"	CLIPXMAS2ACL	3/4" SINGLE HEAD	NATURAL	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	1 5/16"	CLIPXMAS2B	11/16" SINGLE HEAD FULL GRIP	BLACK	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	1 7/16"	CLIPXMAS2C	3/4" SINGLE HEAD 7/8" GRIP	BLACK	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	3/4"	CLIPXMAS5	3/4" SINGLE HEAD QUICK CONNECT	NATURAL	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	7/8"	CLIPXMAS6-T	3/4" SINGLE HEAD	BLACK	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	7/8"	CLIPXMAS6N	3/4" SINGLE HEAD	NATURAL	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	7/8"	CLIPXMAS6DG	3/4" SINGLE HEAD	DARK GREY	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	7/8"	CLIPXMAS6W-T	3/4" SINGLE HEAD	NATURAL	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281-.328	1/2" X 7/8"	CLIPXMAS7	3/4" DOUBLE END CLIP W/ INNER STOP	NATURAL	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	3/4"	CLIPXMAS8	3/4" SINGLE HEAD	WHITE	




















B.C.I.
IMAGING

www.bciimage.com

866 971-1008

358 / SOUTHEAST 866-754-1682 / SOUTHWEST 844-719-3789


HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	1 9/16"	CLIPXMAS9	1" SINGLE HEAD	BLACK	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	1 1/8"	CLIPXMAS10	7/8" SINGLE HEAD	BLACK	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	3/4"	CLIPXMAS11	3/4" TRIPLE HEAD GM VEHICLES	WHITE	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.3125	3/4"	CLIPXMAS12	1/2" DOUBLE HEAD FORD VEHICLES	BLACK	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	13/16"	CLIPXMAS13	3/4" DOUBLE HEAD	WHITE	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.265	1"	CLIPXMAS15	5/8" TRIPLE HEAD 3/8" GRIP	WHITE	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.187	15/16"	CLIPXMAS16	1/2" SINGLE HEAD	BLACK	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.187	15/16"	CLIPXMAS16W	1/2" SINGLE HEAD	WHITE	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.385	1 1/16"	CLIPXMAS17	7/8" SINGLE HEAD	BLACK	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	2"	CLIPXMAS19	5/8" SINGLE HEAD 7/8" GRIP	WHITE	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.187	1/2"	CLIPXMAS28	1/2" SINGLE HEAD	BLACK	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.187	1/2"	CLIPXMAS29	3/4" SINGLE HEAD	BLACK	

HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	1 3/4"	CLIPXMAS31	1/2" SINGLE HEAD	BLACK	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.240	1 3/4"	CLIPRIV34	3/4" DRIVE RIVET	WHITE	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	1 3/16"	CLIPXMAS60	3/4" SINGLE HEAD 7/8" CRIP	BLACK	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	1 1/8"	CLIPXMAS671A	1/2" DOUBLE HEAD	BLACK	
HOLE DIA.	LENGTH	PART NUMBER	MATERIAL • NYLON		
SIZE			DESCRIPTION	COLOR	
.281	.500"/.812"	RR120308	RATCHET RIVET	NATURAL	

HOOK AND LOOP












FasGrip® brand sew-in hook and loop is made from nylon and recommended for applications requiring high shear strength and high cycle life. Exceeds minimum requirements for Class 1, Type 1 as per A-A-55126A (MIL-F-1840G).

				SEW-IN HOOK & LOOP				
				WHITE HOOK	WHITE LOOP	BLACK HOOK	BLACK LOOP	
SIZE	ROLLS PER CARTON	CARTON YARDAGE	ROLL SIZE YD.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
5/8"	30	1500	50	FG58WH	FG58WLN	FG58BH	FG58BLN	
3/4"	25	1250	50	FG34WH	FG34WLN	FG34BH	FG34BLN	
1"	20	1000	50	FG1WH	FG1WLN	FG1BH	FG1BLN	
1-1/2"	14	700	50	FG112WH	FG112WLN	FG112BH	FG112BLN	
2"	10	500	50	FG2WH	FG2WLN	FG2BH	FG2BLN	
4"	5	250	50	FG4WH	FG4WLN	FG4BH	FG4BLN	
6"	3	150	50			FG6BH	FG6BLN	

BULK SPOOLS




				SEW-IN HOOK & LOOP				
				WHITE HOOK	WHITE LOOP	BLACK HOOK	BLACK LOOP	
SIZE	SPOOLS PER CARTON	CARTON YARDAGE	SPOOL SIZE YD.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
5/8"	1	850	850	FGS58WH	FGS58WLN	FGS58BH	FGS58BLN	
1"	1	500	500	FGS1WH	FGS1WLN	FGS1BH	FGS1BLN	
1-1/2"	1	600	600	FGS112WH	FGS112WLN	FGS112BH	FGS112BLN	
2"	1	250	250	FGS2WH	FGS2WLN	FGS2BH	FGS2BLN	


50 YD. REEL		COLOR HOOK AND LOOP COLOR SEW-IN									
SAMPLE <i>Please note that all colors may vary slightly from swatch samples shown.</i>	COLORS 50 YD. ROLLS	ROLLS PER CARTON	CARTON YARDAGE	ROLLS PER CARTON	CARTON YARDAGE	ROLLS PER CARTON	CARTON YARDAGE	ROLLS PER CARTON	CARTON YARDAGE	ROLLS PER CARTON	CARTON YARDAGE
		30	1500	25	1250	20	1000	14	700	10	500
		5/8"		3/4"		1"		1-1/2"		2"	
	DARK GRAY HOOK	FG58DGH		FG34DGH		FG1DGH				FG2DGH	
	DARK GRAY LOOP	FG58DGLN		FG34DGLN		FG1DGLN				FG2DGLN	
	LIGHT GRAY HOOK	FG58LGH				FG1LGH				FG2LGH	
	LIGHT GRAY LOOP	FG58LGLN				FG1LGLN				FG2LGLN	
	NAVY HOOK	FG58NVH				FG1NVH				FG2NVH	
	NAVY LOOP	FG58NVLN				FG1NVLN				FG2NVLN	
	BEIGE HOOK	FG58BGH				FG1BGH				FG2BGH	
	BEIGE LOOP	FG58BGLN				FG1BGLN				FG2BGLN	
	YELLOW HOOK	FG58YLOH				FG1YLOH				FG2YLOH	
	YELLOW LOOP	FG58YLOLN				FG1YLOLN				FG2YLOLN	
	BLOOD RED HOOK	FG58BLRH				FG1BLRH				FG2BLRH	
	BLOOD RED LOOP	FG58BLRLN				FG1BLRLN				FG2BLRLN	
	MILITARY GREEN HOOK	FG58MGH				FG1MGH		FG112MGH		FG2MGH	
	MILITARY GREEN LOOP	FG58MGLN				FG1MGLN		FG112MGLN		FG2MGLN	
	ROYAL BLUE HOOK	FG58RBH				FG1RBH				FG2RBH	
	ROYAL BLUE LOOP	FG58RBLN				FG1RBLN				FG2RBLN	
	COFFEE BROWN HOOK	FG58CBH				FG1CBH				FG2CBH	
	COFFEE BROWN LOOP	FG58CBLN				FG1CBLN				FG2CBLN	

HOOK AND LOOP


FasGrip® brand rubber based pressure sensitive hook and loop is best suited for applications requiring high immediate tack and shear strength, moderate temperature conditions and bond strength.

				RUBBER BASED				
				PRESSURE SENSITIVE HOOK & LOOP				
				WHITE HOOK	WHITE LOOP	BLACK HOOK	BLACK LOOP	
SIZE	ROLLS PER CARTON	CARTON YARDAGE	ROLL SIZE YD.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
5/8"	24	1200	50	FG58PSWH	FG58PSWLN	FG58PSBH	FG58PSBLN	
1"	16	800	50	FG1PSWH	FG1PSWLN	FG1PSBH	FG1PSBLN	
1 1/2"	11	550	50	FG112PSWH	FG112PSWLN	FG112PSBH	FG112PSBLN	
2"	9	450	50	FG2PSWH	FG2PSWLN	FG2PSBH	FG2PSBLN	


FasGrip® high temperature acrylic pressure sensitive hook and loop is used in high temperature applications where high bond strength is necessary.

				HIGH TEMPERATURE ACRYLIC				
				PRESSURE SENSITIVE HOOK & LOOP				
				WHITE HOOK	WHITE LOOP	BLACK HOOK	BLACK LOOP	
SIZE	ROLLS PER CARTON	CARTON YARDAGE	ROLL SIZE YD.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
5/8"	24	1200	50	FGAP58WH	FGAP58WLN	FGAP58BH	FGAP58BLN	
3/4"	20	1000	50	FGAP34WH	FGAP34WLN	FGAP34BH	FGAP34BLN	
1"	16	800	50	FGAP1WH	FGAP1WLN	FGAP1BH	FGAP1BLN	
1 1/2"	11	550	50	FGAP112WH	FGAP112WLN	FGAP112BH	FGAP112BLN	
2"	9	450	50	FGAP2WH	FGAP2WLN	FGAP2BH	FGAP2BLN	


FasGrip® fire-retardant hook and loop is suited for high temperature environments where flammability is a concern. This product is ideal for automotive and airline applications.

				FIRE-RETARDANT				
				SEW-IN HOOK & LOOP				
				WHITE HOOK	WHITE LOOP	BLACK HOOK	BLACK LOOP	
SIZE	ROLLS PER CARTON	CARTON YARDAGE	ROLL SIZE YD.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
5/8"	30	1500	50	FGFR58WH	FGFR58WLN	FGFR58BH	FGFR58BLN	
1"	20	1000	50	FGFR1WH	FGFR1WLN	FGFR1BH	FGFR1BLN	
2"	10	500	50	FGFR2WH	FGFR2WLN	FGFR2BH	FGFR2BLN	


FasGrip® polyester hook and loop is recommended for marine and underwater applications where increased resistance to chemicals and moisture is required.

				POLYESTER					
				SEW-IN HOOK & LOOP					
				WHITE HOOK	WHITE LOOP	BLACK HOOK	BLACK LOOP	LIGHT GREY HOOK	LIGHT GREY LOOP
SIZE	ROLLS PER CARTON	CARTON YARDAGE	ROLL SIZE YD.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
5/8"	30	1500	50	FGP58WH	FGP58WLN	FGP58BH	FGP58BLN		
1"	20	1000	50	FGP1WH	FGP1WLN	FGP1BH	FGP1BLN	FGP1LGH / FGP1LGLN	
1 1/2"	14	700	50	FGP112WH	FGP112WLN	FGP112BH	FGP112BLN		
2"	10	500	50	FGP2WH	FGP2WLN	FGP2BH	FGP2BLN	FGP2LGH / FGP2LGLN	


FasGrip® brand mushroom aggressive hook is recommended for applications requiring very high shear and peel strength with limited cycle life.

	SIZE	REELS PER CARTON	CARTON YARDAGE	ROLL SIZE YD.	MUSHROOM AGGRESSIVE			
					SEW-IN HOOK			
					WHITE HOOK		BLACK HOOK	
					PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
	1"	20	1000	50	FGMSR1WH		FGMSR1BH	
	2"	10	500	50	FGMSR2WH		FGMSR2BH	
4"	5	250	50	FGMSR4WH				
SIZE	REELS PER CARTON	CARTON YARDAGE			PRESSURE SENSITIVE HOOK			
1"	16	800	50			FGPMSR1BH		


FasGrip® hook and loop pressure sensitive kiss cut coins and squares are recommended for spot applications requiring moderate bonding strength.

	RUBBER BASED KISS CUT COINS & SQUARES										
	PRESSURE SENSITIVE HOOK & LOOP										
					WHITE HOOK		WHITE LOOP		BLACK HOOK		BLACK LOOP
SIZE	REELS PER CARTON	CARTON YARDAGE	ROLL SIZE YD.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
5/8" (CIRCLE)	48	1250	25	FG KCPS-58-RWH	FG KCPS-58-RWLN	FG KCPS-58-RBH		FG KCPS-58-RBLN			
7/8" (CIRCLE)	32	800	25	FG KCPS-78-RWH	FG KCPS-78-RWLN	FG KCPS-78-RBH		FG KCPS-78-RBLN			
7/8" (SQUARE)	32	800	25	FG KCPS-78-SBH	FG KCPS-78-SWLN	FG KCPS-78-SBH		FG KCPS-78-SBLN			

FasGrip® hook and loop solo tape is a hook and loop wrap system, with hook on one side and loop on the other. Ideal for medical devices, appliance cords and much more.

	SIZE	REELS PER CARTON	CARTON YARDAGE	ROLL SIZE YD.	SOLO TAPE			
					BLACK HOOK & LOOP			
					PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
	1"	20	1000	50	FG1S0L0B			
2"	20	1000	50	FG2S0L0B				

FasTape is a single component hook and loop fastener, with hook and loop on the same side. An easy-to-use alternative to conventional strapping systems and other applications.

	SIZE	REELS PER CARTON	CARTON YARDAGE	ROLL SIZE YD.	FASTAPE			
					BLACK HOOK & LOOP FASTAPE			
					PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
	1"	20	1000	50	FGFM1B			



FASNAP®
CORP.

B.C.I.
IMAGING

www.bciimage.com

866 971-1008 IT FASNAP.COM FOR MORE INFORMATION

WEBBING

Fasnap's polypropylene webbing along with our extensive plastic and metal hardware lines provide versatility for many applications.

MATERIAL • POLYPROPYLENE		LIGHTWEIGHT		100 YD. ROLLS	
SAMPLE <i>Please note that all colors may vary slightly from swatch samples shown.</i>	COLORS	PART NUMBER		PART NUMBER	
		1"	1-1/2"	2"	
	COLUMBIAN BLUE	WEB PPL 25-COB	WEB PPL 38-COB	WEB PPL 51-COB	
	NAVY	WEB PPL 25-NVY	WEB PPL 38-NVY	WEB PPL 51-NVY	
	ROYAL	WEB PPL 25-RBL	WEB PPL 38-RBL	WEB PPL 51-RBL	
	BROWN	WEB PPL 25-BRN	WEB PPL 38-BRN	WEB PPL 51-BRN	
	BURGUNDY	WEB PPL 25-BUR	WEB PPL 38-BUR	WEB PPL 51-BUR	
	CONCORD	WEB PPL 25-CRD	WEB PPL 38-CRD	WEB PPL 51-CRD	
	ATHLETIC GOLD	WEB PPL 25-GLD	WEB PPL 38-GLD	WEB PPL 51-GLD	
	CADET GRAY	WEB PPL 25-CGY	WEB PPL 38-CGY	WEB PPL 51-CGY	
	CHARCOAL GRAY	WEB PPL 25-CHA	WEB PPL 38-CHA	WEB PPL 51-CHA	
	LIGHT GRAY	WEB PPL 25-LGY	WEB PPL 38-LGY	WEB PPL 51-LGY	
	FOREST GREEN	WEB PPL 25-FGR	WEB PPL 38-FGR	WEB PPL 51-FGR	
	KELLY GREEN	WEB PPL 25-KGR	WEB PPL 38-KGR	WEB PPL 51-KGR	
	TEAL GREEN	WEB PPL 25-TGN	WEB PPL 38-TGN	WEB PPL 51-TGN	
	LINEN	WEB PPL 25-LIN	WEB PPL 38-LIN	WEB PPL 51-LIN	
	NATURAL	WEB PPL 25-NAT	WEB PPL 38-NAT	WEB PPL 51-NAT	
	ORANGE	WEB PPL 25-ORA	WEB PPL 38-ORA	WEB PPL 51-ORA	
	RED	WEB PPL 25-RED	WEB PPL 38-RED	WEB PPL 51-RED	
	SILVER	WEB PPL 25-SLV	WEB PPL 38-SLV	WEB PPL 51-SLV	
	TAN	WEB PPL 25-TAN	WEB PPL 38-TAN	WEB PPL 51-TAN	
		WEB PPL 25-YLO	WEB PPL 38-YLO	WEB PPL 51-YLO	



www.bciimage.com

866 971-1008 / SOUTHEAST 866-754-1682 / SOUTHWEST 844-719-3789

WEBBING

Fasnap's high quality webbing along with our extensive plastic and metal hardware lines provide versatility for many applications.


MATERIAL • POLYPROPYLENE		LIGHTWEIGHT			100 YD. ROLLS		
SAMPLE	COLORS	5/8"	3/4"	1"	1-1/2"	2"	3"
		PART NUMBER		PART NUMBER		PART NUMBER	
	WHITE	WEB PPL 16-WHT	WEB PPL 20-WHT	WEB PPL 25-WHT	WEB PPL 38-WHT	WEB PPL 51-WHT	WEB PPL 75-WHT
	BLACK	WEB PPL 16-BLK	WEB PPL 20-BLK	WEB PPL 25-BLK	WEB PPL 38-BLK	WEB PPL 51-BLK	WEB PPL 75-BLK
MATERIAL • POLYPROPYLENE		LIGHTWEIGHT			100 YD. ROLLS		
SAMPLE	COLORS	3/4"	1"	1-1/4"	1-1/2"	2"	3"
		PART NUMBER		PART NUMBER		PART NUMBER	
	WHITE		WEB PPH 25- WHT		WEB PPH 38- WHT	WEB PPH 51- WHT	
	BLACK	WEB PPH 20- BLK	WEB PPH 25- BLK	WEB PPH 32- BLK	WEB PPH 38- BLK	WEB PPH 51-BLK	WEB PPH 75-BLK <small>(Sold in 50 yd. rolls)</small>
MATERIAL • NYLON		LIGHTWEIGHT			100 YD. ROLLS		
SAMPLE	COLORS	3/8"	7/16"	1"	1-1/2"	2"	
		PART NUMBER		PART NUMBER		PART NUMBER	
	WHITE			WEB NYS 25-WHT	WEB NYS 38-WHT	WEB NYS 51-WHT	
	BLACK	WEB NYS 7-BLK	WEB NYS 10-BLK	WEB NYS 25-BLK	WEB NYS 38-BLK	WEB NYS 51-BLK	
	RED	WEB NYS 7-RED	WEB NYS 10-RED				
MATERIAL • NYLON		HEAVYWEIGHT			100 YD. ROLLS		
SAMPLE	COLORS	1"	1-1/2"	2"			
		PART NUMBER		PART NUMBER		PART NUMBER	
	WHITE	WEB NYH 25-WHT	WEB NYH 38-WHT	WEB NYH 51-WHT			
	BLACK	WEB NYH 25-BLK	WEB NYH 38-BLK	WEB NYH 51-BLK			
MATERIAL • POLYESTER		LIGHTWEIGHT			100 YD. ROLLS		
SAMPLE	COLORS	3/4"	1"	1-1/2"	2"		
		PART NUMBER		PART NUMBER		PART NUMBER	
	WHITE	WEB PEL 20-WHT	WEB PEL 25-WHT	WEB PEL 38-WHT	WEB PEL 51-WHT		
	BLACK	WEB PEL 20-BLK	WEB PEL 25-BLK	WEB PEL 38-BLK	WEB PEL 51-BLK		
MATERIAL • POLYESTER		HEAVYWEIGHT			100 YD. ROLLS		
SAMPLE	COLORS	3/4"	1"	1-1/2"	2"		
		PART NUMBER		PART NUMBER		PART NUMBER	
	WHITE	WEB PEH 20-WHT	WEB PEH 25-WHT	WEB PEH 38-WHT	WEB PEH 51-WHT		
	BLACK	WEB PEH 20-BLK	WEB PEH 25-BLK	WEB PEH 38-BLK	WEB PEH 51-BLK		
MATERIAL • POLYESTER		SEAT-BELT			100 YD. ROLLS		
SAMPLE	COLORS	1"	2"				
		PART NUMBER		PART NUMBER		PART NUMBER	
	WHITE	WEB PET 25V3 WHT (3 Panel)					
	BLACK	WEB PET 25V3 BLK (3 Panel)				WEB PET 51V4 BLK (4 Panel)	



www.bciimage.com

866 971-1008 IT FASNAP.COM FOR MORE INFORMATION

This icon denotes premium product warranted by Fasnap® Corp.



CORPORATE
Elkhart


800.624.2058

574.264.1185

FAX 574.264.0802



SOUTHEAST
Orlando



866.754.1682

407.816.9993

FAX 407.816.9933



SOUTHWEST
Anaheim



844.719.3789

714.528.1826

FAX 714.528.2416

LIMITED LIFETIME WARRANTY

Fasnap® Corp., supports a **LIMITED LIFETIME WARRANTY** on its Premium Brands of Snap Fasteners and Grommets. This warranty provides the assurance that our premium brand fasteners, when properly installed and maintained, used in normal applications and under normal environmental conditions, are free from defect.

Should these Premium Fasteners ever fail, Fasnap® Corp. will provide the original purchaser free replacement of the fastener. This warranty is limited to the original customer of Fasnap® Corp. or Fasnap's authorized distributor and applies only to the Premium brands that Fasnap® Corp. offers to our customers.

This warranty does not apply to products that fail due to improper installation or inadequate application design. This warranty is voided should these Premium Brand Products be combined with any other fasteners not covered by this warranty. Fasnap® Corp. reserves the right to inspect any product or application submitted for claim, and approve claims there of.

Fasnap® Premium Brands of Snap Fasteners and Grommets

Series include:

18000

GRM

SNAPFAST™

4647

4650

7058/7059

16000

PROTECT the value of **YOUR** product with the right **FASTENERS** by obtaining everything your company needs from fasnap.com



www.bciimage.com

IFAI Industrial Fasteners Association International

866 971-1008

800 • 624 • 2058