

## PRODUCT DATA BULLETIN

Dated: 06.27.14

## 4306 Series - FDC® Promotional Enamel Receptive Vinyl Film

FDC 4306 Series Promotional Enamel Receptive Vinyl Film is a calendered vinyl film that is enamel receptive. This product is designed for use as offset printed color. To order punched material, use part number 4356.

Film Technology: Calendered

Film Thickness: 4.0 mil.

Media Color: Clear and Matte White

Blockout: No
Finish: Matte
Outdoor Durability: 2 Years

Adhesive/Color: Permanent/Clear

Liner: 90# Layflat

Conformability: Flat and Simple Curves

Cutting & Weeding: Excellent

Temperature: Minimum Application Temperature is 50°F

Service Temperature Range is -40°F to 180°F

(\*Temperature applies for: graphics, substrate and environment.)

Shelf Life: 1 Year when stored at temperatures under 73°F and 50% R.H.

Note: For further information regarding: printing, substrate cleaning, application, maintenance, durability and removal please review the corresponding instructional bulletin available at www.fdcfilms.com.

Warranty: Data provided by FDC is for general information only. This data is not to be used for exacting specification purposes. Always pretest product. Suitability for any given application is the responsibility of the user. Since FDC cannot control the conditions under which the products referred to herein may be used or handled, it can make no guarantee as to the effectiveness, safety or applicability with respect hereto. FDC's only obligation shall be to replace such quantity of product proven to be defective. FDC shall not be liable for any injury, loss or damage, direct or consequential, arising out of the use or the inability to use the product. Before using, the user shall determine the suitability of the product for his intended use, and user assumes all risk and liability whatsoever in connection therewith. The seller, FDC, shall not be liable for any default or delay caused by contingency beyond its control or the control of its supplier including but not limited, short or reduced supply of fuel, or other integral components of the product.