



Reflective Solutions for Traffic Signs and Work Zones



ORAFOL Europe GmbH




ORAFOL Americas - CT



ORAFOL Americas - GA

Worldwide Locations

Australia · Canada · China · Germany · Ireland · Japan · South Africa · Taiwan · Turkey · United States



ORAFOL® Multi-Triangle & Double Prism marks are used individually or in patterns as identifiers of authentic ORALITE® material.



Index

Page	Contents
5	Overview of Microprismatic Technology and Retroreflective Materials
	Traffic Signs
6	ORALITE® 7900 Wide Observation Angle Prismatic
6	ORALITE® 5900 High Intensity Prismatic (HIP) Grade
7	ORALITE® 5935 High Intensity Prismatic (HIP) Grade
7	ORALITE® 6700 Engineer Grade Prismatic
8	ORALITE® 5800 High Intensity Grade
8	ORALITE® 5700 Engineer Grade Premium
8	ORALITE® 5500 Engineer Grade
9	ORALITE® 5400 Commercial Grade
9	ORALITE® 5300 Commercial Grade
	Sign Making Accessories
10	ORALITE® 5018 / 5019 Printing Inks
10	ORALITE® 5081 / 5071 / 5061 Lettering Films
10	ORALITE® 5061 / 5062 / 5051 Transparent Overlay Films
11	Other sign making accessories
12	ORALITE® UV Traffic Sign Printer
12	ORALITE® Engineered Matched Systems
	Work Zones
13	ORALITE® 7900 Wide Observation Angle Prismatic
13	ORALITE® 5930 High Intensity Prismatic (HIP) Construction Grade
14	ORALITE® 5830 High Intensity Construction Grade
14	ORALITE® 5430 Construction Grade
15	ORALITE® 5370 Engineer Construction Grade
15	ORALITE® 5270 Engineer Construction Grade
	Delineation & Flexible Signs
16	ORALITE® AR1000 Delineation Sheeting
16	ORALITE® Roll Up Sign Blanks
17	ORALITE® Reboundable Sheeting
18-19	Product Overview

WELCOME TO

FRISCO

CENTER CITY

STONEBRIAR

Zip
10.22 10.45

30

SUPERIOR
PUBLIC WATER
SYSTEM
THE STATE OF TEXAS

50




First Microprismatic Retroreflective Technology in the Industry

In 1966 industry pioneer, Bill Rowland, used a manila file folder to conceptualize the original microprismatic retroreflective cube corner prism technology. This advancement is now a part of the ORAFOL family of ORALITE films.




Overview of Retroreflective Materials


Prismatic Metalized




Prismatic Air Backed



Encapsulated Glass Bead



Embedded Glass Bead




ORALITE® 7900

Wide Observation Angle Prismatic

For long-term outdoor signing applications

Product Features and Benefits:

- Weatherproof
- 10 to 13-mil construction
- Clear, solvent polyacrylate, permanent adhesive
- Excellent UV and screen printability
- High performance acrylic film
- Meets requirements of MUTCD
- Meets ASTM D4956 specification for Type IX, Class 1 retroreflective sheeting



Product Identification pattern for ORALITE® 7900

Recommended lettering film: ORALITE® 5081, ORALITE® 5061

Recommended transparent overlay film: ORALITE® 5061

Recommended screen printing ink: ORALITE® 5018

Recommended digital UV printing ink: ORALITE® 5019

Product	Available Colors	Print Compatibility	Available Widths*	Available Lengths*	Outdoor Durability
ORALITE® 7900	white, yellow, orange, red, green, blue, brown, fluorescent yellow, fluorescent yellow green	screen printing & digital UV printing	12.75", 18", 24", 30", 36", 48"	150' (50-yard)	Up to 12 years

*Custom sizes available. Please contact your local sales representative for more information. Please Note: This product is exclusively intended for adhesion to flat surfaces.


ORALITE® 5900

High Intensity Prismatic (HIP) Grade

For long-term outdoor applications

Product Features and Benefits:

- Weatherproof
- 9-mil
- Clear, solvent polyacrylate, permanent adhesive
- Excellent digital UV and screen printability
- High performance acrylic film
- Meets requirements of MUTCD
- Meets ASTM D4956 specification for Type IV, Class 1 retroreflective sheeting



Product Identification pattern for ORALITE® 5900

Recommended lettering film: ORALITE® 5081

Recommended transparent overlay film: ORALITE® 5061

Recommended screen printing ink: ORALITE® 5018

Recommended digital UV printing ink: ORALITE® 5019

Product	Available Colors	Print Compatibility	Available Widths*	Available Lengths*	Outdoor Durability
ORALITE® 5900	white, yellow, orange, red, green, blue, brown	screen printing & digital UV printing	12.75", 18", 24", 30", 36", 48"	150' (50-yard)	Up to 10 years

*Custom sizes available. Please contact your local sales representative for more information. Please Note: This product is exclusively intended for adhesion to flat surfaces.



typical application example of ORALITE® 7900


NEW! ORALITE® 5935

High Intensity Prismatic Grade

For *evacuation/incident management* including hurricanes, floods, and other natural disasters

Product Features and Benefits:

- Weatherproof
- 22-mil construction
- Clear, acrylic, permanent adhesive
- Excellent screen and digital UV printability
- High performance acrylic film
- Meets ASTM D4956 specification for Type VI (fluorescent pink), Class 1 retroreflective sheeting



Product Identification pattern for ORALITE® 5935

Recommended lettering film: ORALITE® 5081, ORALITE® 5061

Recommended transparent overlay film: ORALITE® 5062

Recommended screen printing ink: ORALITE® 5018

Recommended digital UV printing ink: ORALITE® 5019

Product	Available Colors	Print Compatibility	Available Widths*	Available Lengths*	Outdoor Durability
ORALITE® 5935	fluorescent pink	screen printing & digital UV printing	48"	150' (50-yard)	Up to 3 years

*Custom sizes available. Please contact your local sales representative for more information.
Please Note: This product is exclusively intended for adhesion to flat surfaces.


ORALITE® 6700

Engineer Grade Prismatic

For long-term outdoor applications

Product Features and Benefits:

- Weatherproof
- 8.2-mil construction
- Clear, acrylic, permanent adhesive
- Excellent UV and screen printability
- High performance acrylic film
- Meets requirements of MUTCD
- Meets ASTM D4956 specification for Type I, Class 1 retroreflective sheeting



Product Identification pattern for ORALITE® 7900

Recommended lettering film: ORALITE® 5081, ORALITE® 5061

Recommended transparent overlay film: ORALITE® 5062

Recommended screen printing ink: ORALITE® 5018

Recommended digital UV printing ink: ORALITE® 5019

Product	Available Colors	Print Compatibility	Available Widths*	Available Lengths*	Outdoor Durability
ORALITE® 6700	white, yellow, orange, red, green, blue, brown	screen printing & digital UV printing	18", 24", 30", 36", 48"	150' (50-yard)	7 years

*Custom sizes available. Please contact your local sales representative for more information.
Please Note: This product is exclusively intended for adhesion to flat surfaces.



typical application example of ORALITE® 5900



ORALITE® 6700


ORALITE® 5800

High Intensity Grade

For long-term outdoor applications

Product Features and Benefits:

- Weatherproof
- 10-mil
- Clear, solvent-based, permanent adhesive
- Excellent printability
- Excellent adhesion to metallic surfaces (e.g. aluminum and galvanized steel)
- High performance acrylate film
- Meets requirements of MUTCD
- Meets ASTM D4956 specification for Type III, Class 1 retroreflective sheeting



Product Identification pattern for ORALITE® 5800

Recommended lettering film: ORALITE® 5081, 5061 black

Recommended transparent overlay film: ORALITE® 5061

Recommended screen printing ink: ORALITE® 5018

Recommended digital UV printing ink: ORALITE® 5019

Product	Available Colors	Print Compatibility	Available Widths	Available Lengths	Outdoor Durability
ORALITE® 5800	white, yellow, orange, red, green, blue, brown	screen printing & digital UV printing	15" (punched), 24", 30", 36", 48"	30' (10-yard), 150' (50-yard)	Up to 10 years

Please Note: This product is exclusively intended for adhesion to flat surfaces.

ORALITE® 5700

Engineer Grade Premium

For long-term outdoor applications

Product Features and Benefits:

- Weatherproof
- 5700 - 6-mil; 5500 - 5-mil
- Clear, solvent-based, permanent adhesive
- Excellent screen printability
- Excellent adhesion to metallic surfaces (e.g. aluminum and galvanized steel)
- Alkyd resin film
- Meets requirements of MUTCD
- Meets ASTM D4956 specification for Type I, Class 1 retroreflective sheeting

Recommended lettering film: ORALITE® 5071, 5061 black

Recommended transparent overlay film: ORALITE® 5062

Recommended screen printing ink: ORALITE® 5018

Recommended digital UV printing ink: ORALITE® 5019

Product	Available Colors	Print Compatibility	Available Widths	Available Lengths	Outdoor Durability
ORALITE® 5700	white, yellow, orange, red, green, blue, brown, black	screen printing, thermal transfer & digital UV printing*	15" (punched), 24", 30", 48"	30' (10-yard), 150' (50-yard)	7 years
ORALITE® 5500	white, yellow, orange, red, green, blue, brown, black	screen printing & digital UV printing	15" (punched), 24", 30", 48"	30' (10-yard), 150' (50-yard)	7 years

*5061 transparent overlay film required

Please Note: This product is exclusively intended for adhesion to flat surfaces.

ORALITE® 5500

Engineer Grade

For long-term outdoor applications

ORALITE® 5300

Commercial Grade

For long-term outdoor applications

Product Features and Benefits:

- Weatherproof
- 3.5-mil
- Clear, solvent-based, permanent adhesive
- Excellent adhesion to metallic surfaces (e.g. aluminum and galvanized steel)
- Alkyd resin film
- Meets requirements of MUTCD
- Meets ASTM D4956 specification for Type I, Class 1 retroreflective sheeting

Recommended lettering film: ORALITE® 5071, 5061 black

Recommended transparent overlay film: ORALITE® 5062

Recommended screen printing ink: ORALITE® 5018

Recommended digital UV printing ink: ORALITE® 5019

Product	Available Colors	Print Compatibility	Available Widths	Available Lengths	Outdoor Durability
ORALITE® 5300	white, yellow, orange, red, green, blue	screen printing & digital UV printing	15" (punched), 24", 30", 48"	30' (10-yard) 150' (50-yard)	7 years

Please Note: This product is exclusively intended for adhesion to flat surfaces.

ORALITE® 5400

Commercial Grade

For medium-term outdoor applications

Product Features and Benefits:

- Weatherproof
- 3.5-mil
- Clear, solvent-based, permanent adhesive
- Excellent adhesion to metallic surfaces (e.g. aluminum and galvanized steel)
- PVC solvent inkjet printable film
- Meets requirements of MUTCD
- Meets ASTM D4956 specification for Type I, Class 1 retroreflective sheeting

Recommended lettering film: ORALITE® 5071, 5061 black

Recommended transparent overlay film: ORALITE® 5051

Recommended screen printing ink: ORALITE® 5018

Recommended digital UV printing ink: ORALITE® 5019

Product	Available Colors	Print Compatibility	Available Widths	Available Lengths	Outdoor Durability
ORALITE® 5400	white, yellow, orange, red, green, blue	inkjet printing, screen printing, and digital UV printing	24", 48"	150' (50-yard)	4 years

Please Note: This product is exclusively intended for adhesion to flat surfaces.



ORALITE® 5800



ORALITE® 5400

ORALITE® 5018 / 5019

Printing Inks

Product	Available Colors	Recommended for use on	Outdoor Durability
ORALITE® 5018 Screen Printing Ink	yellow, orange, red, green, blue, brown, black	Suitable for printing on all ORALITE® reflective films	Up to 12 years
ORALITE® 5019 UV Digital Printing Ink	yellow, red, green, blue, brown, black	For use with the ORALITE® UV Digital Sign Printer & overlay films	Up to 12 years

ORALITE® 5081 / 5071 / 5061

Lettering Films

Product	Face Film	Available Colors	Recommended for use on	Available Widths	Available Lengths	Outdoor Durability
ORALITE® 5081	cast PVC	black; gloss and matte (<i>with watermark</i>)	ORALITE® 9900, 7900, 5900, 5800	48"	150' (50-yard)	Up to 10 years
ORALITE® 5071	PVC film	black; gloss and matte	ORALITE® 5700, 5500	24", 48"	150' (50-yard) 30' (10-yard)	Up to 7 years
ORALITE® 5061	acrylic	black	ORALITE® 9900, 7900, 5900, 5800	24", 48"	150' (50-yard) 30' (10-yard)	Up to 10 years

Please Note: ORALITE® 5071 is without a watermark and ORALITE® 5081 is supplied with a watermark. ORALITE® 5081 has been approved for the manufacture of traffic control signs carrying the RAL quality label.

ORALITE® 5061 / 5062 / 5051 / 5090 / 5095

Transparent Overlay Films

Product	Available Colors	Film Compatibility	Available Widths	Available Lengths	Outdoor Durability
ORALITE® 5061	transparent, yellow, orange, red, green, blue, brown	ORALITE® 9900, 7900, 5900, 5800	24", 48"	150' (50-yard) 30' (10-yard)	Up to 10 years
ORALITE® 5062	transparent	ORALITE® 5700, 5500, 5400, 5300	24", 48"	150' (50-yard)	Up to 7 years
ORALITE® 5051	transparent, yellow, red, blue (<i>other colors on request</i>)	ORALITE® 5700, 5500, 5400, 5300	24", 48"	150' (50-yard)	Up to 5 years
ORALITE® 5090	transparent	ORALITE® 6900, 5900, 5800	48"	150' (50-yard)	5 years
ORALITE® 5095 Anti-Graffiti Film	transparent	All ORALITE® Sign Sheeting Materials	48"	150' (50-yard)	10 years

Please Note: Ensures compliance with the minimum reflective values and color coordinates of EN 12899-1 (RA2, B).

Other sign making accessories

Product	Type	Description	Available Widths	Available Lengths	Outdoor Durability
ORAGUARD® 215DU	Laminating Film	Specially formulated for UV printed graphics. Cannot be used for regulated signage.	54", 60"	150' (50-yard)	5 years
ORATAPE® MT95	Transfer Tape	Highly transparent polyethylene-based transfer film.	14", 24", 30", 40", 48"	300' (100-yard)	N/A
ORATAPE® MT72 ORATAPE® LT72	Application Tape	Semi-transparent transfer paper.	14", 24", 30", 40", 48"	300' (100-yard)	N/A
ORABOND® UHB 3600	Ultra High Bond Tape	Ideally suited for structural and general bonding	1/2", 3/4", 1"	108' (36-yard)	N/A
ORABOND® UHB 3601	Ultra High Bond Tape	Ideally suited for structural and general bonding	1/2", 3/4", 1"	108' (36-yard)	N/A



ORABOND® 3601

ORALITE® UV Traffic Sign Printer

LED Hybrid Print System

ORAFOL partners with AGFA to offer a state of the art UV LED hybrid digital print system designed for the Traffic Sign Market.

The ORALITE® UV Traffic Sign Printer Premium, based on the AGFA Anapura H2050i LED, utilizes the specially formulated ORALITE® 5019 UV ink system, comes with preinstalled software, and features proven and reliable print head technology made by market leader Konica Minolta. It is engineered to handle heavy workloads while offering low ink consumption.

The digital UV LED printer features 8 print heads, 6 color and 2 white (black express), which provide guaranteed printing of good solids, tonal rendering, and fine text reproduction on the entire family of ORALITE® retro-reflective films as well as a variety of substrates.

Achieve and protect high quality prints utilizing the **ORALITE® Engineered Matched System**; UV Traffic Sign Printer, 5019 UV ink, retro-reflective sheeting, and overlay films.

Save time and money

- Print direct to substrate or roll-to-roll
- Consistent quality from one print to the next
- No weeding required
- Increased shop efficiency

Work Faster, Cleaner, Greener

- No screens to setup, wash, or store
- No lengthy outgassing or dry time
- No solvent disposal

The service you expect from ORAFOL

- One year service contract
- ASTM D4956 and AASHTO M268 compliant
- ORAFOL warranted sign system (every color)

ORALITE® Engineered Matched Systems

Reflective Films

Product	Description	Durability
ORALITE® 7900	Wide Observation Angle Prismatic <i>ASTM Type IX</i>	Up to 12 years
ORALITE® 5900	High Intensity Prismatic <i>ASTM Type IV</i>	Up to 10 years
ORALITE® 6700		
ORALITE® 5800	High Intensity Grade <i>ASTM Type III</i>	Up to 10 years
ORALITE® 5700	Engineer Grade <i>ASTM Type I</i>	7 years
ORALITE® 5500	Engineer Grade <i>ASTM Type I</i>	7 years
ORALITE® 5400	Commercial Grade <i>ASTM Type I</i>	4 years
ORALITE® 5300	Commercial Grade <i>ASTM Type I</i>	7 years

Overlay System

Product	Description	Durability
ORALITE® 5061	Transparent Overlay Film	Up to 12 years
ORALITE® 5062	Transparent Overlay Film	Up to 7 years
ORALITE® 5051	Transparent Overlay Film	Up to 5 years

Ink System

Product	Description	Durability
ORALITE® 5019	Specially formulated UV ink system that meets ASTM D4956, AASHTO M 268 and FHWA 23 CFR part 655 highway color specifications	Up to 12 years




ORALITE® 7900

Wide Observation Angle Prismatic

For long-term outdoor signing in work zones, pedestrian and school crossings

Product Features and Benefits:

- Weatherproof
- 10 to 13-mil construction
- Clear, solvent polyacrylate, permanent adhesive
- Excellent digital UV and screen printability
- High performance acrylic film
- Meets requirements of MUTCD
- Meets ASTM D4956 specification for Type IX, Class 1 retroreflective sheeting



Product Identification pattern for ORALITE® 7900

Recommended lettering film: ORALITE® 5081, ORALITE® 5061

Recommended transparent overlay film: ORALITE® 5061

Recommended screen printing ink: ORALITE® 5018

Recommended digital UV printing ink: ORALITE® 5019

Product	Available Colors	Print Compatibility	Available Widths*	Available Lengths*	Outdoor Durability
ORALITE® 7900	white, orange, fluorescent yellow, fluorescent yellow/green	screen printing & digital UV printing	12.75", 18", 24", 30", 36", 48"	150' (50-yard)	Up to 12 years

*Custom sizes available. Please contact your local sales representative for more information.

Please Note: This product is exclusively intended for adhesion to flat surfaces.


ORALITE® 5930

High Intensity Prismatic (HIP) Construction Grade

For short and medium-term outdoor applications

Product Features and Benefits:

- Weatherproof
- 18-mil
- Clear, permanent adhesive
- Excellent screen and digital UV printability
- Excellent adhesion to low energy plastics
- Surface of acrylic film
- Meets ASTM D4956 specification for Type IV and Type IX (fluorescent orange only), Class 1 retroreflective sheeting



Product Identification pattern for ORALITE® 5930

Recommended lettering film: ORALITE® 5081, 5061 black

Recommended transparent overlay film: ORALITE® 5061

Recommended screen printing ink: ORALITE® 5018

Recommended digital UV printing ink: ORALITE® 5019

Product	Available Colors	Print Compatibility	Available Widths*	Available Lengths*	Outdoor Durability
ORALITE® 5930	white, yellow, fluorescent orange	screen printing & digital UV printing	18", 24", 30", 36", 48"	150' (50-yard)	3 years
	fluorescent yellow-green		12", 36", 48"		

*Custom sizes available. Please contact your local sales representative for more information.

Please Note: This product is exclusively intended for adhesion to flat surfaces.

ORALITE® 5830

High Intensity Construction Grade

For short and medium-term outdoor applications

Product Features and Benefits:

- Weatherproof
- 8.25-mil
- Clear, permanent adhesive
- Excellent screen printability
- Excellent adhesion to low energy plastics
- Meets ASTM D4956 specification for Type III, Class 1 retroreflective sheeting

Recommended screen printing ink: ORALITE® 5018

Product	Available Colors	Print Compatibility	Available Widths*	Available Lengths*	Outdoor Durability
ORALITE® 5830	white, yellow, orange, red, green, blue	screen printing	24", 30", 36", 48"	150' (50-yard)	5 years

*Custom sizes available. Please contact your local sales representative for more information.

ORALITE® 5430

Construction Grade

For short and medium-term outdoor applications

Product Features and Benefits:

- Weatherproof
- 3.5-mil
- Excellent adhesion to low energy plastics
- With watermark and a surface of cast PVC copolymer
- Excellent corrosion and solvent resistance
- Designed for low energy work zone traffic control devices

Product	Available Colors	Print Compatibility	Available Widths*	Available Lengths*	Outdoor Durability
ORALITE® 5430	white, yellow, orange, red, green, blue	solvent inkjet printing	24", 30", 36", 48"	150' (50-yard)	4 years

*Custom sizes available. Please contact your local sales representative for more information.



typical application examples of ORALITE® 5430 and 5370

ORALITE® 5370

Engineer Construction Grade

For work zone sign sheeting

Product Features and Benefits:

- Weatherproof
- 3.5-mil
- Clear, solvent-based, permanent adhesive
- Excellent printability with solvent screen print inks
- Excellent adhesion to sign substrate materials (e.g. aluminum and coroplast)
- Meets requirements of MUTCD
- Meets ASTM D4956 specification for Type I, Class 1 retroreflective sheeting

Recommended screen printing ink: ORALITE® 5018

Product	Available Colors	Print Compatibility	Available Widths	Available Lengths	Outdoor Durability
ORALITE® 5370	white	screen printing	24", 36", 48"	150' (50-yard)	3 years
	yellow		48"		
	orange		36", 48"		

Please Note: This product is exclusively intended for adhesion to flat surfaces.

ORALITE® 5270

Engineer Construction Grade

For the construction work zone

Product Features and Benefits:

- Weatherproof
- Aggressive pressure sensitive adhesive
- Excellent adhesion to low surface energy plastics
- Pre-printed diagonal stripe available in left and right hand directions
- Meets requirements of MUTCD
- Meets ASTM D4956 specification for Type I, Class 1 retroreflective sheeting

Product	Available Colors	Print Compatibility	Available Widths	Available Lengths	Outdoor Durability
ORALITE® 5270	white, yellow, orange	N/A	4", 6"	150' (50-yard)	3 years



typical application examples of ORALITE® 5270


ORALITE® AR1000

Delineation Sheeting

For use in long-term impact and abrasion resistant delineation and work zone barriers, guard rails and roadside post applications

Product Features and Benefits:

- Weatherproof
- Aggressive pressure sensitive adhesive
- Excellent adhesion to metal, painted metal, urethane and structural plastics
- Mono-layer construction
- No edge sealing required
- Meets requirements of MUTCD
- Meets ASTM D4956 specification for Type V, Class 1 retroreflective sheeting



Product Identification pattern for ORALITE® AR1000

Product	Available Colors	Print Compatibility	Available Widths*	Available Lengths	Outdoor Durability
ORALITE® AR1000	white, yellow, red, green, blue	N/A	3", 4", 6"	150' (50-yard)	5 years

*Custom widths available. Please contact your local sales representative for more information.


ORALITE® Roll Up Sign Blanks

Flexible Applications


For traffic control signing in temporary work zones, utility, and incident management applications

Product Features and Benefits:

- Weatherproof
- Lightweight construction provides ergonomic and economic solutions over rigid signing
- No sharp edges to cut hands
- Easy to set up and take down within the work zone
- Excellent printability with solvent screen print inks
- Fabric reinforced microprismatic sheeting with smooth sealed outer surface and ESP (Enhanced Surface Preparation) coating to keep sign surface cleaner in harsh environments
- Meets requirements of MUTCD
- Meets ASTM D4956 specification for Type VI, Class 5 retroreflective sheeting



Product Identification pattern for ORALITE® Marathon™ Roll Up Sign Blanks



Product Identification pattern for ORALITE® Super Bright™ Roll Up Sign Blanks

Product	Available Colors	Print Compatibility	Available Sizes	Outdoor Durability
ORALITE® Marathon™ Roll Up Sign Blanks	white, marathon fluorescent orange*, fluorescent yellow-green	screen printing	36" x 36" 48" x 48"	3 years
ORALITE® Super Bright™ Roll Up Sign Blanks	white, yellow, fluorescent orange, fluorescent pink	screen printing	36" x 36" 48" x 48"	3 years
ORALITE® Non Reflective Roll Up Sign Blanks	white, orange, yellow, and pink	screen printing digital printing	36" x 36", 48" x 48" 48" x 150' (50 yards)	3 years

*Warranted for 3 years



DID YOU KNOW?

All ORALITE® Roll Up Sign Blanks are **now** 100% seam free!



ORALITE® Marathon™ Roll Up Sign


NEW! ORALITE® Reboundable Sheeting

Flexible Applications


For rugged construction work zone use, including channelizers such as drums, tubes, barricades, and delineators

Product Features and Benefits:

- Weatherproof
- 5934 - 10-mil; 5935 - 14-mil
- Clear, solvent polyacrylate, permanent adhesive
- High performance PVC film
- Meets requirements of MUTCD
- 5934 meets ASTM D4956 specification for Type IV, Class 1 and Type VI, Class 1 retroreflective sheeting
- 5935 meets ASTM D4956 specification for Type VIII, Class 1 retroreflective sheeting



Product Identification pattern for ORALITE® 5934



Product Identification pattern for ORALITE® 5935

Product	Available Colors	Print Compatibility	Available Widths	Available Lengths	Outdoor Durability
ORALITE® Super Bright® 5934 Series	white, orange, left and right hand white/orange pre-stripe	N/A	6"	150' (50-yard)	3 years
ORALITE® Marathon® 5935 Series	white, flourescent orange	N/A	6"	150' (50-yard)	3 years



typical application examples of ORALITE® Reboundable Sheeting

Product Overview

Type	Product	Grade	Print Compatibility	Outdoor Durability	Available Colors*
TRAFFIC SIGNS	ORALITE® 7900	Wide Observation Angle Prismatic	screen printing & UV printing	Up to 12 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
	ORALITE® 5900	High Intensity Prismatic (HIP) Grade	screen printing & UV printing	Up to 10 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
	ORALITE® 6700	Engineer Grade Prismatic	screen printing & UV printing	7 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
	ORALITE® 5800	High Intensity Grade	screen printing & UV printing	Up to 10 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
	ORALITE® 5700	Engineer Grade Premium	screen printing, thermal transfer, and UV printing	7 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
	ORALITE® 5500	Engineer Grade	screen printing & UV printing	7 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
	ORALITE® 5300	Commercial Grade	screen printing & UV printing	7 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
	ORALITE® 5400	Commercial Grade	screen printing, inkjet printing, & UV printing	4 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
	ORALITE® 5018	Screen Printing Ink	N/A	-	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
	ORALITE® 5019	UV digital printing ink	N/A	Up to 12 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
ACCESSORIES	ORALITE® 5081	Lettering Film (with watermark)	N/A	Up to 10 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
	ORALITE® 5071	Lettering Film	N/A	Up to 7 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
	ORALITE® 5061	Lettering Film	N/A	Up to 10 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
	ORALITE® 5061	Transparent Overlay Film	N/A	Up to 10 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
	ORALITE® 5062	Transparent Overlay Film	N/A	Up to 7 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange
	ORALITE® 5051	Transparent Overlay Film	N/A	Up to 7 years	transparent, white, yellow, orange, red, blue, green, brown, black, fluorescent yellow-green, fluorescent orange, fluorescent yellow, fluorescent lime, fluorescent pink, white/orange

Product Name	Application	Construction	Print Type	Warranty	Anti-Dew Film	Anti-Graffiti Film	Laminating Film	Application Tape	Ultra High Bond Tape	Ultra High Bond Tape	Wide Observation Angle Prismatic	High Intensity Prismatic (HIP) Construction Grade	High Intensity Construction Grade	Construction Grade	Engineer Construction Grade	Engineer Construction Grade	Delineation Sheeting	Flexible Applications	Flexible Applications	Reboundable Sheeting	Reboundable Sheeting
ORALITE® 5090	Anti-Dew Film		N/A	5 years																	
ORALITE® 5095	Anti-Graffiti Film		N/A	10 years																	
ORAGUARD® 215DU	Laminating Film		N/A	5 years																	
ORATAPE® MT95	Application Tape		N/A	N/A																	
ORATAPE® MT72/LT72	Application Tape		N/A	N/A																	
ORABOND® UHB 3600	Ultra High Bond Tape		N/A	N/A																	
ORABOND® UHB 3601	Ultra High Bond Tape		N/A	N/A																	
ORALITE® 7900	Wide Observation Angle Prismatic		screen printing & UV printing	Up to 12 years																	
ORALITE® 5930	High Intensity Prismatic (HIP) Construction Grade		screen printing & UV printing	3 years																	
ORALITE® 5830	High Intensity Construction Grade		screen printing	v																	
ORALITE® 5430	Construction Grade		solvent inkjet printing	4 years																	
ORALITE® 5370	Engineer Construction Grade		screen printing	3 years																	
ORALITE® 5270	Engineer Construction Grade		N/A	3 years																	
ORALITE® AR1000	Delineation Sheeting		N/A	5 years																	
ORALITE® Marathon™ Roll Up Sign Blanks	Flexible Applications		screen printing	3 years																	
ORALITE® Super Bright™ Roll Up Sign Blanks	Flexible Applications		screen printing	3 years																	
ORALITE® Super Bright® 5934 Series	Reboundable Sheeting		N/A	3 years																	
ORALITE® Marathon® 5935 Series	Reboundable Sheeting		N/A	3 years																	

* Color representations may not be a 100% match to the actual material.

** Available in gloss and matte

WORK ZONE

Reflective Solutions
Engineered to Save Lives™



Revised 02/19 | © 2019 ORAFOL Americas Inc.

48720-RSATC



ORAFOL Americas - GA

1100 Oracal Parkway
Black Creek, GA 31308

912-851-5000 • Fax | 912-851-5110
Toll Free | 888-672-2251

ORAFOL Americas - CT

120 Darling Drive
Avon, CT 06001

860-676-7100 • Fax | 860-676-7199
Toll Free | 800-654-7570

ORAFOL Canada

2831 Bristol Circle
Oakville, Ontario L6H 6X5

905-829-2828 • Fax | 905-829-9941
Toll Free | 888-727-3374